V-TAC

Meaningful Innovation.

CATALOGUE

LED LIGHTING | Q4-2024

LED LIGHTING

DECORATIVE LIGHTING

SMART PRODUCTS

DIGITAL & ELECTRICAL

DEKRA TÜV SÜD CE/EMC

HIGHLY ACCREDITED GLOBALLY

05 YEAR WARRANTY

SAMSUNG LED Illuminated

GLOBAL YET LOCAL

V-TAC
Meaningful Innovation.

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide.

While building a vast portfolio in LED lighting over the past years, we were also able to build expertise in innovation and expand our R&D team to offer a diversified catalogue with over 5000 products to our clients and partners all over the UK and Europe.



Utilizing our brand value and manufacturing technologies, we have been expanding our product categories beyond lighting, with one mission to improve the lives of humanity worldwide.

Now, we are moving towards promoting sustainable practices that will help citizens and businesses lower their carbon footprint, and become a global leader in providing energy efficient systems — including solar panels, inverters, battery packs, and power stations.

LED LIGHTING



LIGHTING | DIGITAL
AUDIO | ELECTRICAL

scan to view online catalogue

SOLAR ENERGY



INVERTERS | BATTERIES
PANELS | ALL IN ONE ESS

scan to view online catalogue

OUR JOURNEY SO FAR

V-TAC
Meaningful Innovation.

2009
V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide

2011
Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2013
Started building our distribution network in the UK from our office in Southall, London.

2015
Launched our in-house product testing lab in Sofia, Bulgaria.

2016
Achieved $100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting.

2017
In-brand partnership with Samsung. Launched the V-TAC Pro series.

2018
- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK

2019
Opened new office in Poland.

2020
- New website launch
- Opened new office in Ireland.

2021
Centralized warehouse in Bulgaria extended to 42000+ sq mts.

2022
Progressed into the green energy era with our new Renewables range

2023
10 year anniversary in the UK

2024
Announced partnerships with Midea and Sinexcel







ESTABLISHED
2009

PRESENCE IN
75 COUNTRIES

TURNOVER
$150M



Collaboration for Impact.

In-Brand Partnership

Driven by our mission to continuously improve the quality and efficiency of our products, V-TAC developed PRO-Series LED in partnership with Samsung.

V-TAC's flagship product range, the PRO-Series features LEDs from Samsung and 5 Year warranties.

PRO SERIES

SAMSUNG LED Illuminated

05 YEARS WARRANTY

Meaningful Innovation.

Innovation has been our core from the beginning. But we aren't just innovators. We are problem solvers. We innovate to make positive impact. Not just for our customers, but for the human race.

Driven by our passion to provide the most efficient products and solutions, we are fully committed to building a brighter yet sustainable future.




In 2020, we finished the upgrade and expansion of our Warehouse in Bulgaria with the Warehouse Management System (WMS) which allowed us to accommodate more stock, thereby enabling us to maintain fulfillment of orders despite logistic challenges due to Brexit and the global pandemic. Along with this development, both the PRO Series & Evolution Series have been growing and will continue to improve in the years ahead to offer the best lighting solutions in residential, commercial, and industrial projects.






V-TAC






V-TAC


11
EVERGREEN
EVERGREEN
EVERGREEN

LED SOLAR LIGHTING

TABLE OF CONTENT

V-TAC has an extensive range of LED solar lights. These lights are designed to be energy-efficient and eco-friendly, making them a popular choice for various outdoor lighting applications.



13

LED SOLAR FLOODLIGHT



17

LED SOLAR STREETLIGHT



22

LED SOLAR WALL LIGHTS



NEW

29

SOLAR TABLE LAMPS



NEW

34

LED SOLAR **GARDEN** LIGHTS



NEW

43

NEW SOLAR BUG ZAPPER



43

LED SOLAR STRING LIGHT



44

LED SOLAR **STRIP** KIT



44

LED SOLAR EGG LIGHT



45

LED SOLAR FLAME LIGHT

LED LIGHTING PRO SERIES

TABLE OF CONTENT

The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.

V-TAC Meaningful Innovation.

SAMSUNG LED Illuminated



46 **LED** FLOODLIGHTS



74 **LED** STREET LIGHTS




86 **LED** HIGHBAY LIGHTS



92 **LED** PANELS



96 **LED** TUBES & **FIXTURES**



108 **LED** LINEAR LIGHTS



120 **LED TRACKLIGHTS**



124 **LED** DOME & DOWN LIGHTS



136 **EMERGENCY** EXIT LIGHTS



138 **LED** STRIP LIGHTS



140 **LED** SPOTLIGHTS



146 **LED** BULBS

LED LIGHTING ESSENTIAL SERIES

TABLE OF CONTENT

V-TAC's wide range of essential LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.



158 **LED** BULBS



192 **LED** SPOTLIGHTS



198 **SPOTLIGHTS FITTINGS**



226 **LED FLOODLIGHTS**



234 **LED** PANELS



248 **LED** TUBES AND **BATTEN** FITTINGS



252 **LED** WP BATTEN **FITTINGS**



256 **LED** HIGHBAY LIGHTS



260 **LED** STREET LIGHTS



262 **LED** STRIP LIGHTS



298 **LED** TRACK **LIGHT** S



303 **LED** MAGNETIC TRACKLIGHTS

LED LIGHTING ESSENTIAL SERIES

TABLE OF CONTENT

V-TAC's wide range of essential LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.



310 **COB** DOWNLIGHTS



316 **LED** DOME LIGHTS



328 **LED** WALL LIGHTS



366 **LED** EMERGENCY LIGHTS



370 **MOTION** SENSORS



380 **OUTDOOR** LIGHTS & FITTINGS



406 **DECORATIVE** LIGHTS



464 **LED** TABLE & FLOOR LAMPS



484 **DECORATIVE** PENDANTS



500 **LED** DISPLAY SCREEN

SMART DIGITAL AND ELECTRICAL

TABLE OF CONTENT

V-TAC introduces its all-new extensive range of smart products. Smart cameras that are fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. Self-powered wireless switches that function using an RF receiver, making their use a hassle free experience.



506 **SMART CAMERAS**



508 **SMART SWITCHES**



510 **SOCKETS** AND ADAPTERS



536 **DECORATIVE** CEILING FANS




546 **WIRELESS SPEAKERS**



548 **POWER** BANKS



553 **LED** RING LIGHT



554 **INSECT** KILLER & ROBOT VACUUM CLEANER

LED SMART HOME AND LIGHTING

TABLE OF CONTENT

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.



559

LED SMART BULB



560

LED SMART **SPOTLIGHT**




561

SMART LED DOME LIGHT



561

LED SMART **PANEL**



561

LED SMART **STRIPLIGHT** KITS



562

LED SMART FLOODLIGHTS



563

LED SMART **GARDEN** LIGHTS



563

LED SMART **AMBIANCE** LAMPS



564

LED SMART **MAGNETIC** TRACK LIGHTS



567

SMART HOME

V-TAC

Meaningful Innovation.



LED Solar Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Key Feature

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium

3 METER WIRE

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7822 - 4000K DAY WHITE 7821 - 6400K WHITE	VT-40W-B	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7824 - 4000K DAY WHITE 7823 - 6400K WHITE	VT-80W-B	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7826 - 4000K DAY WHITE 7825 - 6400K WHITE	VT-120W-B	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7828 - 4000K DAY WHITE 7827 - 6400K WHITE	VT-180W-B	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7830 - 4000K DAY WHITE 7829 - 6400K WHITE	VT-240W-B	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium

3 METER WIRE

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7840 - 4000K DAY WHITE 7839 - 6400K WHITE	VT-40W-W	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7842 - 4000K DAY WHITE 7841 - 6400K WHITE	VT-80W-W	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7844 - 4000K DAY WHITE 7843 - 6400K WHITE	VT-120W-W	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7846 - 4000K DAY WHITE 7845 - 6400K WHITE	VT-180W-W	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7848 - 4000K DAY WHITE 7847 - 6400K WHITE	VT-240W-W	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



- Sensing Range: <6 Meters
- Charging Time: 4-6 hr
- Working Time: Max.60 hr
- IP Rating: IP65
- Body Type: ABS+PC

PIR MOTION SENSOR | 5 METER WIRE | IP65 RATING | REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10314 - 4000K DAY WHITE 10313 - 6400K WHITE	VT-411	4.5W Solar Panel	1500	3.7V-3600mAh	152.7x32.3x143.8	12
10310 - 4000K DAY WHITE 10311 - 6400K WHITE	VT-432	12.5W Solar Panel	4800	6.4V-6000mAh	197.2x49x190.9	8

LED FLOODLIGHT WITH SOLAR PANEL



- Charging Time: 4-6 hr
- Working Time: 8-12 hr
- IP Rating: IP65
- Body Type: Aluminium

IP65 RATING | REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6973 - 3000K WARM WHITE 6965 - 4000K DAY WHITE 6964 - 6400K WHITE	VT-55050	6W Solar Panel	400	3.2V-5000mAh	175x50x210	12
6974 - 3000K WARM WHITE 6967 - 4000K DAY WHITE 6966 - 6400K WHITE	VT-55100	12W Solar Panel	1200	3.2V-10000mAh	215x50x260	7
6975 - 3000K WARM WHITE 6969 - 4000K DAY WHITE 6968 - 6400K WHITE	VT-55200	16W Solar Panel	1600	3.2V-15000mAh	215x50x260	7
6976 - 3000K WARM WHITE 6971 - 4000K DAY WHITE 6970 - 6400K WHITE	VT-55300	20W Solar Panel	2400	3.2V-20000mAh	255x50x310	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium

IP65 RATING

ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8573 - 4000K DAY WHITE 94006 - 6000K WHITE	VT-25W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
8574 - 4000K DAY WHITE 94008 - 6000K WHITE	VT-40W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
8575 - 4000K DAY WHITE 94010 - 6000K WHITE	VT-60W	20W Solar Panel	1650	6.4V-10000mAh	284x76x223	5
8576 - 4000K DAY WHITE 94012 - 6000K WHITE	VT-100W	35W Solar Panel	2450	6.4V-15000mAh	335x86x250	2
8577 - 4000K DAY WHITE 94026 - 6000K WHITE	VT-200W	40W Solar Panel	3100	6.4V-20000mAh	360x90x290	2
8578 - 4000K DAY WHITE 94027 - 6000K WHITE	VT-300W	50W Solar Panel	4200	6.4V-25000mAh	445x110x380	2

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium

IP65 RATING

ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23018 - 4000K DAY WHITE 10405 - 6400K WHITE	VT-25W-W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
10406 - 4000K DAY WHITE 10407 - 6400K WHITE	VT-40W-W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
10408 - 4000K DAY WHITE 10409 - 6400K WHITE	VT-60W-W	20W Solar Panel	1650	3.2V-20000mAh	284x76x223	5
10410 - 4000K DAY WHITE 23019 - 6400K WHITE	VT-100W-W	35W Solar Panel	2450	3.2V-30000mAh	335x86x250	2
10413 - 4000K DAY WHITE 10414 - 6400K WHITE	VT-200W-W	40W Solar Panel	3100	3.2V-40000mAh	360x90x290	2
10415 - 4000K DAY WHITE 10416 - 6400K WHITE	VT-300W-W	50W Solar Panel	4200	3.2V-50000mAh	445x110x380	2

NEW LED FLOODLIGHT WITH SOLAR PANEL



Detecting Angle: Detection Angle
Sensing Range: Sensing Range
Charging Time: Charging Time
Working Time: Working Time
IP Rating: IP Rating
Body Type: Body Type

3 METER WIRE | IP65 RATING | REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23438 - 4000K DAY WHITE	VT-55W	10W Solar Panel	1000	3.7V, 8000mAh	191x241x73	5
23439 - 4000K DAY WHITE	VT-102W	15W Solar Panel	1800	3.7V, 12000mAh	191x241x73	4

LED PIR SENSOR SOLAR FLOODLIGHT



Detecting Angle: 180°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: 2-24 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8547 - 4000K DAY WHITE	VT-777-5	5W	500	3.7V-3000mAh	231.9x33.68x149.62	18

LED PIR SENSOR SOLAR FLOODLIGHT



Detecting Angle: 180°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: 2-36 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8550 - 4000K DAY WHITE	VT-787-10	10W	1100	3.7V-3000mAh	300x215x35	8

LED FLOODLIGHTS WITH USB PORT



Detecting Angle: 120°

Sensing Range: ≤8Mtr

Charging Time: 6-7 hr

Working Time: Max 24 hr

IP Rating: IP65

Body Type: Aluminium

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8674 - 4000K DAY WHITE	VT-788-10	10W	1100	3.7V-7200mAh	232x166x33	10

LED SOLAR FLOODLIGHT



Detecting Angle: 120°

Charging Time: 4-8 hr

Working Time: 4 hr

IP Rating: IP44

Body Type: Aluminum

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
9747 - 6500K WHITE	VT-4110-S	10W	600lm	3.7V-2000mAh	175x43x266	8

LED SOLAR STREETLIGHT



Detecting Angle: 120°

Sensing Range: 3-8M

Charging Time: 6-7 hr

Working Time: 2-36 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8549 - 4000K DAY WHITE 8548 - 6000K WHITE	VT-ST15	15W	1600	7.4V-5400mAh	413x232x58	10

LED STREETLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr
Working Time: 8-12 hr
IP Rating: IP65
Body Type: Aluminium

IP65 RATING
ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Box Qty
5502 - 4000K DAY WHITE	VT-ST200	50W Solar Panel	4000	6.4V-50000mAh	1

NEW HYBRID LED STREETLIGHT WITH SOLAR PANEL

Charging Time: 4-6 hr
Working Time: 8-12 hr
IP Rating: IP65
Body Type: Aluminium

IP65 RATING
ULTRAVIOLET PROTECTION



- Uses Solar Panel for efficient photovoltaic conversion and lengthy lifespan
- Remote Control with Auto and Timer function
- Automatically switches to AC mode when the battery power is low

SKU	Model	Watts	Lumens	Battery	Box Qty
23578 - 4000K DAY WHITE 23579 - 6500K WHITE	VT-ST201	50W Solar Panel	4000	3.4V-50000mAh	1

LED SOLAR STREETLIGHT



ACCESSORIES INCLUDED

METAL PROTRUDING POLE

BRACKET

MOUNTING ARM (FOR WALL MOUNT)



Detecting Angle: Detection Angle

Sensing Range: Sensing Range

Charging Time: Charging Time

Working Time: Working Time

IP Rating: IP Rating

Body Type: Body Type

IP65 RATING

05 YEAR WARRANTY

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Battery	Box Qty
7837- 4000K DAY WHITE 20341- 6400K WHITE	VT-ST303	50W Solar Panel	3000	6.4V-30000mAh	1

LED SOLAR STREETLIGHT



Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

bridgelux CHIP

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10224 - 4000K DAY WHITE 10225 - 6500K WHITE	VT-15111ST	40W Solar Panel	2500	3.2V-30000mAh	200x530	1
10226 - 4000K DAY WHITE 10227 - 6500K WHITE	VT-15200ST	60W Solar Panel	3000	3.2V-50000mAh	200x530	1
10228 - 4000K DAY WHITE 10229 - 6500K WHITE	VT-15300ST	70W Solar Panel	3500	3.2V-75000mAh	200x530	1

LED INTEGRATED SOLAR PANEL STREET LIGHT



Charging Time: 4-6 Hours

Working Time: 8-10 hours in always mode, 12 hours in induction mode

IP Rating: IP65

Body Type: Aluminum


IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6755 - 4000K DAY WHITE 6756 - 6400K WHITE	VT-20201ST	33W Solar Panel	Always Mode-1400 Sensor Mode-2300	3.2V-30000mAh	680x320x50	3
6757 - 4000K DAY WHITE 6758 - 6400K WHITE	VT-30301ST	40W Solar Panel	Always Mode-2000 Sensor Mode-3500	3.2V-40000mAh	900x320x50	2
6759 - 4000K DAY WHITE 6760 - 6400K WHITE	VT-40401ST	50W Solar Panel	Always Mode-2200 Sensor Mode-4300	3.2V-60000mAh	1000x320x50	2

LED SOLAR GARDEN LIGHT SENSOR







FUTURISTIC DESIGN



- REMOTE CONTROL
- RADAR SENSOR
- TIMER FUNCTION

Detecting Angle: 120°

Sensing Range: <6M

Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65


Body Type: ABS

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5150 - 4000K DAY WHITE 5151 - 6500K WHITE	VT-45W	15W Solar Panel	1000	3.2V-15000mAh	420x123	5
5152 - 4000K DAY WHITE 5153 - 6500K WHITE	VT-65W	24W Solar Panel	1500	3.2V-22000mAh	520x137	4
11258	Pole for Solar Garden Light				3 meter (1000x3pcs)	2

LED SOLAR GARDEN LIGHT SENSOR



IP65 RATING

PIR MOTION SENSOR

- Detecting Angle: 120°
- Sensing Range: <8Mtr
- Charging Time: 8 hr
- Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+
- IP Rating: IP65
- Body Type: Aluminium+ABS

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5505 - 4000K DAY WHITE 5506 - 6400K WHITE	VT-130W	20W	2000	6.4V-6000mAh	601.1x200x292.8	1

LED SOLAR STREETLIGHT HIGH LUMEN





3 Types of installation

① Straight pole installation

② Curved pole installation

③ Wall mounted

Including Accessories



- Detecting Angle: 120°
- Sensing Range: 8-12m
- Charging Time: 8-10hr
- Working Time: Min 36 hr and Max 120 hr
- IP Rating: IP65
- Body Type: ABS+PC and Aluminium

03 YEAR WARRANTY

120 LUMEN/W

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5503 - 4000K DAY WHITE 5504 - 6000K WHITE	VT-ST42	40W	4800	9.6V-12000mAh	289.7x73.6x706.1	4

LED SOLAR TRI-PROOF LIGHT WITH SENSOR



Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65


Body Type: PC

IP65 RATING

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6500 - 3IN1	VT-120018	25W Solar Panel	3000K - 920 lm 4000K - 950 lm 6400K - 1000 lm	3.7V-18,000mAh	1185x80x65	10

NEW LED SOLAR COB WALL LIGHT-SENSOR





Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 8 hr

Working Time: Max 30 hr

IP Rating: IP65

Body Type: Aluminium+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
11884 - 3000K WARM WHITE 11885 - 4000K DAY WHITE	VT-11109-B	3W Solar Panel	860	Black	150x153x150mm	12
11886 - 3000K WARM WHITE 11887 - 4000K DAY WHITE	VT-11109-W	3W Solar Panel	860	White	150x153x150mm	12
11888 - 3000K WARM WHITE 11889 - 4000K DAY WHITE	VT-11109-C	3W Solar Panel	860	Corten	150x153x150mm	12

LED SOLAR WALL LIGHT-8IN1-SENSOR





INTEGRATED WALL MOUNT



SPLIT WALL MOUNT




PORTABLE




STANDABLE



HANGING IN TWO-DIRECTIONS



MAGNETIC ADSORPTIVE



STICK-ON



POLE MOUNTED



IP65 RATING

PIR MOTION SENSOR

Battery: 3.7V-4000mah

Sensing Range: <8 Meters

Charging Time: 5-6 hr

Working Time: Min 20 - Max 60 hr

IP Rating: IP65

Body Type: ABS+PC

SKU	Model	Watts	Lumens	Unit Color	Box Qty
6844 - 3000K WARM WHITE 6849 - 4000K DAY WHITE 6850 - 6000K WHITE	VT-11108	8W	950	Black	12

LED SOLAR YARD LIGHT-KEEPER-SENSOR







IP65 RATING

PIR MOTION SENSOR

Battery: 3.2V--6000mAh

Sensing Range: <8 Meters

Charging Time: 5 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10315 - 6000K+4000K WHITE+DAY WHITE	VT-414-B	15W	2000	Black	294x236x77	6
10316 - 6000K+4000K WHITE+DAY WHITE	VT-414-W	15W	2000	White	294x236x77	6

LED SOLAR WALL LIGHT-BRICK-SENSOR







Battery: 3.7V-1200mAh

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Up to 50 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10305 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-B	3W	350	Black	137.6x90.4x35.4	24
10306 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-W	3W	350	White	137.6x90.4x35.4	24

LED SOLAR WALL LIGHT-BRICK-SENSOR







Battery: 3.7V-3000mAh

Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Mode A: 4 Nights +, Mode B: 2 Nights +

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10307 - 4000K DAY WHITE	VT-406-B	6W	900	Black	230x97x42.7	24
10308 - 4000K DAY WHITE	VT-406-W	6W	900	White	230x97x42.7	24

NEW **SOLAR** GARDEN LAWN LIGHT





Battery: 3.7V 2600mAh (Li(NiCoMn)O2)

Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23351 - 3000K WARM WHITE	VT-7655	3W	40	Black+White	205x205x190mm	4
23352 - 3000K WARM WHITE	VT-7656	5W	50	Black+White	305x305x190mm	1

LED SOLAR GARDEN PILLAR LIGHT-SENSOR







Battery: 3.7V-2600mAh

Sensing Range: 3-5 Meters

Charging Time: 4-6 hr

Working Time: Min 3 hr Max 12 hr

IP Rating: IP65

Body Type: AL+PC

IP65 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6805 - 3000K WARM WHITE	VT-11022-B	2W	90	Black	140x140x163	20
6806 - 3000K WARM WHITE	VT-11022-W	2W	90	White	140x140x163	20

LED SOLAR GARDEN WALL LIGHT-SENSOR





IP54 RATING

PIR MOTION SENSOR

Battery: 3.7V-2200mAh
Detecting Angle: 50°
Sensing Range: 3-4 Meters
Charging Time: 11-13 hr
Working Time: 18-20 hr
IP Rating: IP54
Body Type: Aluminium+PC

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23032 - 3000K WARM WHITE	VT-1193-B	0.5W	95	Black	126x83x252	10

LED SOLAR GARDEN WALL LIGHT-SENSOR





IP54 RATING

PIR MOTION SENSOR

Battery: 3.7V-2200mAh
Detecting Angle: 50°
Sensing Range: 3-4 Meters
Charging Time: 11-13 hr
Working Time: 18-20 hr
IP Rating: IP54
Body Type: Aluminium+PC

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23033 - 3000K WARM WHITE	VT-1193-G	0.5W	95	Dark Grey	126x83x252	10

SOLAR BOLLARD





PIR MOTION SENSOR

Battery: Lithium 3.7V/2600mAh
Charging Time: 4-6 hr
Working Time: 3-12 hr
IP Rating: IP65
Body Type: PC+AL

03 YEAR WARRANTY

IP65 RATING

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
785 | 3000K WARM WHITE	VT-66	2W	280	Grey	140x140x500mm	10
21785 | 3000K WARM WHITE	VT-66-N	2W	280	Grey	140x140x500mm	10

SOLAR WALL LIGHT





PIR MOTION SENSOR

Battery: Lithium 3.7V/2600mAh
Charging Time: 4-6 hr
Working Time: 3-12 hr
IP Rating: IP65
Body Type: PC+AL

03 YEAR WARRANTY

IP65 RATING

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
784 | 3000K WARM WHITE	VT-77	2W	220	Grey	140x140x290mm	10
21784 | 3000K WARM WHITE	VT-77-N	2W	220	Grey	140x140x290mm	10

LED SOLAR WALL LIGHT





Detecting Angle: 90°

Sensing Range: 2-6M

Charging Time: 6-7 hr

Working Time: Min 8 hr and Max 24 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8276 - 4000K DAY WHITE	VT-767-2-W	1.5W	220	White+Black	3.7V-1200mAh	144.5x96x79	20
8277 - 4000K DAY WHITE	VT-767-2-B	1.5W	220	Black	3.7V-1200mAh	144.5x96x79	20

LED SOLAR WALL LIGHT





Detecting Angle: 120°

Sensing Range: 2-6M

Charging Time: 12-15 hr

Working Time: Min 5-8 hr and Max 24 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
7523 - DAY+WARM WHITE	VT-768-W	2.4W	500	White+Black	3.7V-2000mAh	140x211.1x114.8	12
7528 - DAY+WARM WHITE	VT-768-B	2.4W	500	Black	3.7V-2000mAh	140x211.1x114.8	50

LED SOLAR WALL LIGHT





Detecting Angle: 120°

Sensing Range: 2-6M

Charging Time: 12-15 hr

Working Time: 5 hr to 4 nights- 3 modes

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8278 - 4000K DAY WHITE	VT-767-7-W	8W	850	White+Black	3.7V-4000mAh	232x220.6x121.4	20
8279 - 4000K DAY WHITE	VT-767-7-B	8W	850	Black	3.7V-4000mAh	232x220.6x121.4	20

NEW SOLAR TABLE LAMP







Battery: Lin-ion 18650, 3.7V, 4000mAh

Charging Time: 8-10 Hours

Working Time: 12 Hours

IP Rating: IP44

Body Type: Metal

IP44 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	1W	120	Black	420x305mm	1
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	1W	120	Grey	420x305mm	1

NEW SOLAR TABLE LAMP





Battery: Lin-ion 18650, 3.7V, 1200mAh

Charging Time: 6-8 Hours

Working Time: 10 Hours

IP Rating: IP44

Body Type: Metal

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23385 - 3000K WARM WHITE	VT-7994	0.5W	21	Black	180x210mm	20

LED SOLAR WALL LIGHT





Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23012 - 3000K WARM WHITE	VT-1139-B	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT





Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23013 - 3000K WARM WHITE	VT-1139-W	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 360°
Sensing Range: 3-4 Meters
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10399 - 3000K WARM WHITE	VT-1145	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23016 - 3000K WARM WHITE	VT-1147-RD	5.5W	220	3.7V-2200mAh	229x155x155	6

LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10402 - 3000K WARM WHITE	VT-1147-SQ	5.5W	220	3.7V-2200mAh	224x130x155	6

LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+Glass

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23017 - 3000K WARM WHITE	VT-1148	2.5W	100	3.7V-2000mAh	181x91x66	12

LED SOLAR WALL LIGHT





Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10384 - 3000K WARM WHITE	VT-1138-B	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT





Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10395 - 3000K WARM WHITE	VT-1138-W	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 360°
Sensing Range: 3-4 Meters
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING


PIR MOTION SENSOR

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23014 - 3000K WARM WHITE	VT-1140	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-DIAMOND





Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23004 - 6000K+4000K WHITE+DAY WHITE	VT-425	15W	1900	3.2V--6000mAh	257x288.5x206.5	4

LED SOLAR PILLAR LIGHT-DIAMOND






Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23005 - 6000K+4000K WHITE+DAY WHITE	VT-426	15W	2200	3.2V--6000mAh	257x257x217	4

LED SOLAR PATH LIGHT-DIAMOND






Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23006 - 6000K+4000K WHITE+DAY WHITE	VT-413	15W	2200	3.2V--6000mAh	257x257x879.7	125

LED SOLAR WALL LIGHT-PANDA-SENSOR





- Sensing Range: <6 Meters
- Charging Time: 8-10 hr
- Working Time: Min 35 hr
- IP Rating: IP65
- Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10309 - 4000K DAY WHITE	VT-422	2W	200	3.7V-1200mAh	138.9x68.5x106.9	24

LED SOLAR WALL LIGHT-SENSOR





- Detecting Angle: 360°
- Sensing Range: 3-4 Meters
- Charging Time: 8-10 hr
- Working Time: 6-8 hr
- IP Rating: IP54
- Body Type: Polycrystalline Solar Panel

IP54 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23010 - 3000K WARM WHITE	VT-1136	2.5W	150	3.7V-2000mAh	185x120x260	6

LED SOLAR BOLLARD LIGHT-SENSOR





- Detecting Angle: 360°
- Sensing Range: 3-4 Meters
- Charging Time: 8-10 hr
- Working Time: 6-8 hr
- IP Rating: IP54
- Body Type: Polycrystalline Solar Panel

IP54 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23009 - 3000K WARM WHITE	VT-1134	2.5W	150	3.7V-2000mAh	120x120x800	6

LED SOLAR WALL LIGHT-REMOTE CONTROL





- Sensing Range: 3-5M
- Charging Time: 4-6 hr
- Working Time: Min 3 hr and Max 12 hr
- IP Rating: IP44
- Body Type: PC

IP44 RATING | REMOTE CONTROL | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)
93575 - 3IN1	VT-969	0.8W	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LIGHT-REMOTE CONTROL





- Sensing Range: 3-5M
- Charging Time: 4-6 hr
- Working Time: Min 3 hr and Max 12 hr
- IP Rating: IP44
- Body Type: PC

IP44 RATING | REMOTE CONTROL | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)
93578 - 3IN1	VT-972	0.8W	60-75Lm	3.7V-1200mAh	160x160x230

LED SOLAR WALL LAMP





- Charging Time: 5-6 hr
- Working Time: 3-12 hr
- IP Rating: IP44
- Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2889 - 3IN1	VT-982-S	2W	110	3.7V-2200mAh	20x15.5x25.5	6

LED SOLAR STAND LAMP





Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP44
Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2890 - 3IN1	VT-983-S	2W	110	3.7V-2200mAh	15.5x15.5x27	6

LED SOLAR WALL LAMP





Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP44
Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2892 - 3000K+6000K WARM WHITE+WHITE	VT-982	2W	110	3.7V-2200mAh	22x17.5x25	6

LED SOLAR STAND LAMP





Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP44
Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2893 - 3000K+6000K WARM WHITE+WHITE	VT-983	2W	110	3.7V-2200mAh	17.5x17.5x27	6

LED SOLAR LAWN LAMP





Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: Aluminum Die-Casting

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2894 - 3000K+6000K WARM WHITE+WHITE	VT-984	2W	110	3.7V-2200mAh	175x175x930	4

LED SOLAR LAWN LAMP





Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: Aluminum Die-Casting

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2891 - 3IN1	VT-984-S	2W	110	3.7V-2200mAh	150x150x940	4

LED SOLAR BOLLARD LIGHT





Charging Time: 12-15 hr
Working Time: 12 hr
IP Rating: IP65
Body Type: ABS+PC


IP65 RATING

AUTOMATIC SENSOR OFF ON ≤15Lux

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	VT-945	5W	400	3.7V-2000mAh	705.7x155	8

LED SOLAR BOLLARD LIGHT





Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23011 - 3000K WARM WHITE	VT-1137	2W	120	3.7V-2000mAh	800x180x270	4

2IN1(SPIKE+STAND) GARDEN LIGHT





Charging Time: 4-5 hr
Working Time: 30-36 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	VT-943	3W	260	3.7V-1000mAh	148x800	32

LED SOLAR GARDEN LIGHT - ADJUSTABLE





Charging Time: 4-5 hr
Working Time: 30-36 hr
IP Rating: IP65
Body Type: ABS+PC+Metal

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	VT-948	8W	500	7.4V-2000mAh	264x1290.55	4

NEW LED SOLAR BOLLARD LIGHT WITH SENSOR





- Detecting Angle: 90-110°
- Charging Time: 8-10 hr
- Working Time: 6-8 hr
- IP Rating: IP54
- Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23398 - 3000K WARM WHITE	VT-1167	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

NEW LED SOLAR BOLLARD LIGHT WITH SENSOR





- Detecting Angle: 90-110°
- Charging Time: 8-10 hr
- Working Time: 6-8 hr
- IP Rating: IP54
- Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23399 - 3000K WARM WHITE	VT-1168	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

NEW LED SOLAR BOLLARD LIGHT WITH SENSOR





- Detecting Angle: 90-110°
- Charging Time: 8-10 hr
- Working Time: 6-8 hr
- IP Rating: IP54
- Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23401 - 3000K WARM WHITE	VT-1170	2.5W	250	DC:3.7V Li-ion 2200mAh	145x145x800	4

NEW SOLAR GARDEN LIGHT-HEMP ROPE WITH HANDLE





Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23349 - 3000K WARM WHITE	VT-7653	2.4W	20	3.7V 2600mAh (Li(NiCoMn)O2)	200x325mm	1

NEW LED SOLAR HANGING LANTERN LIGHT





Charging Time: 6-8 hr

Working Time: 8-12 hr

IP Rating: IP44

Body Type: Metal

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23386 - 2700K WARM WHITE	VT-7995	0.16W	8	2V, 300mAh	180x210	20

NEW LED SOLAR WALL LIGHT-SENSOR





Detecting Angle: 90-110°

Sensing Range: 2-8 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

PIR MOTION SENSOR

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23400 - 3000K WARM WHITE	VT-1169	3W	250	3.7V Li-ion 2200mAh	162x145x170	8

NEW LED SOLAR LAWN LAMP





Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65

Body Type: Iron

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23350 - 3000K WARM WHITE	VT-7654	2W	20	3.7V 2600mAh (Li(NiCoMn)O2)	150x150x635	1

2IN1(SPIKE+STAND) GARDEN LIGHT





Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS

IP65 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10304 - 3IN1	VT-4102	3W	220	3.7V-2600mAh	155x720	10

LED SOLAR SPIKE LIGHT





Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23015 - 3000K WARM WHITE	VT-1146	1.8W	90	3.7V-1800mAh	Ø155x200mm	24

LED SOLAR SPIKE LIGHT





Charging Time: 6-8 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: ABS

IP65 RATING
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	VT-952	2W	40	3.7V-1200mAh	140x150x280	20

LED SOLAR SPIKE LIGHT





Charging Time: 4-6 hr
Working Time: 3-12 hr
IP Rating: IP65
Body Type: ABS

IP65 RATING
4 METER WIRE
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20488 - 3000K WARM WHITE	VT-11031	1.2Wx2	90x2	3.7V-4000mAh	60x75x250	20

LED SOLAR SPIKE LIGHT





Charging Time: 4-6 hr
Working Time: 3-12 hr
IP Rating: IP65
Body Type: ABS

IP65 RATING
4 METER WIRE
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20489 - 3000K WARM WHITE	VT-11032	1.2Wx3	50x3	3.7V-4000mAh	60x75x250	10

NEW SOLAR BUG ZAPPER





- UV Light Solar Bug Zapper
- Silicone handle for easy carrying or hanging
- Tabletop, hang and spike installation
- Flexibility in positioning to maximize bug zapping efficiency
- Collection tray for dead insects
- UV Light:2W
- Tabletop size (12.8x12.8x34.4cm), Standing size (12.8x12.8x67.2cm)
- Charging Time 8-10 hours (Solar), 4 hours (Type-C)
- Work time maximum of 4 hours when fully charged
- High voltage grid rated at 1000V

SKU	Model	Watts	Battery	Size(mm)	Box Qty
23459	VT-3215	1.3W	3.7V,2200mAh	128x128x672mm	12

LED SOLAR STRING LIGHT-REMOTE CONTROL





IP Rating: IP44

Body Type: PVC Wire, Plastic Bulb

G50x10 Bulbs

IP44 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size	Box Qty
7804 - 3000K WARM WHITE	VT-70512	5W	300	3.7V-1200mAh	12 Meters	10

LED SOLAR STRING LIGHT





Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

10 Bulbs

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size	Box Qty
8559 - 3000K WARM WHITE	VT-71010	10W	100	1pc AA Ni-MH 1.2V-300mAh	2 Meters	24

LED SOLAR STRING LIGHT






IP Rating: IP44

ST64x15 Bulbs

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23034 - 3000K WARM WHITE	VT-715S	3W	50	3.7V (2 x 1200mAh)	15.6 Meters	2

LED SOLAR PANEL STRIP KIT-IP67-2IN1





IP67 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23044 - 3000K WARM WHITE 23045 - 4000K DAY WHITE 23046 - RGB	VT-2835 60	1.2W	120	3.7V-1500mAh	5 Meter Roll	20

LED SOLAR EGG LIGHT





Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

RGB+WW

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8557 - RGB+WW	VT-7815	0.2W	4	1xAA BATTERY, 1.2V/500mAH NI-MH	D:188x395	4

LED SOLAR FLAME LIGHT





Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

4IN1

4 DIFFERENT WAY OF INSTALLATION

1: SPIKE 2: HANGING

3;LAMP POST 4:WALL MOUNTING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8558 - 2200K WARM WHITE	VT-719	0.4W	5	3.7V/500mAH Lithium Battery,	100x100x650	12

LED SOLAR FLAME LIGHT





Charging Time: 8 hr

Working Time: 6 hr

IP Rating: IP44

Body Type: PP

4 PCS PACK

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8689 - 2200K WARM WHITE	VT-724	1W	10	1.2V 2/3AAA NI-MH	75×75x500	24





V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Floodlights

V-TAC's LED floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of die-cast aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also water and dust proof.

This extensive range of floodlights is ready to impress in terms of efficiency brought on by the Samsung LEDs. The PIR series comes with an auto-cutoff function(Manual Override)

Key Features

· 10w to 1000w
· IP65 rating — high-quality components to ensure waterproof/airtight performance
· Modern and strong Die cast aluminium body with a minimalistic design, for high-end support and design
· Product category include high lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
· Select units include a 1 meter wire for easy and convenient installation






IP65 RATING

05 YEAR WARRANTY

135 LUMEN/W

HIGH LUMEN SLIMLINE SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
8844 | 4000K DAY WHITE 8845 | 6500K WHITE	VT-4455	50W	5740	10 pcs		183.5x34x169mm
8846 | 4000K DAY WHITE 8847 | 6500K WHITE	VT-44101	100W	11480	4 pcs		253.5x40x242.5mm
8848 | 4000K DAY WHITE 8849 | 6500K WHITE	VT-44201	200W	22960	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING







05 YEAR WARRANTY

135 LUMEN/W

1 METER WIRE

HIGH LUMEN SLIMLINE SERIES- 1M WIRE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23196 | 3000K WARM WHITE 23197 | 4000K DAY WHITE 23198 | 6500K WHITE	VT-44033-1	30W	3450	20 pcs		164.5x34x153mm
23199 | 3000K WARM WHITE 23216 | 4000K DAY WHITE 23217 | 6500K WHITE	VT-4455-1	50W	5740	10 pcs		183.5x34x169mm
23200 | 3000K WARM WHITE 23218 | 4000K DAY WHITE 23219 | 6500K WHITE	VT-44101-1	100W	11480	4 pcs		242.5x40x253.5mm
23201 | 4000K DAY WHITE 23202 | 6500K WHITE	VT-44153-1	150W	17220	4 pcs		328.5x43x295mm
23220 | 4000K DAY WHITE 23221 | 6500K WHITE	VT-44201-1	200W	22960	2 pcs		402.5x44x349.5mm
10367 | 4000K DAY WHITE 23203 | 6500K WHITE	VT-44003-1	300W	34440	2 pcs		496x49x445mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW







IP65 RATING

05 YEAR WARRANTY

1 METER WIRE

LED FLOODLIGHTS BLACK BODY GREY GLASS

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23599 | 3000K WARM WHITE	VT-44035-B	30W	2505	10 pcs		164.5x34x153mm
23600 | 6500K WHITE	VT-44055-B	50W	4270	10 pcs		183.5x34x169mm
23440 | 4000K DAY WHITE 23441 | 6500K WHITE	VT-44104-B	100W	8700	4 pcs		253.5x40x242.5mm
23601 | 4000K DAY WHITE 23444 | 6500K WHITE	VT-44204-B	200W	17540	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW





IP65 RATING

05 YEAR WARRANTY

1 METER WIRE

LED FLOODLIGHTS WHITE BODY GREY GLASS

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23442 | 4000K DAY WHITE 23443 | 6500K WHITE	VT-44104-W	100W	8700	4 pcs		253.5x40x242.5mm
23602 | 4000K DAY WHITE 23603 | 6500K WHITE	VT-44204-W	200W	17540	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.








IP65 RATING

05 YEAR WARRANTY

LED FLOODLIGHTS BLACK BODY GREY GLASS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9898 | 3000K WARM WHITE 9899 | 4000K DAY WHITE 10010 | 6500K WHITE	VT-44010-B	10W	735	40 pcs		104x21x92mm
10014 | 3000K WARM WHITE 10015 | 4000K DAY WHITE 10016 | 6500K WHITE	VT-44020-B	20W	1620	20 pcs		126.5x28x114mm
10020 | 3000K WARM WHITE 10021 | 4000K DAY WHITE 10022 | 6500K WHITE	VT-44030-B	30W	2505	20 pcs		164x29x139mm
10026 | 6500K WHITE	VT-44050-B	50W	4270	20 pcs		183x29x169mm
10348 | 6500K WHITE	VT-44100	100W	8700	8 pcs		254x33x217mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






IP65 RATING

05 YEAR WARRANTY

LED FLOODLIGHTS WHITE BODY WHITE GLASS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10011 | 3000K WARM WHITE 10012 | 4000K DAY WHITE 10013 | 6500K WHITE	VT-44010-W	10W	735	40 pcs		104x21x92mm
10017 | 3000K WARM WHITE 10018 | 4000K DAY WHITE 10019 | 6500K WHITE	VT-44020-W	20W	1620	20 pcs		126.5x28x114mm
10023 | 3000K WARM WHITE 10024 | 4000K DAY WHITE 10025 | 6500K WHITE	VT-44030-W	30W	2505	20 pcs		164x29x139mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.





HIGH POWER LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10027 | 4000K DAY WHITE 10028 | 6500K WHITE	VT-44200-B	200W	17540	4 pcs		405x36x326mm
10031 | 4000K DAY WHITE 10032 | 6500K WHITE	VT-44300-B	300W	26390	2 pcs		496x49x445mm





HIGH POWER LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10029 | 4000K DAY WHITE 10030 | 6500K WHITE	VT-44200-W	200W	17540	4 pcs		405x36x326mm
10033 | 4000K DAY WHITE 10034 | 6500K WHITE	VT-44300-W	300W	26390	2 pcs		496x49x445mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.





IP65 RATING

05 YEAR WARRANTY

EFFICIENCY 180 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20450 | 6500K WHITE	VT-30185	30W	4720	10 pcs		165x204.5x46mm
20452 | 6500K WHITE	VT-50185	50W	7870	10 pcs		197.5x241.5x46mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.







IP65 RATING

02 YEAR WARRANTY

EFFICIENCY 185 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9255 | 4000K DAY WHITE 9891 | 6500K WHITE	VT-4435	30W	5550	10 pcs		164.5x34x153mm
9892 | 4000K DAY WHITE 9893 | 6500K WHITE	VT-4456	50W	9250	10 pcs		183.5x34x169mm
9894 | 4000K DAY WHITE 9895 | 6500K WHITE	VT-44105	100W	18500	4 pcs		253.5x40x242.5mm
9896 | 4000K DAY WHITE 9897 | 6500K WHITE	VT-44205	200W	37000	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






IP65 RATING

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

HIGH LUMEN SLIMLINE PRO SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20403 | 6500K WHITE	VT-32	30W	4100	10 pcs		165x204.5x46mm
20405 | 6500K WHITE	VT-52	50W	6850	10 pcs		197.5x241.5x46mm
20409 | 6500K WHITE	VT-162	150W	20500	2 pcs		318.5x390x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.








IP65 RATING

02 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10353 | 4000K DAY WHITE	VT-44031	30W	4800	10 pcs		164.5x34x153mm
10354 | 4000K DAY WHITE	VT-44051	50W	8000	10 pcs		183.5x34x169mm
10355 | 4000K DAY WHITE	VT-44106	100W	16000	4 pcs		253.5x40x242.5mm
10362 | 4000K DAY WHITE	VT-44160	150W	24000	4 pcs		328.5x43x295mm
10363 | 4000K DAY WHITE 10365 | 6500K WHITE	VT-44206	200W	32000	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING






05 YEAR WARRANTY

AUTOMATIC SENSOR
OFF
ON
≤15Lux

- The floodlights work automatically, according to the level of surrounding light.
- The floodlight will automatically turn on at light levels below 140lux. At light levels above 140lux, the floodlight will turn off.
- There is no need to manually switch the light on or off.
- Floodlights with automatic light sensors do not react to motion.

LED FLOODLIGHTS WITH LIGHT SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20169 | 3000K WARM WHITE 20170 | 4000K DAY WHITE 20171 | 6500K WHITE	VT-37	30W	3000	20 pcs		165x46x204.5mm
20172 | 3000K WARM WHITE 20173 | 4000K DAY WHITE 20174 | 6500K WHITE	VT-57	50W	5000	10 pcs		197.5x46x241.5mm
20175 | 3000K WARM WHITE 20176 | 4000K DAY WHITE 20177 | 6500K WHITE	VT-117	100W	10000	4 pcs		247.5x49.5x299mm
20178 | 3000K WARM WHITE 20179 | 4000K DAY WHITE 20180 | 6500K WHITE	VT-167	150W	15000	2 pcs		318.5x55x390mm
20181 | 3000K WARM WHITE 20182 | 4000K DAY WHITE 20183 | 6500K WHITE	VT-272	200W	20000	2 pcs		371x57x458.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING





05 YEAR WARRANTY

DIY DO IT YOURSELF

- Instant start in 1 second
- Operation in outside temperatures (-20 to+40° C)
- Protection rating IP65
- Only connect with waterproof cable.

LED FLOODLIGHTS - DIRECT CONNECTION

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20304 | 3000K WARM WHITE 20305 | 4000K DAY WHITE 20306 | 6500K WHITE	VT-118	10W	735	20 pcs		133x55x88mm
20307 | 3000K WARM WHITE 20308 | 4000K DAY WHITE 20309 | 6500K WHITE	VT-128	20W	1510	20 pcs		157x56x101mm
20310 | 3000K WARM WHITE 20311 | 4000K DAY WHITE 20312 | 6500K WHITE	VT-138	30W	2340	10 pcs		177x56x117mm
20313 | 3000K WARM WHITE 20314 | 4000K DAY WHITE 20315 | 6500K WHITE	VT-158	50W	4000	10 pcs		195x57x152mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING





05 YEAR WARRANTY

DIY DO IT YOURSELF

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20256 | 3000K WARM WHITE 20257 | 4000K DAY WHITE 20258 | 6500K WHITE	VT-118S-B	10W	735	20 pcs		133x60x113mm
20259 | 3000K WARM WHITE 20260 | 4000K DAY WHITE 20261 | 6500K WHITE	VT-128S-B	20W	1510	20 pcs		157x60x128mm
20262 | 3000K WARM WHITE 20264 | 6500K WHITE	VT-138S-B	30W	2340	10 pcs		177x60x143mm
20266 | 4000K DAY WHITE	VT-158S-B	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING





05 YEAR WARRANTY

DIY DO IT YOURSELF

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20269 | 4000K DAY WHITE 20270 | 6500K WHITE	VT-118S-W	10W	735	20 pcs		133x60x113mm
20273 | 6500K WHITE	VT-128S-W	20W	1510	20 pcs		157x60x128mm
20276 | 6500K WHITE	VT-138S-W	30W	2340	10 pcs		177x60x143mm
20279 | 6500K WHITE	VT-158S-W	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING

05 YEAR WARRANTY





PIR MOTION SENSOR

1 METER WIRE

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20280 | 3000K WARM WHITE 20281 | 4000K DAY WHITE 20282 | 6500K WHITE	VT-118S-1-B	10W	735	20 pcs		133x60x113mm
20283 | 3000K WARM WHITE 20284 | 4000K DAY WHITE 20285 | 6500K WHITE	VT-128S-1-B	20W	1510	20 pcs		157x60x128mm
20286 | 3000K WARM WHITE 20287 | 4000K DAY WHITE 20288 | 6500K WHITE	VT-138S-1-B	30W	2340	10 pcs		177x60x143mm
20289 | 3000K WARM WHITE 20290 | 4000K DAY WHITE 20291 | 6500K WHITE	VT-158S-1-B	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING

05 YEAR WARRANTY





PIR MOTION SENSOR

1 METER WIRE

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20292 | 3000K WARM WHITE 20293 | 4000K DAY WHITE 20294 | 6500K WHITE	VT-118S-1-W	10W	735	20 pcs		133x60x113mm
20295 | 3000K WARM WHITE 20296 | 4000K DAY WHITE 20297 | 6500K WHITE	VT-128S-1-W	20W	1510	20 pcs		157x60x128mm
20298 | 3000K WARM WHITE 20299 | 4000K DAY WHITE 20300 | 6500K WHITE	VT-138S-1-W	30W	2340	10 pcs		177x60x143mm
20301 | 3000K WARM WHITE 20302 | 4000K DAY WHITE 20303 | 6500K WHITE	VT-158S-1-W	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING





05 YEAR WARRANTY

PIR MOTION SENSOR

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
433 | 3000K WARM WHITE 434 | 4000K DAY WHITE 435 | 6400K WHITE	VT-10-S-W	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
448 | 3000K WARM WHITE 449 | 4000K DAY WHITE 450 | 6400K WHITE	VT-20-S-W	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
457 | 3000K WARM WHITE 458 | 4000K DAY WHITE 459 | 6400K WHITE	VT-30-S-W	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
466 | 3000K WARM WHITE 468 | 6400K WHITE	VT-50-S-W	50W	4000	1 meter	10 pcs		223x57.06x234.3mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



IP65 RATING




05 YEAR WARRANTY

PIR MOTION SENSOR

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
436 | 3000K WARM WHITE 437 | 4000K DAY WHITE	VT-10-S-B	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
451 | 3000K WARM WHITE 452 | 4000K DAY WHITE	VT-20-S-B	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
460 | 3000K WARM WHITE	VT-30-S-B	30W	2400	1 meter	20 pcs		178x57.16x197.75mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.






IP65 RATING

05 YEAR WARRANTY






V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a IP65-rated die-cast aluminium body for durability.
Available in 10-300W in a clean, ivory white finish. Select models come with a one (1) meter wire.

SLIMLINE WHITE BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
444 | 6400K WHITE	VT-20-W	20W	1600	30cm	20 pcs		153x132x27mm
21442 | 3000K WARM WHITE	VT-20-W-N	20W	1510	1 meter	20 pcs		153x132x27mm
21404 | 4000K DAY WHITE	VT-30-W-N	30W	2340	1 meter	10 pcs		178x152x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
950 | 6400K WHITE	VT-30-1-W	30W	2400	30cm	10 pcs		178x152 x28mm
21410 | 4000K DAY WHITE	VT-50-W-N	50W	4000	30cm	8 pcs		223x188x28mm
21417 | 6500K WHITE	VT-100-W-N	100W	8200	1 meter	4 pcs		291x240x30mm
478 | 3000K WARM WHITE	VT-150-W	150W	12000	1 meter	2 pcs		404x322x52mm
21420 | 4000K DAY WHITE 21421 | 6500K WHITE	VT-200-W-N	200W	16500	1 meter	2 pcs		439x346x48mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.







IP65 RATING

05 YEAR WARRANTY





V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a IP65-rated die-cast aluminium body for durability. Available in 10-300W in a classic, jet black finish. Select models come with a one (1) meter wire.

SLIMLINE BLACK BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21947 | 6500K WHITE	VT-10-1-B-N	10W	735	1 meter	20 pcs		115x108x26mm
20012 | 4000K DAY WHITE	VT-20-1-B	20W	1600	1 meter	20 pcs		153x132x27mm
21948 | 6500K WHITE	VT-20-1-B-N	20W	1510	1 meter	20 pcs		153x132x27mm
21407 | 4000K DAY WHITE	VT-50-B-N	50W	4000	1 meter	8 pcs		223x188x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
2120014 | 4000K DAY WHITE	VT-50-1-B-N	50W	4000	1 meter	8 pcs		223x188x28mm
21476 | 4000K DAY WHITE 21477 | 6500K WHITE	VT-150-B-N	150W	12000	1 meter	2 pcs		327x265x33mm
21418 | 4000K DAY WHITE 21419 | 6500K WHITE	VT-200-B-N	200W	16500	1 meter	2 pcs		439x346x48mm
21422 | 4000K DAY WHITE	VT-300-B-N	300W	24800	1 meter	2 pcs		529x415x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

IP65 RATING






05 YEAR WARRANTY



V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) meter wire.

SLIMLINE GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
430 | 3000K WARM WHITE 431 | 4000K DAY WHITE	VT-10-G	10W	800	30cm	20 pcs		115x108x26mm
445 | 3000K WARM WHITE 446 | 4000K DAY WHITE	VT-20-G	20W	1600	30cm	20 pcs		153x132x27mm
454 | 3000K WARM WHITE 455 | 4000K DAY WHITE 456 | 6400K WHITE	VT-30-G	30W	2400	30cm	10 pcs		178x152 x28mm
21464 | 4000K DAY WHITE	VT-50-G-N	50W	4000	1 meter	8 pcs		223x188x28mm
21473 | 4000K DAY WHITE	VT-100-G-N	100W	8200	1 meter	4 pcs		291x240x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SOS FLASH

MICRO SOCKET




USB PORT



A strong, reliable, and portable lamp –– V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port, making them perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

RECHARGEABLE FLOODLIGHTS

- LED provided by Samsung
- Saves 80% energy
- Function: 100%-50%-SOS
- 3.7V Li-Ion 3600mAh battery
- Rechargeable
- Contains no lead or mercury
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Wire Type	Box Qty	Diagram	Size
20038 | 4000K DAY WHITE 503 | 6400K WHITE	VT-10-R	10W	700	micro usb cable without SOS Flash	20 pcs		175x125mm
20037 | 4000K DAY WHITE 502 | 6400K WHITE	VT-11-R	10W	700	micro usb cable	20 pcs		175x125mm
20039 | 4000K DAY WHITE 504 | 6400K WHITE	VT-20-R	20W	1400	micro usb cable	20 pcs		175x125mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW

05 YEAR WARRANTY


135 LUMEN/W

IP65 RATING



SUPER PRO SERIES-500W

- Sphere 360° Beam Angle
- CRI: >70
- PF: > 0.9
- AC: 220-240V,50Hz
- Material: Die-cast Aluminium
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
23616 | 4000K DAY WHITE 23617 | 6500K WHITE	VT-48501	500W	67500	1 meter	1 pcs		530x65x523mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

05 YEAR WARRANTY

120 LUMEN/W

MEAN WELL Your Reliable Power Partner

IK08 RATING

DIMMABLE

IP66 RATING
















Our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency –– these floodlights are equipped with critically acclaimed LEDs provided by Samsung and excellent MEAN WELL drivers to ensure optimal energy saving and temperature dissipation.

SUPER PRO SERIES-500W

- CRI: >70
- PF: > 0.9
- AC: 100-277V
- Material: Die-cast Aluminium
- 50,000 hr lifespan

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
496 | 4000K DAY WHITE	VT-503D	500W	60000	120°	1 pcs		563.8x510x136.75mm
498 | 4000K DAY WHITE	VT-1003D	1000W	120000	120°	1 pcs		965.8x510x136.25mm
499 | 4000K DAY WHITE	VT-1002D	1000W	120000	60°	1 pcs		965.8x510x136.25mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED Streetlights

Light the path to a brighter future — V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and MEAN WELL to provide uniform brightness and illumination for highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type III-M lenses.

Key Features

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; long lifespan
- Weatherproof body rated IP65/66
- Optimally designed glass lenses to prevent eye strain
- Uniform light distribution maximizes efficiency
- Fully operational, even in extreme weather conditions
- DALI, Inventronics, MEAN WELL drivers
- Select models equipped with an automatic light sensor



05 YEAR WARRANTY

IP65 RATING





ADJUSTABLE ANGLE

AUTOMATIC SENSOR OFF ON ≤15LUX

IN-HOUSE TOOLING

LED STREETLIGHTS WITH LIGHT SENSOR

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V,50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20430 | 4000K DAY WHITE	VT-39ST-S	30W	3000	4 pcs		416x138x99mm
20432 | 4000K DAY WHITE 20433 | 6500K WHITE	VT-59ST-S	50W	5000	1 pcs		470x149x99mm
20435 | 6500K WHITE	VT-139ST-S	100W	11000	1 pcs		567x179x99mm
20436 | 4000K DAY WHITE 20437 | 6500K WHITE	VT-169ST-S	150W	16500	1 pcs		628x203x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY




IP65 RATING

IN-HOUSE TOOLING






ADJUSTABLE ANGLE

LED STREETLIGHTS ADJUSTABLE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V, 50/60Hz
- Body Type: Aluminium
- 100°(115°) Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20423 | 6500K WHITE	VT-39ST	30W	3000	4 pcs		416x138x99mm
20425 | 6500K WHITE	VT-59ST	50W	5000	1 pcs		470x149x99mm
2120424 | 4000K DAY WHITE 2120425 | 6500K WHITE	VT-59ST-N	50W	5740	2 pcs		470x149x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120438 | 4000K DAY WHITE 2120439 | 6500K WHITE	VT-79ST-n	70W	8040	1 pcs		470x149x99mm
20426 | 4000K DAY WHITE 20427 | 6500K WHITE	VT-139ST	100W	11000	1 pcs		567x179x99mm
2120426 | 4000K DAY WHITE 2120427 | 6500K WHITE	VT-139ST-N	100W	11480	1 pcs		567x179x99mm
20429 | 6500K WHITE	VT-169ST	150W	16500	1 pcs		628x203x99mm
2120428 | 4000K DAY WHITE 2120429 | 6500K WHITE	VT-169ST-N	150W	17220	1 pcs		633x203x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW





05 YEAR WARRANTY

IP65 RATING

ADJUSTABLE ANGLE

LED STREETLIGHTS ADJUSTABLE

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- Adjustable Angle 180°
- Replaceable Light Engine

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23618 | 4000K DAY WHITE 23619 | 6500K WHITE	VT-55ST	50W	4700	1 pcs		412x139x92mm
23620 | 4000K DAY WHITE 23621 | 6500K WHITE	VT-105ST	100W	9400	1 pcs		488x183x92mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION


inventronics DRIVER

130 LUMEN/W

The LED suspended Light offers high lumen lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Inventronics, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

CLASS I, TYPE III-M LENS GARDEN LIGHTS SUSPENDED

- AC:176-265V,50HZ
- Die-cast Aluminium/ADC12
- 30,000 hr lifespan
- Beam Angle:160x100°
- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
545 | 4000K DAY WHITE	VT-115ST	100W	13000	1 pcs		520x348.8mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION




inventronics DRIVER

130 LUMEN/W

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° –– Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 120W to 200W, select models available with DALI drivers.

LED STREETLIGHTS (TYPE III-M LENS)

- AC:175-265V,50HZ
- 30,000 hr lifespan
- 150 x 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
542 | 4000K DAY WHITE	VT-120ST	120W	15600	1 pcs		286x144x705mm
543 | 4000K DAY WHITE	VT-160ST	160W	20800	1 pcs		399x144x831mm
544 | 4000K DAY WHITE	VT-200ST	200W	26000	1 pcs		399x144x831mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING

IK08 RATING





140 LUMEN/W

inventronics DRIVER

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. These Streetlights can be easily tailored for many night lighting needs of different areas and regions.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC:200-240V
- Die-cast Aluminium
- 30,000 hr lifespan
- CRI: >70
- PF: > 0.9
- 153x70° Beam Angle

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
884 | 5700K WHITE	VT-102ST	100W	14000	1 pcs		658x270x85mm
885 | 4000K DAY WHITE 886 | 5700K WHITE	VT-122ST	120W	16800	1 pcs		658x270x85mm
887 | 4000K DAY WHITE 888 | 5700K WHITE	VT-152ST	150W	21000	1 pcs		748x300x85mm
889 | 4000K DAY WHITE 890 | 5700K WHITE	VT-202ST	200W	28000	1 pcs		748x300x85mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING

IK08 RATING



10 KV SURGE PROTECTION

140 LUMEN/W

The Class I Type LED streetlight offers a high lumen output and superbly efficient performance , further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where a wide area lighting is required. Ranges 50W to 150W.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC: 90-305V,50Hz
- 30,000 hr lifespan
- 153x70° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
954 | 5700K WHITE	VT-103ST	100W	14000	2 pcs		270x83.6x656.4mm
955 | 5700K WHITE	VT-153ST	150W	21000	1 pcs		300x83.6x746.4mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING





IK08 RATING

120 LUMEN/W

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting on highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30W to 150W.

LED SLIM STREETLIGHTS

- Input AC:120-240V,50/60Hz
- CRI >70
- PF >0.9
- 30,000 hr lifespan
- 110° Beam Angle
- Material: Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21956 | 4000K DAY WHITE 21957 | 6500K WHITE	VT-34ST-N	30W	4050	4 pcs		374.8x134.9x62.9mm
21958 | 4000K DAY WHITE 21959 | 6500K WHITE	VT-54ST-N	50W	6850	4 pcs		434.8x169.9x63mm
21960 | 4000K DAY WHITE 21961 | 6500K WHITE	VT-104ST-N	100W	13500	2 pcs		535x260x64mm
21962 | 4000K DAY WHITE 21963 | 6500K WHITE	VT-154ST-N	150W	20300	2 pcs		535x260x64mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY





IP65 RATING

IK07 RATING

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000lm.

LED STREETLIGHTS - GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Die cast Aluminium body
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
215251 | 4000K DAY WHITE 215261 | 6500K WHITE	VT-30ST-N-N	30W	3000	4 pcs		417.6x198.6x60mm
215271 | 4000K DAY WHITE 215281 | 6500K WHITE	VT-50ST-N-N	50W	5000	4 pcs		467.6x214.6x60mm
215291 | 4000K DAY WHITE 215301 | 6500K WHITE	VT-100ST-N-N	100W	10000	2 pcs		547.6x294.6x62.1mm
21531 | 4000K DAY WHITE	VT-150ST-N	150W	14100	2 pcs		594.1x299.6x67.5mm
215311 | 4000K DAY WHITE 215321 | 6500K WHITE	VT-150ST-N-N	150W	15000	2 pcs		594.1x299.6x67.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




03 YEAR WARRANTY

IP65 RATING

Retaining the classic design of the V-TAC streetlight, the iron grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000lm

LED STREETLIGHTS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21537 | 4000K DAY WHITE 21538 | 6400K WHITE	VT-31ST-N	30W	2350	4 pcs		301.54x130x57.99
21539 | 4000K DAY WHITE 21540 | 6400K WHITE	VT-51ST-N	50W	4200	4 pcs		395.44x170x79.5
21535 | 4000K DAY WHITE 21536 | 6400K WHITE	VT-101ST-N	100W	8400	2 pcs		459.47x220x79.5
534 | 6400K WHITE	VT-121ST	120W	12000	2 pcs		459.47x220x79.5



SKU	Model	Size	Description
3624	VT-795	Ø60x325mm	Compatible with 100W,120W and 150W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.



SKU	Model	Size	Description
3668	VT-795-1	40x60mm	Compatible with 30W and 50W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Highbay Lights

Our world-class Highbay series includes models powered with drivers from market leaders MEAN WELL and Samsung - allowing us to provide extraordinary energy saving featuress.

Boasting staggering efficiency ratings of up to 180++ lumen/watt, and reliable drivers providing lifespans up to 50,000h, V-TAC's new generation of LED Highbays are the strongest and most efficient LED Highbays available in the market today. Available in 100W to 500W.

Key Features

· Professional upgraded drivers from MEAN WELL and Samsung
· Strong and durable die-cast aluminium body
· IP65 rating
· SMD LED
· Compatible with daylight sensors
· Up to 30,000 hr lifespan
· Available reflectors for a customized beam angle: aluminium & transparent pc



05 YEAR WARRANTY

IP65 RATING




140 LUMEN/W

1-10V DIMMABLE

LiFUd Driver

LED HIGHBAY WITH LIFUD DRIVER

- 140 lm/w
- 25,000 hr lifespan
- AC:175-265V,50/60Hz
- Black Body
- 5 Years Warranty
- PF: >0.9
- CRI:>70
- Aluminium
- IP65
- SMD-Samsung Chip
- LIFUD Driver

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20480 | 4000K DAY WHITE 20481 | 6500K WHITE	VT-9-111	100W	14000	1 pcs		233x156mm
20482 | 4000K DAY WHITE 20483 | 6500K WHITE	VT-9-161	150W	21000	1 pcs		278x156mm
20484 | 4000K DAY WHITE 20485 | 6500K WHITE	VT-9-211	200W	28000	1 pcs		305x156mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




05 YEAR WARRANTY

IP65 RATING

IK08 RATING

1-10V DIMMABLE

SAMSUNG POWER SUPPLY



With our latest in-branding program with Samsung, these Highbays offer a high lumen output of up to 180 lm/w and boasts efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated die-cast Aluminium enclosing and unparalleled lighting performance, these LED Highbays are sure to take the industrial lighting market by storm.

LED HIGHBAY LIGHTS

- 120 -180 lm/w
- 50,000 hr lifespan
- AC:120-240V,50/60Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminium

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Size
583 | 4000K DAY WHITE	VT-9-105	100W	12000	90°	1 pcs	ø260x150mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




05 YEAR WARRANTY

IP65 RATING

EFFICIENCY 180 LUMENS/W

1-10V DIMMABLE

MW MEAN WELL Your Reliable Power Partner



Powerful performance with ultra-efficient energy management. With an astonishing efficiency rating of 180 lm/w matched with the highly acclaimed MEAN WELL driver and IP65 Aluminium body.

LED HIGHBAY (MEANWELL DRIVER)

- 180 lm/w
- 30,000 & 50,000 hr lifespan
- AC:220-240V,50Hz
- 120° Beam Angle
- PF: >0.9
- CRI:>80
- Die cast Aluminium

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Size
567 | 6400K WHITE	VT-9-102	100W	18000	120°	2 pcs	ø260x145mm



SKU	Description
571	Aluminium Reflector-120°



SKU	Description
574	PC Transparent Reflector-120°




SKU	Description
586	PC Dustproof Cover

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IP65 RATING




LED HIGHBAYS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Die cast Aluminium body
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Size
20320 | 6500K WHITE	VT-9-116S	100W	11500	4 pcs	250x94mm
2120319 | 4000K DAY WHITE	VT-9-116S-1	100W	16000	1 pcs	250x94mm
21203191 | 4000K DAY WHITE	VT-9-116S-1-N	100W	16000	4 pcs	250x70.1mm
20322 | 6500K WHITE	VT-9-156S	150W	17300	4 pcs	295x94mm
2120321 | 4000K DAY WHITE	VT-9-156S-1	150W	24000	1 pcs	295x94mm
21203211 | 4000K DAY WHITE	VT-9-156S-1-N	150W	24000	4 pcs	295x70.1mm
2120323 | 4000K DAY WHITE	VT-9-206S-1	200W	32000	1 pcs	320x94mm
21203231 | 4000K DAY WHITE	VT-9-206S-1-N	200W	32000	2 pcs	320x70.1mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.





05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

1-10V DIMMABLE


MW MEAN WELL Your Reliable Power Partner

LED HIGHBAYS

- 100° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:220-240V,50Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

SKU	Model	Watts	Lumens	Box Qty	Size
563 | 6400K WHITE	VT-9-101	100W	12000	4 pcs	ø280x165mm





05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

1-10V DIMMABLE

MW MEAN WELL Your Reliable Power Partner

LED HIGHBAYS

- 120° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:100-277V, 50/60Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

SKU	Model	Watts	Lumens	Box Qty	Size
509 | 4000K DAY WHITE	VT-9-500	500W	60000	1 pcs	ø360x306mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED Panels

All models in the PRO Series LED panel series are made with high quality PMMA diffusers which provide a evenly distributed light and prevents the panels from turning yellow.

The panels' durability is evidenced by exteriors composed of an innovative combination of aluminium+PMMA+PP, and further energy savings thanks to the upgraded driver box and Samsung LEDs. Both frameless and big panels include a quick connector for easy installation.

Key Features

- Quick connector included
- Flicker-free; stable drivers eliminate flashes
- Better light quality, fewer false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- A variety of both Square and round frameless mini panels to choose from.




HIGH LUMEN LED PANELS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

05 YEAR WARRANTY

120 LUMEN/W



SKU	Model	Watts	Lumens	Box Qty	Size
20419 | 4000K DAY WHITE	VT-629-1	29W	3480	6 pcs	595x595x9mm

NEW




BACKLIT HIGH LUMEN PANELS

- IP20 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >20000

05 YEAR WARRANTY

120 LUMEN/W



SKU	Model	Watts	Lumens	Box Qty	Size
23624 | 4000K DAY WHITE 23625 | 6500K WHITE	VT-61036	36W	4320	10 pcs	595x595x33mm

NEW




BACKLIT 2IN1 PANELS

- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000/25,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

2IN1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Box Qty	Size
216380 | 4000K DAY WHITE 216381 | 6500K WHITE	VT-6139S	36W	3960	6 pcs	595x595x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW


BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

2IN1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Box Qty	Size
2166251 | 4000K DAY WHITE 2166261 | 6500K WHITE	VT-6147	40W	4400	6 pcs	1195x295x30mm

NEW

BACKLIT SURFACED MINI PANELS





- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Shape	Size
78701 | 3000K WARM WHITE 78711 | 4000K DAY WHITE 78721 | 6500K WHITE	VT-60006RD-S	6W	660	Round	ø121.2x30.6mm
78731 | 3000K WARM WHITE 78741 | 4000K DAY WHITE 78751 | 6500K WHITE	VT-60012RD-S	12W	1200	Round	ø167.4x30.7mm
78761 | 3000K WARM WHITE 78771 | 4000K DAY WHITE 78781 | 6500K WHITE	VT-60018RD-S	18W	1980	Round	ø215.6x30.8mm
78791 | 3000K WARM WHITE 78801 | 4000K DAY WHITE 78811 | 6500K WHITE	VT-60024RD-S	24W	2640	Round	ø288.6x31.2mm
104921 | 3000K WARM WHITE 104931 | 4000K DAY WHITE 104941 | 6500K WHITE	VT-60006SQ-S	6W	660	Square	120.8x120.8x30.7mm
104951 | 3000K WARM WHITE 104961 | 4000K DAY WHITE 104971 | 6500K WHITE	VT-60012SQ-S	12W	1200	Square	167.3x167.3x30.7mm
104981 | 3000K WARM WHITE 104991 | 4000K DAY WHITE 105001 | 6500K WHITE	VT-60018SQ-S	18W	1980	Square	214x214x31mm
105141 | 3000K WARM WHITE 230231 | 4000K DAY WHITE 105161 | 6500K WHITE	VT-60024SQ-S	24W	2640	Square	285x285x30.7mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW BACKLIT RECESSED MINI PANELS



- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5
- Long springs

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Shape	Cutting Size	Size
78551 | 3000K WARM WHITE 78561 | 4000K DAY WHITE 78571 | 6500K WHITE	VT-61003RD-S	3W	330	Round	ø80mm	ø90.5x28mm
78581 | 3000K WARM WHITE 78591 | 4000K DAY WHITE 78601 | 6500K WHITE	VT-61006RD-S	6W	660	Round	ø110mm	ø120.5x28.4mm
78611 | 3000K WARM WHITE 78621 | 4000K DAY WHITE 78631 | 6500K WHITE	VT-61012RD-S	12W	1200	Round	ø155mm	ø170.8x28.4mm
78641 | 3000K WARM WHITE 78651 | 4000K DAY WHITE 78661 | 6500K WHITE	VT-61018RD-S	18W	1980	Round	ø205mm	ø220.8x28.9mm
78671 | 3000K WARM WHITE 78681 | 4000K DAY WHITE 78691 | 6500K WHITE	VT-61024RD-S	24W	2640	Round	ø280mm	ø294x29.1mm
104771 | 3000K WARM WHITE 104781 | 4000K DAY WHITE 104791 | 6500K WHITE	VT-61003SQ-S	3W	330	Square	80x80mm	90.2x90.2x28.2mm
104801 | 3000K WARM WHITE 104811 | 4000K DAY WHITE 104821 | 6500K WHITE	VT-61006SQ-S	6W	660	Square	110x110mm	120.5x120.5x28.4mm
104831 | 3000K WARM WHITE 104841 | 4000K DAY WHITE 104851 | 6500K WHITE	VT-61012SQ-S	12W	1200	Square	155x155mm	170.8x170.8x28.4mm
104861 | 3000K WARM WHITE 104871 | 4000K DAY WHITE 104881 | 6500K WHITE	VT-61018SQ-S	18W	1980	Square	205x205mm	220.4x220.4x28.8mm
104891 | 3000K WARM WHITE 104901 | 4000K DAY WHITE 104911 | 6500K WHITE	VT-61024SQ-S	24W	2640	Square	280x280mm	295x295x28.6mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED Tubes & Fixtures

V-TAC's extensive range of efficient tubes & fixtures boasts premium quality LEDs provided by Samsung, a staggering lifespan of up to 30,000 hr, and an unbreakable body built with the most durable materials, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include
1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
2) Batten Fittings with CCT-changing Switch
3) Linkable T5 Batten Fittings, and more.
4) Waterproof Fittings

Key Features

- LEDs provided by Samsung
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models

EVOLUTION TUBES SERIES






- Nano Plastic
- 25,000 hr lifespan
- CRI - >80
- Flicker Free
- PF - 0.5
- On/Off Cycle >15000
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

Together with its impressive energy rating, our LED tubes offer a staggering 160 lumen per watt output and five years warranty —— making it one of the most superior in the competitive led market.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216475 | 4000K DAY WHITE 216476 | 6500K WHITE	VT-1607-N	7W	1000	25 pcs		28x600mm
216478 | 4000K DAY WHITE 216479 | 6500K WHITE	VT-1612-N	12W	1750	25 pcs		28x1200mm
216481 | 4000K DAY WHITE 216482 | 6500K WHITE	VT-1615-N	15W	2150	25 pcs		28x1500mm

G13-T8 - HIGH LUMEN NANO PLASTIC TUBES






- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start

05 YEAR WARRANTY

110-120 LUMEN/W

This modern range of high lumen LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures.This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21798 | 3000K WARM WHITE 21686 | 4000K DAY WHITE 21687 | 6500K WHITE	VT-062-N	7.5W	850	25 pcs		600x28mm
21688 | 3000K WARM WHITE 21672 | 4000K DAY WHITE 21673 | 6500K WHITE	VT-122-N	16.5W	1850	25 pcs		1200x28mm
21799 | 3000K WARM WHITE 21674 | 4000K DAY WHITE 21675 | 6500K WHITE	VT-152-N	24W	3000	25 pcs		1500x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.




T8 PRO TUBES



- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start

05 YEAR WARRANTY

This modern range of LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. These sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21650 | 3000K WARM WHITE 21651 | 4000K DAY WHITE 21652 | 6500K WHITE	VT-061-N	9W	850	25 pcs		600x28mm
21653 | 3000K WARM WHITE 21654 | 4000K DAY WHITE 21655 | 6500K WHITE	VT-121-N	18W	1850	25 pcs		1200x28mm
21656 | 3000K WARM WHITE 21657 | 4000K DAY WHITE 21658 | 6500K WHITE	VT-151-N	20W	2100	25 pcs		1500x28mm




SLIM FITTINGS-EVOLUTION SERIES-HIGH LUMEN



- IP20 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 120° Beam Angle
- CRI >80
- PF>0.7
- 25,000 hr lifespan
- On/Off Cycle >15000

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20359 | 3000K WARM WHITE 20360 | 4000K DAY WHITE 20361 | 6500K WHITE	VT-8315-N	15W	2250	30 pcs		600x75x24mm
20362 | 3000K WARM WHITE 20363 | 4000K DAY WHITE 20364 | 6500K WHITE	VT-8330-N	30W	4650	30 pcs		1200x75x24mm
20365 | 3000K WARM WHITE 20366 | 4000K DAY WHITE 20367 | 6500K WHITE	VT-8338-N	38W	5900	30 pcs		1500x75x24mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY






120 LUMEN/W

Quick CONNECTOR

The tried-and-true 10W to 60W range of efficient and powerful LED prismatic fittings from V-TAC. Some have a high lumen rating of 120 lm/w and are equipped with quick connectors to shorten set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

SLIM FITTINGS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 120° Beam Angle
- CRI >80
- PF>0.5 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20344 | 3000K WARM WHITE 20345 | 4000K DAY WHITE 20346 | 6500K WHITE	VT-8-10-N	10W	1000	30 pcs		300x75x24mm
20347 | 3000K WARM WHITE 20348 | 4000K DAY WHITE 20349 | 6500K WHITE	VT-8-20-N	20W	2050	30 pcs		600x75x24mm
20350 | 3000K WARM WHITE 20351 | 4000K DAY WHITE 20352 | 6500K WHITE	VT-8-40-N	40W	4300	30 pcs		1200x75x24mm
20353 | 3000K WARM WHITE 20354 | 4000K DAY WHITE 20355 | 6500K WHITE	VT-8-50-N	50W	6000	30 pcs		1500x75x24mm
20356 | 3000K WARM WHITE 21670 | 4000K DAY WHITE 21671 | 6500K WHITE	VT-8-60-N	60W	7200	30 pcs		1800x24x75mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

IK08 RATING

135 LUMEN/W

3 VARIABLE CCT / VARIABLE WATTS

LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch

Standard Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC+Iron
- PF>0.9
- CRI>80

MICROWAVE SENSOR

Microwave Sensor

- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/20%
- Stand-by Period: 15 mins/+∞
- Hold Time: 5s/1 min/3 min/10 min
- Daylight Threshold: 30 Lux/Disable
- Detection Range: 12M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°

EMERGENCY BATTERY BACKUP

Emergency Backup


- Battery Type: 6.4V, LiFePO4, 18730 2000mAh
- Battery Charge Voltage: DC:9V
- Battery Current: 30~400 mA
- Battery Discharge Voltage: DC 6.0~8.2V
- Battery Discharge Current: 350~700 mA
- Charging Time: > 12Hours
- Working Time: > 3Hours
- Test Function: Manual

Optional(Not included)
SKU:7814
REMOTE CONTROLLER
Compatible with
VT-4004S / VT-4004SE
VT-4005S / VT-4005SE
VT-4006S / VT-4006SE



*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


LED BATTEN FITTINGS - 4 FEET





SKU	Model	Watts	Lumens	Box Qty
7011 | 3IN1	VT-4004	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7012 | 3IN1	VT-4004S (Sensor)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7013 | 3IN1	VT-4004E (Emergency Battery)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7014 | 3IN1	VT-4004SE (Sensor+Emergency Battery)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs


LED BATTEN FITTINGS - 5 FEET





SKU	Model	Watts	Lumens	Box Qty
7015 | 3IN1	VT-4005	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7016 | 3IN1	VT-4005S (Sensor)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7017 | 3IN1	VT-4005E (Emergency Battery)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7018 | 3IN1	VT-4005SE (Sensor+Emergency Battery)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs

LED BATTEN FITTINGS - 6 FEET





SKU	Model	Watts	Lumens	Box Qty
7019 | 3IN1	VT-4006	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7020 | 3IN1	VT-4006S (Sensor)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7021 | 3IN1	VT-4006E (Emergency Battery)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7022 | 3IN1	VT-4006SE (Sensor+Emergency Battery)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



05 YEAR WARRANTY

LINKABLE
UP TO 100 WATTS

The new T5 Batten Fittings retain the premium qualities of V-TAC's LED fixtures. Multiple batten fittings can be linked, making them an efficient alternative lighting fixture for indoor spaces of any size.

INTEGRATED T5

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 160° Beam Angle
- CRI >80
- PF>0.5
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Size
21689 | 3000K WARM WHITE 21690 | 4000K DAY WHITE 21691 | 6500K WHITE	VT-035-N	4W	360	25 pcs	307 x36x90mm
21692 | 3000K WARM WHITE 21693 | 4000K DAY WHITE 21694 | 6500K WHITE	VT-065-N	7W	700	25 pcs	551x27x30mm
21695 | 3000K WARM WHITE 21696 | 4000K DAY WHITE 21697 | 6500K WHITE	VT-125-N	16W	1600	25 pcs	1151x27x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW WATERPROOF FITTINGS-QUICK CONNECT-GT SERIES





- IP65 Rating.
- SMD-Samsung Chip
- 3 Years Warranty
- AC:200-240V,50/60Hz
- Body Type: PC
- 120° Beam Angle
- CRI >80
- PF>0.7 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

120 LUMEN/W

IP65 RATING

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23391 | 4000K DAY WHITE 23392 | 6500K WHITE	VT-12017	18W	2160	12 pcs		600x68x59mm
23387 | 4000K DAY WHITE 23388 | 6500K WHITE	VT-12035	36W	4320	12 pcs		1200x68x59mm
23389 | 4000K DAY WHITE 23390 | 6500K WHITE	VT-12049	48W	5760	12 pcs		1500x68x59mm

NEW WATERPROOF FITTINGS-G SERIES






- IP65 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:200-240V,50/60Hz
- Body Type: PC
- 120° Beam Angle
- CRI >80
- PF>0.7 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

03 YEAR WARRANTY

120 LUMEN/W

IP65 RATING

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2162831 | 4000K DAY WHITE 2162821 | 6500K WHITE	VT-6076S	18W	2160	12 pcs		600x66x58mm
2162851 | 4000K DAY WHITE 2162841 | 6500K WHITE	VT-1249S	36W	4320	12 pcs		1200x66x58mm
2162871 | 4000K DAY WHITE 2162861 | 6500K WHITE	VT-1574S	48W	5760	12 pcs		1500x66x58mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

WATERPROOF FITTINGS





- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >70
- PF: >0.9


05 YEAR WARRANTY

IP65 RATING

With its IP65 rating and tough exterior, the Waterproof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these Waterproof Fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

EFFICIENCY 160 LUMENS/W

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216485 | 4000K DAY WHITE 216486 | 6500K WHITE	VT-1524-N	24W	3840	12 pcs		1200x65x58mm
216483 | 4000K DAY WHITE 216484 | 6500K WHITE	VT-1532-N	32W	5120	12 pcs		1500x65x58mm




05 YEAR WARRANTY

IP65 RATING

WATERPROOF FITTINGS-180CM

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
680 | 4000K DAY WHITE 681 | 6400K WHITE	VT-180	60W	5400	9 pcs		1800x66x58mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

MILKY COVER -M SERIES




- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

This new addition to V-TAC's fixtures range promotes efficiency with its high lumen to watt ratio (120 lm/W) .The milky cover provides a softer, better-diffused light that is milder on the eyes.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120211 | 4000K DAY WHITE 2120210 | 6500K WHITE	VT-60018-M-N	18W	2160	12 pcs		600x72x78mm
2120207 | 4000K DAY WHITE 2120206 | 6500K WHITE	VT-120036-M-N	36W	4320	12 pcs		1200x72x78mm
2120203 | 4000K DAY WHITE 2120202 | 6500K WHITE	VT-150048-M-N	48W	5760	12 pcs		1500x72x78mm

EMERGENCY BATTERY BACKUP



03 YEAR WARRANTY

IP65 RATING



120 LUMEN/W

POLYCARBONATE PC

EMERGENCY WATERPROOF FITTINGS

- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- Battery Type:9.6V 2200mAh Ni-Cd battery
- Charging Time:24Hours
- Working Time:3Hours
- Emergency Power: 6-7W

- SMD LED Chip
- Body Type: PC
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120223 | 4000K DAY WHITE 2120222 | 6500K WHITE	VT-120136E-N	36W	4320	12 pcs		1200x72x78mm
2120221 | 4000K DAY WHITE 2120220 | 6500K WHITE	VT-150148E-N	48W	5760	12 pcs		1500x72x78mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

MICROWAVE SENSOR



05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W



STAINLESS STEEL CLIPS

POLYCARBONATE PC

- Waterproof Fitting designed with Lumen efficiency 120LM/W
- High power Samsung SMD-Chip technology makes the fitting reliable and durable
- Strong and sturdy PC body with Stainless Steel Clips
- Built in microwave sensor with 4 modes for optimal performance
- Protection from water, dust and corrosion - IP65 Rated
- Designed for maximum efficiency & minimal glare
- Suitable for parking lots, warehouses, garages, storage docks, workshops etc.

WATERPROOF FITTINGS WITH SENSOR

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- 50%/100% Detection Distance
- 5s,1min,3min,10min Hold Time
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20468 | 4000K DAY WHITE 20469 | 6400K WHITE	VT-120136S	36W	4320	12 pcs		1200x78x72mm
20470 | 4000K DAY WHITE 20471 | 6400K WHITE	VT-150148S	48W	5760	12 pcs		1500x78x72mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



03 YEAR WARRANTY

IP65 RATING



120 LUMEN/W

STAINLESS STEEL CLIPS

POLYCARBONATE PC

MILKY COVER - M SERIES SS CLIPS

- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120217 | 4000K DAY WHITE 2120216 | 6500K WHITE	VT-120136-M-N	36W	4320	12 pcs		1200x72x78mm
2120215 | 4000K DAY WHITE 2120214 | 6500K WHITE	VT-150148-M-N	48W	5760	12 pcs		1500x72x78mm

EMERGENCY PACK



SKU
8343

- Input Voltage: AC:220-240V,50/60Hz
- Charging Time: 24 Hours
- Emergency Power: 6-7W
- Emergency Operation time: 3 Hours
- Battery Type: Ni-Cd 9.6V 2200mAh
- Size: 212x40x30mm
- Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips Milky Cover

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



LED Linear Lights

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent fixtures in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

Key Features

- Saves 80% energy
- No ultraviolet or infrared radiation
- Flexible, Compact & Adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform illumination & enhances the appeal of any environment
- Continuous row modular system

LINEAR HANGING LIGHTS ADJUSTABLE HEIGHT

Linear hanging lights with adjustable height are a stylish and functional lighting solution for various spaces, including dining rooms, kitchen islands, conference rooms, and more. These lights typically feature a linear arrangement of multiple light fixtures suspended from a single canopy, creating a sleek and modern aesthetic. The adjustable height feature allows you to customize the lighting arrangement according to your needs and the specific requirements of your space.

- 50cm to 2mheight adjustment
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20






05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH

ADJUSTABLE HEIGHT



SKU	Unit Color	Model	Watts	Lumens	Size
10468 | 3IN1	Black	VT-7-44-B	40W	3400	1200x50x65mm
10469 | 3IN1	White	VT-7-44-W	40W	3400	1200x50x65mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

NEW LINEAR HANGING LIGHTS-LENS TYPE 3IN1












- AC:200-240V, 50Hz
- CCT 3IN1
- PC+Aluminium Body
- 60° Beam Angle
- 30,000 hr Lifespan
- IP20



05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH


LiFud Driver


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23341 | 3IN1	Black	VT-7-36-B	36W	2880	6	1227x50x60mm
23342 | 3IN1	White	VT-7-36-W	36W	2880	6	1227x50x60mm
23343 | 3IN1	Matt Grey	VT-7-36-MG	36W	2880	6	1227x50x60mm
23344 | 3IN1	Gold	VT-7-36-G	36W	2880	6	1227x50x60mm


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


NEW **LINEAR** HANGING LIGHTS-DIFFUSER PLATE TYPE 3IN1












- AC:200-240V, 50Hz
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20



05 YEAR WARRANTY

3000K 4000K 6400K
CCT EASY TOGGLE SWITCH

LiFud® Driver

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23345 | 3IN1	Black	VT-7-35-B	36W	2880	6	1227x50x60mm
23346 | 3IN1	White	VT-7-35-W	36W	2880	6	1227x50x60mm
23347 | 3IN1	Matt Grey	VT-7-35-MG	36W	2880	6	1227x50x60mm
23348 | 3IN1	Gold	VT-7-35-G	36W	2880	6	1227x50x60mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


UP & DOWN LINEAR LIGHTS (NON-LINKABLE)

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambience yet sufficient lighting for any commercial setting. Linear up & down lights are offered in two colour variants - silver and white.

- 30,000 hr Lifespan
- AC:100-240V,50Hz
- Aluminium Body
- 1-10V Dimmable
- 1.5 Meter Wire Length
- Beam angle: Up-110°, Down-50°







05 YEAR WARRANTY

1-10V DIMMABLE

UP DOWN LIGHTS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
607 | 4000K DAY WHITE	Silver	VT-7-61-S	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm
606 | 4000K DAY WHITE	White	VT-7-61-W	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm

LINEAR SURFACED LIGHTS

Discover V-TAC's reliable 40W linear lights. Designed with excellent heat dissipation, these fixtures boast a staggering 30,000h lifespan and efficient LEDs provided by Samsung, making them the perfect replacement for traditional, inefficient linear lights.

- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle






05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20462 | 3000K WARM WHITE 20464 | 6400K WHITE	Black	VT-7-46	40W	3000K-3275lm 6400K-3300lm	12	1197x50x65mm


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


LINEAR 3IN1 LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with a toggle switch, 3IN1 color-changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Toggle switch - 3IN1 CCT
- Aluminium Body
- 1.5 Meter Wire Length







05 YEAR WARRANTY


3000K 4000K 6400K
CCT
EASY TOGGLE SWITCH


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20060 | 3IN1	Black	VT-7-44	40W	2500	12	1197x50x65mm


LINEAR HANGING LIGHTS (NON-DIMMABLE)

Discover V-TAC's reliable 40W linear lights. Designed with excellent heat dissipation, these fixtures boast a staggering 30,000h lifespan and efficient LEDs provided by Samsung, making them the perfect replacement for traditional, inefficient linear lights. Linear lights are offered in three colors variants Black, Silver and White.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminium Body
- 120° Beam Angle







05 YEAR WARRANTY

LINKABLE
UP TO 12 METERS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21374 | 4000K DAY WHITE 21600 | 6400K WHITE	Black	VT-7-40-B-N	40W	3270	12	1194x35x67mm
21375 | 4000K DAY WHITE 21601 | 6400K WHITE	Silver	VT-7-40-S-N	40W	3300	12	1194x35x67mm
21376 | 4000K DAY WHITE 21602 | 6400K WHITE	White	VT-7-40-W-N	40W	3360	12	1194x35x67mm


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


SLIM UP & DOWN LINEAR LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Aluminium Body
- Linkable with connectors
- 0-10V Dimmable
- 1.5 Meter Wire Length







05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS

UP DOWN LIGHTS


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
378 | 4000K DAY WHITE	Silver	VT-7-60-S	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm

SLIM LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length







05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21383 | 4000K DAY WHITE	White	VT-7-43-W-N	40W	3510	10	1197x50x75mm
21384 | 4000K DAY WHITE	Silver	VT-7-43-S-N	40W	3590	10	1197x50x75mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

SLIM RECESSED LINEAR LIGHTS

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors





LINKABLE UP TO 12 METERS






05 YEAR WARRANTY



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
603 | 6000K WHITE	Silver	**VT-7-41-S**	40W	3200	9	1211x70x35mm
21380 | 4000K DAY WHITE	Silver	**VT-7-41-S-N**	40W	3800	9	1200x70x60mm

SLIM LINEAR CONNECTOR LIGHTS






• Smart connectors designed for V-TACs range of recessed linear lights • Robust Aluminium body • Allows easy linking with linear lights

	SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
	386 | 4000K DAY WHITE 385 | 4000K DAY WHITE	White:	**VT-7-41-L**	8W	800	8	
	388 | 4000K DAY WHITE 387 | 4000K DAY WHITE	White:	**VT-7-41-LN**	10W	1000	8	
	390 | 4000K DAY WHITE 389 | 4000K DAY WHITE	White:	**VT-7-41-LW**	12W	1000	8	
	392 | 4000K DAY WHITE 391 | 4000K DAY WHITE	White:	**VT-7-41-T**	14W	1200	4	
	394 | 4000K DAY WHITE 393 | 4000K DAY WHITE	White:	**VT-7-41-X**	16W	1600	4	

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

RECESSED LINEAR CONNECTOR LIGHTS

• Compatible with VT-7-42 • Robust Aluminium body • Allows easy linking with linear lights

	SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
	395 | 4000K DAY WHITE	White:	VT-7-42-L	10W	1000	8	
	396 | 4000K DAY WHITE	White:	VT-7-42-LN	10W	1000	8	
	397 | 4000K DAY WHITE	White:	VT-7-42-LW	12W	1000	8	
	398 | 4000K DAY WHITE	White:	VT-7-42-T	14W	1200	4	
	399 | 4000K DAY WHITE	White:	VT-7-42-X	16W	1600	4	

MASTER TRUNKING

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up. The sustained color temperature throughout long periods of usage.






05 YEAR WARRANTY

DIMMABLE

160 LUMEN/W



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1361 | 4000K DAY WHITE	FLAT 120°	VT-4551D-120	50W	8000	2	1500x60x77mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


FOLLOW TRUNKING



05 YEAR WARRANTY

DIMMABLE

160 LUMEN/W



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1363 | 4000K DAY WHITE	WIDE 90°	VT-4550D	50W	8000	2	1700x60x74mm
1365 | 4000K DAY WHITE	DOUBLE ASYMMETRIC	VT-4550D-DL	50W	8000	2	1700x60x74mm



Linear Track Module

SKU	Box Qty
1382	5



End Cap

SKU	Box Qty
1366	200



L Node Connector

SKU	Box Qty
1383	8



S Line-Follow Trunking Rail

SKU	Box Qty
1451	10

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

SURFACED LINEAR LIGHTS

Surface-mounted linear lights are a type of lighting fixture that is installed directly onto the surface of a ceiling or wall, providing a sleek and modern lighting solution.


- 20,000 hr Lifespan
- IK08
- Linkable upto 1000W
- PC+Aluminium Body
- 120° Beam Angle
- IP20





03 YEAR WARRANTY

LINKABLE UPTO 1000W



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23000 | 4000K DAY WHITE 10137 | 6500K WHITE	Black	**VT-4140-B**	40W	4300	36	1200x50x55mm
10138 | 4000K DAY WHITE 23001 | 6500K WHITE	White	**VT-4140-W**	40W	4300	36	1200x50x55mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

CONNECTORS SURFACED LINEAR LIGHTS

	SKU	Unit Color	Watts	Lumens	Box Qty
	10140 | 4000K DAY WHITE 10141 | 6500K WHITE	Black	12W	1200	24
	10142 | 4000K DAY WHITE 10143 | 6500K WHITE	White	12W	1200	24
	23002 | 4000K DAY WHITE 10170 | 6500K WHITE	Black	10W	1000	50
	10171 | 4000K DAY WHITE 10172 | 6500K WHITE	White	10W	1000	50
	10173 | 4000K DAY WHITE 10174 | 6500K WHITE	Black	8W	800	50
	10175 | 4000K DAY WHITE 10176 | 6500K WHITE	White	8W	800	50



Power Cable 0.3m, 3*0.75mm²

SKU	Unit Color
10177	Black
10179	White



Power Cable 1.5m, 3*0.75mm²

SKU	Unit Color
10178	Black
10180	White



Power Cable with 2 plugs 2m, 3*0.75mm²

SKU	Unit Color
10181	Black
10182	White




Suspended Kit

SKU
10183



Recessed Kit

SKU
10184



Surface Mounted Kit

SKU
10185

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED Illuminated

LED Tracklights

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highlyenhancing any product's appeal to customers.

Key Features

- Saves 80% energy
- 3-phase track system
- No ultraviolet or infrared radiation
- Totally flexible, Compact & Adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform illumination & enhances the appeal of any environment.
- Greatly increased levels of performance and efficiency compared to older solutions such as high wattage halogen or HID light sources in retail and commercial lighting applications.


LINEAR TRACKLIGHTS-BLACK BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19







05 YEAR WARRANTY

CRI 90

FLICKER FREE

UGR <19

SKU	Model	Watts	Lumens	Box Qty	Size
20000 | 2700K WARM WHITE 20001 | 4000K DAY WHITE	VT-416-B	12W	960	40	35x138mm
20006 | 2700K WARM WHITE 20007 | 4000K DAY WHITE	VT-431-B	25W	2000	20	35x270mm


LINEAR TRACKLIGHTS-WHITE BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19







05 YEAR WARRANTY

CRI 90

FLICKER FREE

UGR <19

SKU	Model	Watts	Lumens	Box Qty	Size
20003 | 2700K WARM WHITE 20004 | 4000K DAY WHITE	VT-416-W	12W	960	40	35x138mm
20009 | 2700K WARM WHITE 20010 | 4000K DAY WHITE	VT-431-W	25W	2000	20	35x270mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


4 LINE TRACKLIGHTS

A complete range of durable 7w to 20w 4-line LED track lights with Aluminium body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- COB LED Type
- 30,000 hr Lifespan
- 36° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body







05 YEAR WARRANTY

CRI 90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
350 | 3000K WARM WHITE 352 | 5000K WHITE	White	**VT-407-W**	7W	490	40	180x40.5x50mm
21351 | 4000K DAY WHITE	White	**VT-407-W-N**	7W	700	40	180x40.5x50mm
21353 | 3000K WARM WHITE 21354 | 4000K DAY WHITE 21355 | 5000K WHITE	Black	**VT-407-B-N**	7W	700	40	180x40.5x50mm
358 | 5000K WHITE	White	**VT-415-W**	15W	1200	40	200x50x50mm
21356 | 3000K WARM WHITE 21357 | 4000K DAY WHITE	White	**VT-415-W-N**	15W	1500	40	Ø50x200x90mm
21359 | 3000K WARM WHITE 21360 | 4000K DAY WHITE 21361 | 5000K WHITE	Black	**VT-415-B-N**	15W	1500	40	Ø50x200x90mm
362 | 3000K WARM WHITE 363 | 4000K DAY WHITE 364 | 5000K WHITE	White	**VT-420-W**	20W	1600	40	220x60x50mm
365 | 3000K WARM WHITE 366 | 4000K DAY WHITE 367 | 5000K WHITE	Black	**VT-420-B**	20W	1400	40	220x60x50mm
20486 | 4000K DAY WHITE	Black	**VT-11035-B**	35W	3000	20	164x80x190mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.


4 LINE TRACKLIGHTS

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.

- COB LED Type
- 30,000 hr Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body







05 YEAR WARRANTY

CRI 90

SKU	Model	Watts	Lumens	Box Qty	Size
939 | 3000K WARM WHITE 940 | 4000K DAY WHITE	VT-418	18W	1100	20	Ø60x182x156mm
941 | 3000K WARM WHITE 942 | 4000K DAY WHITE	VT-430	30W	2100	20	190x180x80mm


4 LINE SHUTTER TRACKLIGHTS

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- COB LED Type
- 30,000 hr Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body







05 YEAR WARRANTY

CRI 90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
373 | 5000K WHITE	Black	VT-433-B	33W	2640	8	Ø170x230x240mm
21371 | 3000K WARM WHITE 21372 | 4000K DAY WHITE	Black	VT-433-B-N	30W	3000	8	Ø170x230x240mm
368 | 3000K WARM WHITE 369 | 4000K DAY WHITE 370 | 5000K WHITE	White	VT-433-W	33W	2640	8	Ø170x230x240mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED Dome & Down Lights


V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.
Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

Key Features

- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3 hr Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator







UP TO 05 YEAR WARRANTY

IK08 RATING

IP65 RATING

POLYCARBONATE PC

LED BULKHEAD

8W	16W	20W
3000K - 1330 Lumens	3000K - 2610 Lumens	3000K - 3266 Lumens
4000K - 1460 Lumens	4000K - 2900 Lumens	4000K - 3483 Lumens
6500K - 1430 Lumens	6500K - 2730 Lumens	6500K - 3441 Lumens

3 VARIABLE CCT / VARIABLE WATTS

CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

MICROWAVE SENSOR

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable functin: Yes,0,10%20%30% Optional
- Stand-by Period: 0s,10s,10min Optional
- Hold Time: 5s,90s,5min,10min Customised
- Daylight Sensor: Day,2lux,10lux,50lux Optional
- Detection Range: 10Mx6M (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch

EMERGENCY BATTERY BACKUP

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: LiFePO4, 3,2V 1.0Ah Battery

SKU	Model	Name	Size
801-24 | 3IN1	VT-8603-24	LED Bulkhead	Ø320x100mm
804-24 | 3IN1	VT-8613-24	LED Bulkhead With Sensor	Ø320x100mm
806-24 | 3IN1	VT-8623-24	LED Bulkhead With Emergency Backup	Ø320x100mm
812-24 | 3IN1	VT-8633-24	LED Bulkhead With Emergency Backup+Sensor	Ø320x100mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 20,000 hr lifespan
- SMD LED Chip
- CRI >80
- 5 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sex, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

05 YEAR WARRANTY | PIR MOTION SENSOR | CCT (3000K 4000K 6400K) EASY TOGGLE SWITCH

SKU	Model	Watts	Lumens	Shape	Box Qty	Size
23418 | 3IN1	VT-13CCT	12W	900	Round	10 pcs	ø290x60mm
23419 | 3IN1	VT-81003	12W	1100	Square	10 pcs	250x250x60mm



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 25,000 hr lifespan
- SMD Samsung LED Chip
- CRI >80
- 3 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sex, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

03 YEAR WARRANTY | PIR MOTION SENSOR | IK08 RATING | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Shape	Box Qty	Size
21807 | 3000K WARM WHITE 21808 | 4000K DAY WHITE 21809 | 6400K WHITE	VT-13-N	12W	900	Round	10 pcs	Ø290x60mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

CEILING LIGHTS



- AC:220-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC

03 YEAR WARRANTY

IK08 RATING

V-TAC GENERATION

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Shape	Box Qty	Size
2113889 | 3000K WARM WHITE 2155669 | 4000K DAY WHITE 2113899 | 6400K WHITE	VT-8033RD-N	15W	1850	Square	20 pcs	Ø200x47.5mm
13929 | 3000K WARM WHITE 13939 | 4000K DAY WHITE	VT-8066RD	25W	2500	Round	10 pcs	Ø300x50mm
2113949 | 6400K WHITE	VT-8066RD-N	25W	2850	Round	10 pcs	Ø300x50mm
55679 | 4000K DAY WHITE 13919 | 6400K WHITE	VT-8033SQ	15W	1500	Square	20 pcs	200x200x47.5mm
2113909 | 3000K WARM WHITE	VT-8033SQ-N	15W	1700	Square	20 pcs	200x200x47.5mm
13959 | 3000K WARM WHITE 13969 | 4000K DAY WHITE 13979 | 6400K WHITE	VT-8066SQ	25W	2500	Square	10 pcs	300x300x50mm

REFLECTOR DOWNLIGHT



- Adjustable Angle
- AC:85-265V,50/60Hz
- Material: aluminium
- 120° Beam Angle
- COB LED chip provided by Samsung
- CRI >80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Box Qty	Size
21839 | 3000K WARM WHITE 21840 | 4000K DAY WHITE 21841 | 6400K WHITE	VT-2-10-N	10W	1060	20 pcs	ø96x34mm
21842 | 3000K WARM WHITE 21843 | 4000K DAY WHITE 21844 | 6400K WHITE	VT-2-20-N	20W	1975	20 pcs	ø170x38mm
21845 | 3000K WARM WHITE 21846 | 4000K DAY WHITE 21832 | 6400K WHITE	VT-2-30-N	30W	2920	20 pcs	ø225x38mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



REFLECTOR DOWNLIGHT - BLACK HOUSING

- AC:85-265V,50/60Hz
- CRI >80
- 30,000 hr lifespan
- 120° Beam Angle
- Material: aluminium
- 120° Beam Angle
- 85% Energy Saving

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Box Qty	Size
20054 | 3000K WARM WHITE 20056 | 6400K WHITE	VT-2-23	20W	1600	20 pcs	ø160x70mm
2120055 | 4000K DAY WHITE	VT-2-23-N	20W	2000	20 pcs	ø160x70mm
20059 | 6400K WHITE	VT-2-33	30W	2400	10 pcs	ø220x70mm
2120058 | 4000K DAY WHITE	VT-2-33-N	30W	3250	10 pcs	ø220x70mm

NEW



LED WALL LIGHTS WITH SENSOR

- Detection Range: 120°
- Detection Distance: Wall:Max.9M (<24°C)
- Time Delay: Min.10sec±3sex, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP54 rating

05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH

PIR MOTION SENSOR

IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
23421 | 3IN1	VT-81005	10W	900	20 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



LED WALL LIGHTS WITH SENSOR

- Detection Range: 160°/360°
- Detection Distance: Wall:Max.9M & Ceiling Max.6M (<24°C)
- Time Delay: Min.10sec±3sex, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP44 rating

05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH

PIR MOTION SENSOR

IP44 RATING

SKU	Model	Watts	Lumens	Box Qty
23420 | 3IN1	VT-81004	15W	1300	10 pcs

NEW



LED HOUSE NO. LIGHT WITH SENSOR

- AC:220-240V, 50/60Hz
- Working Temperature:-20°C to +40°C
- Psb: <0.5W
- Ambient Light: <3-50lux(adjustable)
- CRI>80
- LED provided by samsung
- 5 Years Warranty
- Day/Night Light Sensor
- IP65 rating

05 YEAR WARRANTY

IP65 RATING

26ac63b1 24387590 24387590

STICKERS INCLUDED

SKU	Model	Watts	Lumens	Box Qty
23422 | 4000K DAY WHITE	VT-81006	12W	1100	10 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Size
76151-24 | 3000K WARM WHITE 76161-24 | 4000K DAY WHITE 76171-24 | 6500K DAY WHITE	VT-8618RD-S-W	18W	1830	ø250x63mm
76181-24 | 3000K WARM WHITE 76191-24 | 4000K DAY WHITE 76201-24 | 6500K DAY WHITE	VT-8624RD-S-W	24W	2500	ø295x60mm
76211-24 | 3000K WARM WHITE 76221-24 | 4000K DAY WHITE 76231-24 | 6500K DAY WHITE	VT-8630RD-S-W	36W	3820	ø350x61mm

NEW



SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Size
76241-24 | 3000K WARM WHITE 76251-24 | 4000K DAY WHITE 76261-24 | 6500K DAY WHITE	VT-8618SQ-S-W	18W	1830	250x250x65mm
76271-24 | 3000K WARM WHITE 76281-24 | 4000K DAY WHITE 76291-24 | 6500K DAY WHITE	VT-8624SQ-S-W	24W	2500	295x295x65mm
76301-24 | 3000K WARM WHITE 76311-24 | 4000K DAY WHITE 76321-24 | 6500K DAY WHITE	VT-8630SQ-S-W	48W	5160	420x420x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Size
76331-24 | 3000K WARM WHITE 76341-24 | 4000K DAY WHITE 76351-24 | 6500K DAY WHITE	VT-8618RD-S-B	18W	1830	ø250x63mm
76361-24 | 3000K WARM WHITE 76371-24 | 4000K DAY WHITE 76381-24 | 6500K DAY WHITE	VT-8624RD-S-B	24W	2500	ø295x60mm
76391-24 | 3000K WARM WHITE 76401-24 | 4000K DAY WHITE 76411-24 | 6500K DAY WHITE	VT-8630RD-S-B	36W	3820	ø350x61mm

NEW



SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Size
76421-24 | 3000K WARM WHITE 76431-24 | 4000K DAY WHITE 76441-24 | 6500K DAY WHITE	VT-8618SQ-S-B	18W	1830	250x250x65mm
76451-24 | 3000K WARM WHITE 76461-24 | 4000K DAY WHITE 76471-24 | 6500K DAY WHITE	VT-8624SQ-S-B	24W	2500	295x295x65mm
76481-24 | 3000K WARM WHITE 76491-24 | 4000K DAY WHITE 76501-24 | 6500K DAY WHITE	VT-8630SQ-S-B	48W	5160	420x420x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



SLIM DOME LIGHT WITH SENSOR

- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Size
76591-24 | 3000K WARM WHITE 76601-24 | 4000K DAY WHITE 76611-24 | 6500K DAY WHITE	VT-8618SRD-S-W	18W	1830	ø295x60mm
76621-24 | 3000K WARM WHITE 76631-24 | 4000K DAY WHITE 76641-24 | 6500K DAY WHITE	VT-8624SRD-S-W	24W	2500	ø350x61mm
76651-24 | 4000K DAY WHITE	VT-8630SRD-S-W	36W	3820	ø420x65mm

NEW



SLIM DOME LIGHT WITH SENSOR

- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Size
76661-24 | 4000K DAY WHITE	VT-8618SSQ-S-W	18W	1830	295x295x65mm
76681-24 | 4000K DAY WHITE	VT-8630SSQ-S-W	36W	3820	420x420x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

NEW



SLIM DOME LIGHT WITH SENSOR

- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Size
76691-24 | 4000K DAY WHITE	VT-8618SRD-S-B	18W	1830	ø295x60mm
76701-24 | 4000K DAY WHITE	VT-8624SRD-S-B	24W	2500	ø350x61mm
76711-24 | 4000K DAY WHITE	VT-8630SRD-S-B	36W	3820	ø420x65mm

NEW



SLIM DOME LIGHT WITH SENSOR

- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle

05 YEAR WARRANTY

IP44 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Size
76721-24 | 4000K DAY WHITE	VT-8618SSQ-S-B	18W	1830	295x295x65mm
76741-24 | 4000K DAY WHITE	VT-8630SSQ-S-B	36W	3820	420x420x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



12° NARROW BEAM ANGLE

38° WIDE BEAM ANGLE

CRI 90

05 YEAR WARRANTY


UGR <19



FLICKER FREE


Introducing V-TAC's LED reflector downlights –– available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail lighting need.


LED REFLECTOR DOWNLIGHTS

- 30,000 hr lifespan
- Input Voltage - AC:220-240V,50Hz
- Material: aluminium
- Includes quick connector for easy installation


SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
972 | 2700K WARM WHITE 970 | 5700K WHITE	VT-2-04	4W	320	12°	100 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
973 | 5700K WHITE	VT-2-12	12W	960	12°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
978 | 2700K WARM WHITE 977 | 4000K DAY WHITE 976 | 5700K WHITE	VT-2-16	16W	1280	12°	50 pcs		
991 | 5700K WHITE	VT-2-16-1	16W	1280	38°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
981 | 2700K WARM WHITE 979 | 5700K WHITE	VT-2-21	20W	1600	12°	20 pcs		
994 | 5700K WHITE	VT-2-21-1	20W	1600	38°	20 pcs		

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.


SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
984 | 2700K WARM WHITE 983 | 4000K DAY WHITE 982 | 5700K WHITE	VT-2-36	36W	2880	12°	20 pcs		
999 | 2700K WARM WHITE 997 | 5700K WHITE	VT-2-36-1	36W	2880	38°	20 pcs		

LED SPOT DOWNLIGHT



- Recessed Downlight
- AC:220-240V,50Hz
- 60° Beam Angle
- IP20
- 20,000 hr lifespan
- PC Body
- CRI>80
- 20,000 hr lifespan
- 65mm Cutout size

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	Diagram	Size
23182 | 3000K WARM WHITE 23183 | 4000K DAY WHITE 23184 | 6400K WHITE	VT-7007	7W	660		86x20mm

LED NIGHT LIGHT

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- USB Output: Max 2A
- Box Qty: 50pcs

02 YEAR WARRANTY

AUTOMATIC SENSOR OFF ON ≤15Lux



USB PORT

SKU	Model	Watts	Box Qty
505 | 3000K WARM WHITE 506 | 4000K DAY WHITE	VT-84RD	0.45W	100



USB PORT

SKU	Model	Watts	Box Qty
507 | 3000K WARM WHITE 508 | 4000K DAY WHITE	VT-84SQ	0.45W	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



Emergency Exit Lights


V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated. V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

Key Features

- High quality thermoplastic
- High quality Ni-Cd batteries made for longevity & low maintenance
- Reliable emergency backup of 3 hrs
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on circuit board
- 12-24 hr recharge after more than 3 hr discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode

LED EXIT LIGHT - SURFACE





SKU	Model	Watts	Lumens	Box Qty
836 - 6000K WHITE	VT-519-S-12	2W	140	10

03 YEAR WARRANTY


12 hr CHARGING TIME

POLYCARBONATE PC

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Wall/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides

LED EXIT LIGHT-RECESSED





SKU	Model	Watts	Lumens	Box Qty
835 - 6000K WHITE	VT-522-S-12	2W	140	10

03 YEAR WARRANTY


12 hr CHARGING TIME

POLYCARBONATE PC

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Recessed/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides

LED EXIT LIGHT - BULKHEAD





SKU	Model	Watts	Lumens	Box Qty
899 - 6000K WHITE	VT-511-S	3.8W	110	10

03 YEAR WARRANTY


12 hr CHARGING TIME

- IP20
- ABS+PC body
- 20 SMD LEDs
- AC:220-240V,50/60Hz
- 3.7V,2000mAH Li-ion Battery
- 12 hr Charging Time
- Green Indicator Light
- Mode Of Operation: Maintained/Non Maintained
- >3 hr Emergency Operation Time

LED EXIT LIGHT - BULKHEAD

IP65 RATING





SKU	Model	Watts	Lumens	Box Qty
838 - 6000K WHITE	VT-524-S-12	4W	190	12


03 YEAR WARRANTY

12 hr CHARGING TIME

POLYCARBONATE PC

- IP65
- PC body
- 3 Stickers
- 30 SMD LEDs
- AC:220-240V,50/60Hz
- Wall Installation
- Ni-Cd 4.8V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 22 Meters Viewing Distance From Both Sides

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED Strip Lights

V-TAC's efficient LED strip lights range provide an effective solution for illuminating tight spaces. Applicable for both accent lighting or task lighting, these lights can be used to simply decorate your kitchen, bedroom, patio, and more. Strip lights are easy to install, compatible with a range of controllers, and are available in standard colour temperatures.

LED STRIP LIGHTS-IP20

03 YEAR WARRANTY



SKU	Model	Watts	Lumens	Voltage	Roll	CRI	Box Qty
323 | 3000K WARM WHITE 325 | 6400K WHITE	VT-5-120	12W/M	1200	DC:12V	5 Meter Roll	>80	400 Meter
21324 | 4000K DAY WHITE	VT-5-120-N	12W/M	1320	DC:12V	5 Meter Roll	>80	400 Meter
320 | 3000K WARM WHITE 321 | 4000K DAY WHITE 322 | 6400K WHITE	VT-10-240	15W/M	1600	DC:24V	10 Meter Roll	>80	800 Meter
21321 | 4000K DAY WHITE	VT-10-240-N	15W/M	1650	DC:24V	10 Meter Roll	>80	800 Meter
331 | 3000K WARM WHITE 332 | 4000K DAY WHITE 333 | 6400K WHITE	VT-10-240-1	18W/M	1800	DC:24V	10 Meter Roll	>95	800 Meter

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Spotlights

Our new range of LED spotlights with Samsung LEDs is your best choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They can deliver the same warm light as halogen spots while exhibiting the energy-saving benefits of LEDs. Ideal for retail and residential lighting.


Key Features

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 10°, 38° and 110°
- Set the right tone: dimmable options available

LED CAPSULE LIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21240 | 3000K WARM WHITE 21241 | 4000K DAY WHITE 21242 | 6500K WHITE	VT-201-N	1.1W	100	10w	G4	300°	Ø10x37mm	400

LED CAPSULE LIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21131 | 3000K WARM WHITE 21132 | 4000K DAY WHITE 21133 | 6500K WHITE	VT-234-N	3.2W	385	30w	G4	300°	Ø16x44mm	400

LED CAPSULE LIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20478 | 3000K WARM WHITE 20479 | 4000K DAY WHITE	VT-11033	2.2W	200	20w	G9	300°	Ø18x56mm	400

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED CAPSULE LIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21246 | 3000K WARM WHITE 21247 | 4000K DAY WHITE 21248 | 6500K WHITE	VT-204-N	3W	330	30w	G9	300°	Ø17x49mm	400

LED SPOTLIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21869 | 3000K WARM WHITE 21870 | 4000K DAY WHITE 21871 | 6400K WHITE	VT-232-N	2W	150	15w	GU10	38°	Ø35x46.5mm	200

LED SPOTLIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21875 | 3000K WARM WHITE 21876 | 4000K DAY WHITE 21877 | 6500K WHITE	VT-291-N	7.5W	610	70w	GU10	38°	Ø50x55mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED SPOTLIGHTS



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21108 | 3000K WARM WHITE 21797 | 4000K DAY WHITE 21511 | 6500K WHITE	VT-275-N	4.5W	345	50w	GU10	38°	Ø50x55mm	200
21189 | 3000K WARM WHITE 21190 | 4000K DAY WHITE 21191 | 6500K WHITE	VT-227-N	6W	445	60w	GU10	38°	Ø50x55mm	200
21195 | 3000K WARM WHITE 21196 | 4000K DAY WHITE 21197 | 6500K WHITE	VT-227D-N	6W **Dimmable**	445	60w	GU10	38°	Ø50x55mm	200
21165 | 3000K WARM WHITE 21166 | 4000K DAY WHITE 21167 | 6500K WHITE	VT-277-N	6W	445	60w	GU10	38°	Ø50x55mm	200
166 | 4000K DAY WHITE	VT-277	7W	480	60w	GU10	38°	Ø50x55mm	200

LED SPOTLIGHTS



Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21207 | 3000K WARM WHITE 21208 | 4000K DAY WHITE 21209 | 6500K WHITE	VT-267-N	6W	455	60w	GU5.3	38°	Ø50x52mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21201 | 3000K WARM WHITE 21202 | 4000K DAY WHITE 21203 | 6500K WHITE	VT-205-N	4.5W	400	35w	GU10	100°	Ø50x56.5mm	200
880 | 6400K WHITE	VT-271	10W	1000	70w	GU10	110°	Ø50x57mm	200
21878 | 3000K WARM WHITE 21879 | 4000K DAY WHITE 21880 | 6500K WHITE	VT-271-N	10W	1000	70w	GU10	100°	Ø50x56.5mm	200



LED SPOTLIGHTS

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21204 | 3000K WARM WHITE 21205 | 4000K DAY WHITE 21206 | 6500K WHITE	VT-257-N	6W	455	60w	GU5.3	110°	Ø50x52mm	200



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21192 | 3000K WARM WHITE 21193 | 4000K DAY WHITE 21194 | 6500K WHITE	VT-247-N	6W	445	60w	GU10	110°	Ø50x55mm	200
21198 | 3000K WARM WHITE 21199 | 4000K DAY WHITE 21200 | 6500K WHITE	VT-247D-N	6W **Dimmable**	445	60w	GU10	110°	Ø50x55mm	200


*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED SPOTLIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21872 | 3000K WARM WHITE 21873 | 4000K DAY WHITE 21874 | 6500K WHITE	VT-292-N	7.5W	610	70w	GU10	110°	Ø50x55mm	200

LED SPOTLIGHTS



05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20028 | 6400K WHITE	VT-249	6W	500	50w	GU10	10°	Ø50x55mm	200
2120026 | 3000K WARM WHITE 2120027 | 4000K DAY WHITE	VT-249-N	6W	445	60w	GU10	10°	Ø50x55mm	200



*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Bulbs

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all LED PRO Series lamp range with LEDs provided by Samsung.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range of options to replace 60W to 150W traditional lamps and achieve energy-saving lighting in your home, office, or business.


Key Features

- Wide range of bulbs
- Lightweight yet durable body
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000 hr lifespan: remarkable performance compared to conventional and other LED lamps



LED FILAMENT GLASS BULB-E27

Voltage/Frequency	AC:220-240V, 50Hz
Life Span	20,000 hr
PF	>0.6
CRI	>80



EFFICIENCY 160 LUMENS/W


02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2817 | 6400K WHITE	VT-2324	24W	4000	250w	E27	ED120	Ø120x300mm	20



HIGH LUMEN BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W


05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
259 | 4000K DAY WHITE	VT-255	4.5W	470	40w	E14	Candle	Ø37x100mm	200



HIGH LUMEN BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
262 | 4000K DAY WHITE	VT-245	4.5W	470	40w	E27	G45	Ø45x81mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



HIGH LUMEN BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
256 | 4000K DAY WHITE 257 | 6400K WHITE	VT-265	6.5W	806	60w	E27	A60	Ø60x104mm	100
254 | 6400K WHITE	VT-285	8.5W	1055	75w	E27	A60	Ø60x112mm	100



HIGH LUMEN BULBS-G120-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2120021 | 3000K WARM WHITE 2120022 | 4000K DAY WHITE 2120023 | 6500K WHITE	VT-242-N	22W	2600	155w	E27	G120	Ø120x160mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.






LED THERMOPLASTIC BULBS-ST26



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21234 | 3000K WARM WHITE 21235 | 4000K DAY WHITE	VT-202-N	2W	180	18w	E14	ST26	Ø26x59mm	400

LED THERMOPLASTIC BULBS-T37-E14



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21269 | 6500K WHITE	VT-248-N	7.5W	660	50w	E14	T37	Ø37x155mm	200

LED THERMOPLASTIC BULBS-CANDLE-B22



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21103 | 3000K WARM WHITE 2120152 | 6500K WHITE	VT-223-N	4.5W	470	40w	B22	Candle	Ø36.5x100mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS-CANDLE-E14



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8040 | 3000K WARM WHITE 8041 | 6500K WHITE	VT-1850	3.7W	320	30w	E14	Candle	Ø36.5x100mm	200
21171 | 3000K WARM WHITE 21172 | 4000K DAY WHITE 21173 | 6400K WHITE	VT-226-N	4.5W	470	40w	E14	Candle	Ø36.5x100mm	200
2120045 | 3000K WARM WHITE 2120186 | 4000K DAY WHITE 2120187 | 6500K WHITE	VT-293D-N	5.5W **Dimmable**	470	40w	E14	Candle	Ø36.5x100mm	200
111 | 3000K WARM WHITE 113 | 6400K WHITE	VT-268	7W	600	45w	E14	Candle	Ø38x102mm	200
21112 | 4000K DAY WHITE 21113 | 6500K WHITE	VT-268-N	6.5W	600	45w	E14	Candle	Ø36.5x100mm	200

LED THERMOPLASTIC BULBS-G45-E27



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8045 | 3000K WARM WHITE 8046 | 4000K DAY WHITE 8047 | 6500K WHITE	VT-1812	3.7W	320	30w	E27	G45	Ø45x80mm	200
21174 | 3000K WARM WHITE 21175 | 4000K DAY WHITE 21176 | 6400K WHITE	VT-246-N	4.5W	470	40w	E27	G45	Ø45x80mm	200
21866 | 3000K WARM WHITE 21867 | 4000K DAY WHITE 21868 | 6500K WHITE	VT-290-N	6.5W	600	45w	E27	G45	Ø45x80mm	200

LED THERMOPLASTIC BULBS-G45-B22



Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21104 | 3000K WARM WHITE	VT-221-N	4.5W	470	40w	B22	G45	Ø45x80mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8042 | 3000K WARM WHITE 8043 | 4000K DAY WHITE 8044 | 6500K WHITE	VT-1804	3.7W	320	30w	E14	P45	Ø45x80mm	200
21168 | 3000K WARM WHITE 21169 | 4000K DAY WHITE 21170 | 6400K WHITE	VT-236-N	4.5W	470	40w	E14	P45	Ø45x80mm	200
21863 | 3000K WARM WHITE 21864 | 4000K DAY WHITE 21865 | 6400K WHITE	VT-270-N	6.5W	600	45w	E14	P45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-A60-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
114 | 3000K WARM WHITE	VT-269	9W	806	60w	E14	A60	Ø58x112mm	100
21114 | 3000K WARM WHITE 21115 | 4000K DAY WHITE 21116 | 6500K WHITE	VT-269-N	8.5W	806	60w	E14	A60	Ø60x108mm	100



LED THERMOPLASTIC BULBS-A60-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21228 | 3000K WARM WHITE 21229 | 4000K DAY WHITE 21230 | 6500K WHITE	VT-210-N	8.5W	806	60w	E27	A60	Ø60x108mm	100
21177 | 3000K WARM WHITE 21178 | 4000K DAY WHITE 21179 | 6500K WHITE	VT-211-N	10.5W	1055	75w	E27	A60	Ø60x110mm	100
20185 | 6400K WHITE	VT-262D	12W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100
2120044 | 3000K WARM WHITE 2120184 | 4000K DAY WHITE	VT-262D-N	11W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-A60-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21101 | 3000K WARM WHITE 21850 | 4000K DAY WHITE 21851 | 6500K WHITE	VT-229-N	8.5W	806	60w	B22	A60	Ø60x108mm	100
21852 | 3000K WARM WHITE	VT-259D-N	8.5W **Dimmable**	806	60	B22	A60	Ø60x108mm	96
21110 | 4000K DAY WHITE	VT-213-N	10.5W	1055	75w	B22	A60	Ø60x120mm	100
21102 | 3000K WARM WHITE 21853 | 6500K WHITE	VT-231-N	10.5W	1055	75w	B22	A60	Ø60x110mm	100



LED THERMOPLASTIC BULBS-A65-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
23212 | 4000K DAY WHITE 23213 | 6500K WHITE	VT-21015	15W	1521	100w	E27	A65	Ø65x134mm	100
159 | 3000K WARM WHITE	VT-215	15W	1250	85w	E27	A65	Ø65x135mm	100
23214 | 4000K DAY WHITE 23215 | 6500K WHITE	VT-21017	17W	1710	110w	E27	A65	Ø65x134mm	100
162 | 3000K WARM WHITE	VT-217	17W	1521	100w	E27	A65	Ø65x135mm	100
20189 | 4000K DAY WHITE 20190 | 6400K WHITE	VT-217D	17W **Dimmable**	1521	100w	E27	A65	Ø65x135mm	100



LED THERMOPLASTIC BULBS-A65-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21854 | 3000K WARM WHITE 21855 | 6500K WHITE	VT-281-N	15W	1521	100w	B22	A65	Ø65x134mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED THERMOPLASTIC BULBS-A80-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21237 | 3000K WARM WHITE 21238 | 4000K DAY WHITE 21239 | 6500K WHITE	VT-233-N	20W	2452	150w	E27	A80	Ø80x148mm	50

LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.








LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21210 | 3000K WARM WHITE 21212 | 6500K WHITE	VT-239-N	2.9W	250	25w	E14	R39	Ø39x67mm	200
21138 | 3000K WARM WHITE 21139 | 4000K DAY WHITE	VT-250-N	4.8W	470	40w	E14	R50	Ø50x85mm	200
21141 | 3000K WARM WHITE 21142 | 4000K DAY WHITE 21143 | 6500K WHITE	VT-263-N	8.5W	806	60w	E27	R63	Ø63x100mm	100
21135 | 3000K WARM WHITE 21136 | 4000K DAY WHITE 21137 | 6500K WHITE	VT-280-N	11W	1055	75w	E27	R80	Ø80x112mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.





LED PAR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21147 | 3000K WARM WHITE 21148 | 4000K DAY WHITE 21149 | 6500K WHITE	VT-220-N	5.8W	425	55w	E27	PAR20	Ø64x84mm	100
21153 | 3000K WARM WHITE 21154 | 4000K DAY WHITE 21155 | 6500K WHITE	VT-230-N	11W	800	90w	E27	PAR30	Ø95x120mm	30
21150 | 3000K WARM WHITE 21151 | 4000K DAY WHITE 21152 | 6400K WHITE	VT-238-N	12.8W	930	105w	E27	PAR38	Ø121x130mm	30

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

BIG BULB & UFO


V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.





GX53 BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21222 | 3000K WARM WHITE 21223 | 4000K DAY WHITE 21224 | 6500K WHITE	VT-207-N	6.4W	560	45w	GX53		Ø79x29mm	200



LED BIG BULB-G120

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
125 | 6400K WHITE	VT-288	18W	2000	125w	E27	G120	Ø120x164mm	20
21125 | 6500K WHITE	VT-288-N	18W	2000	125w	E27	G120	Ø120x160mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.9
CRI	>80




02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21284 | 4000K DAY WHITE 21285 | 6500K WHITE	VT-240-N	36W	3960	250w	E27	NA	Ø90x212mm	30



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 /20,000 hr
PF	>0.9
CRI	>80



05 YEAR WARRANTY


SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
186 | 3000K WARM WHITE	VT-260	60W	5400	NA	E40	NA	Ø102x320mm	20
21187 | 4000K DAY WHITE 21188 | 6500K WHITE	VT-260-N	60W	6500	NA	E40	NA	Ø102x320mm	20



LED ACRYLIC BULBS

Voltage/Frequency	AC: 200-240V,50/60Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2781 | 3000K WARM WHITE 2782 | 4000K DAY WHITE 2783 | 6400K WHITE	VT-2311	11W	900	70w	E27	NA	Ø190x120mm	18
2784 | 3000K WARM WHITE 2785 | 4000K DAY WHITE 2786 | 6400K WHITE	VT-2318	18W	1200	90w	E27	NA	Ø220x125mm	18

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED EMERGENCY BULBS

The Emergency Bulb is equipped with a back-up battery which enables the unit to work for up to 3 hours in power outages and other emergency situations. It is also a portable, multifunctional LED bulb which can be used as a camping light, flashlight, warehouse light, and more.







LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7010 | 4000K DAY WHITE	VT-509	9W	720	50w	E27	A70	Ø70x135mm	100



LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7794 | 4000K DAY WHITE	VT-51012	12W	960	65w	E27	A80	Ø77x147mm	100
7795 | 4000K DAY WHITE	VT-51015	15W	1200	80W	E27	A90	Ø88x165mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC

Meaningful Innovation.



LED Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for maximum efficiency, V-TAC's extensive range of LED thermoplastic bulb series are your ideal choice for any kind of lighting requirement.

Key Features


- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non – Flickering
- Dimmable & Non Dimmable options



HIGH CRI BULBS-P45

CRI 95


Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>95



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7490 - 6400K WHITE	VT-2236	5.5W	470	40W	E14	P45	Ø45x81	200



RF REMOTE CONTROL BULBS-CANDLE



REMOTE CONTROL DIMMABLE

RGB

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2771 -RGB+6400K	VT-2214	3.5W	320	30W	E14	Candle	Ø37x100	200
2926 -RGB+3000K 2929 -RGB+4000K	VT-2214-N-1	4.8W	470	30W	E14	Candle	Ø36.5x110	200



RF REMOTE CONTROL BULBS-P45



REMOTE CONTROL DIMMABLE

RGB

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2777 -RGB+6400K	VT-2234	3.5W	320	30W	E14	P45	Ø45x81	200
3029 - RGB+3000K	VT-2234-SQ	4.8W **Square Remote**	470	40W	E14	P45	Ø47.5x88	200



RF REMOTE CONTROL BULBS-A60



REMOTE CONTROL DIMMABLE

RGB

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2928 -RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100



3 STEP DIMMING LED FILAMENT BULBS-P45



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6846 - 3000K WARM WHITE	VT-2604	4W	400	35W	E14	P45	Ø45x78	100



3 STEP DIMMING LED FILAMENT BULBS-G45



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6847 - 3000K WARM WHITE	VT-2704	4W	400	35W	E27	GP45	Ø45x72	100



3 STEP DIMMING LED FILAMENT BULBS-CANDLE



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6848 - 3000K WARM WHITE	VT-2804	4W	400	35W	E14	Candle	Ø35x98	100



3 STEP DIMMING LED FILAMENT BULBS-A60



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6845 - 3000K WARM WHITE	VT-2504	4W	400	35W	E27	A60	Ø60x105	100



3 STEP DIMMING BULBS-A60



3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100



3 STEP DIMMING BULBS 2PCS BLISTER PACK



3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7288 - 2700K WARM WHITE 7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25



COLOR CHANGING BULBS-A60



COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7317 - 3 IN 1	VT-2119	9W	806	60W	E27	A60	Ø60x112	100



COLOR CHANGING BULBS 2PCS BLISTER PACK



COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25

LED CANDLE BULBS

Our candle-shaped LED bulbs are energy-efficient replacements for traditional halogen lamps that come with chandeliers, wall lights, desk lamps, and other decorative lighting fixtures.
• Includes E14 and E27 base variations
• No UV radiation and mercury-free






LED CANDLE BULBS-E14



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2984 - 3000K WARM WHITE 2985 - 4000K DAY WHITE 2986 - 6500K WHITE	VT-2323	2.9W	250	25W	E14	Candle	Ø36.5x100	200
214216 - 3000K WARM WHITE 214166 - 4000K DAY WHITE 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
2142151 - 3000K WARM WHITE 2142581 - 4000K DAY WHITE 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200



LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200



LED CANDLE BULBS-2PCS BLISTER-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7293 - 6400K WHITE	VT-2106	5.5W	470	40W	E14	Candle	Ø37x100	50



LED CANDLE BULBS-3PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217263 - 3000K WARM WHITE 217264 - 4000K DAY WHITE 217265 - 6500K WHITE	VT-2076-N	4.5W	470	40W	E14	Candle	Ø39x102	180



LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180



LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE 2143431 - 4000K DAY WHITE 2143441 - 6500K WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200

LED G45 BULBS

Small, round, 45mm golf bulbs usually used in vanities, bedside lamps, desk lamps, and other fixtures in residential spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free








LED G45 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214160 - 3000K WARM WHITE 214162 - 4000K DAY WHITE 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200
217407 - 3000K WARM WHITE 217408 - 4000K DAY WHITE 217409 - 6500K WHITE	VT-1879N-N	4.5W	470	40W	E27	G45	Ø45x80	200



LED G45 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217362 - 3000K WARM WHITE 217363 - 4000K DAY WHITE	VT-2176-N	4.5W	470	40W	E27	G45	Ø45x80	180

LED P45 BULBS

Ball-shaped E14 base-type bulbs usually used in chandeliers, table lamps, wall lamps, and other decorative lighting fixtures in residential and commercial spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free








LED P45 BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4124 - 6400K WHITE	VT-1819	4W	320	30W	E14	P45	Ø45x82	200
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200
2142501 - 3000K WARM WHITE 2142511 - 4000K DAY WHITE 2142521 - 6500K WHITE	VT-1880N-N	4.5W	470	40W	E14	P45	Ø45x80	200



LED P45 3PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217357 - 3000K WARM WHITE 217359 - 6500K WHITE	VT-2156-N	4.5W	470	40W	E14	A60	Ø45x80	180



LED P45 6PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180

LED THERMOPLASTIC BULBS

Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks






LED A60 BULBS-B22



BAYONET HOLDER

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217422 - 3000K WARM WHITE 217402 - 4000K DAY WHITE 217403 - 6500K WHITE	VT-2189-N	8.5W	806	60W	B22	A60	Ø60x108	100
217229 - 3000K WARM WHITE	VT-2015-B22-N	15W	1521	100W	B22	A65	Ø65x134	100

LED A60 BULBS 3PCS PACK-B22



BAYONET HOLDER

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217246 - 3000K WARM WHITE	VT-2069-3PC-N	8.5W	806	60W	B22	A60	Ø60x108	120



LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217261 - 4000K DAY WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200
217350 - 3000K WARM WHITE 217349 - 4000K DAY WHITE 217351 - 6500K WHITE	VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100



LED A60 BULBS 2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7297 - 2700K WARM WHITE	VT-2111	11W	1055	75W	E27	A60	Ø60x120	25



LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120
217352 - 3700K WARM WHITE 217353 - 4000K DAY WHITE 217354 - 6500K WHITE	VT-2113-N	10.5W	1055	75W	E27	A60	Ø60x110	120
212819 - 3000K WARM WHITE 212820 - 4000K DAY WHITE 212818 - 6500K WHITE	VT-2015-3PC-N	15W	1521	100W	E27	A65	Ø65x134	40



LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214454 - 4000K DAY WHITE 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
214457 - 4000K DAY WHITE 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100



LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7300 - 2700K WARM WHITE 7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25



LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø80x142	50



LED BULBS T37

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212834 - 3000K WARM WHITE 212835 - 4000K DAY WHITE 212836 - 6500K WHITE	VT-2118-N	16W	2000	126W	R7S	R7S	Ø30x118	100



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12



LED GLOBE BULBS-E27

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7195 - 6000K WHITE	VT-1884D	13W **Dimmable**	1055	75W	E27	G120	Ø120x164	12

NEW



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	160°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Base	Shape	Size(mm)	Box Qty
23568 - 4000K DAY WHITE 23569 - 6500K WHITE	VT-21020	20W	2060	E27	T80	80x133mm	50
23570 - 4000K DAY WHITE 23571 - 6500K WHITE	VT-21031	30W	3210	E27	T100	100x157mm	20
23572 - 4000K DAY WHITE 23573 - 6500K WHITE	VT-21040	40W	4320	E27	T120	118x191mm	10
23574 - 4000K DAY WHITE 23575 - 6500K WHITE	VT-21050	50W	5400	E27	T140	138x220mm	10
23576 - 4000K DAY WHITE 23577 - 6500K WHITE	VT-21065	60W	6600	E27	T160	160x255mm	6

HIGH LUMEN CLEAR GLASS FILAMENT BULBS

Introducing the pinnacle of lighting innovation: the High Lumen Clear Glass Filament bulb, boasting an astounding 120 lumens efficacy and an awe-inspiring 95% energy saving capability. This remarkable creation redefines the way we illuminate our world, blending efficiency, elegance, and environmental consciousness into a single lighting marvel.



What truly sets this bulb apart, however, is its unrivaled efficiency. With a luminous efficacy of 210 lumens per watt, it transforms the way we perceive light. Its ability to convert electrical energy into a brilliant glow not only illuminates spaces in a remarkably cost-effective manner but also makes a substantial dent in energy consumption. A staggering 95% reduction in energy usage compared to traditional incandescent bulbs heralds a new era of sustainable lighting solutions.

Imagine the possibilities – spaces bathed in the gentle radiance of these bulbs while simultaneously witnessing a significant decrease in energy bills. The journey toward a brighter, more sustainable future starts with choices like these, where innovation meets efficiency and elegance in a harmonious blend of form and function.






HIGH LUMEN FILAMENT BULBS-A60-E27

210 LUMEN/W

95% ENERGY SAVING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6822 - 3000K WARM WHITE	VT-2322	2.2W	465	40W	E27	A60	Ø60x105



HIGH LUMEN FILAMENT BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6823 - 3000K WARM WHITE	VT-2422	2.2W	465	40W	E27	G45	Ø45x79



HIGH LUMEN FILAMENT BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W


95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6825 - 3000K WARM WHITE	VT-2922	2.2W	465	40W	E14	P45	Ø45x105



HIGH LUMEN FILAMENT BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)
6824 - 3000K WARM WHITE	VT-2722	2.2W	465	40W	E14	Candle	Ø35x123



HIGH LUMEN FILAMENT BULBS-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2996 - 3000K WARM WHITE	VT-2364	4W	840	60W	E27	ST64	Ø64x143	100

LED FILAMENT & DECORATIVE BULBS

LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.






LED FILAMENT VASE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8



LED FILAMENT COBBLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6



LED FILAMENT APPLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6



LED AMBER SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23166 - 2700K WARM WHITE	VT-2267	4W	250	NA	E27	A160	Ø160X275	6



LED SMOKY SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23167 - 2700K WARM WHITE	VT-2268	4W	120	NA	E27	A160	Ø160X275	6



LED AMBER SPIRAL FILAMENT A165 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23168 - 2700K WARM WHITE	VT-2269	4W	250	NA	E27	A165	Ø165x275	6



LED AMBER SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23169 - 2700K WARM WHITE	VT-2270	4W	250	NA	E27	G200	Ø200x280	6



LED SMOKY SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23170 - 2700K WARM WHITE	VT-2271	4W	120	NA	E27	G200	Ø200x280	6



LED AMBER SPIRAL FILAMENT B125 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23171 - 2700K WARM WHITE	VT-2272	4W	250	NA	E27	B125	Ø125x340	6



LED AMBER SPIRAL FILAMENT ST120 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23172 - 2700K WARM WHITE	VT-2273	4W	250	NA	E27	ST120	Ø120x260	6



LED 3D FILAMENT BULBS A60

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø60x105	100



LED 3D FILAMENT BULBS ST64

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100



LED 3D FILAMENT BULBS G125

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x165	20



FILAMENT-G125-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2700 - 2200K WARM WHITE	VT-2205	5W	70	30W	E27	G125	Ø125x175	50



FILAMENT-T180-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212790 -1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:175x150	12



FILAMENT-G200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



DECORATIVE BULBS


DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217462 - 2000K WARM WHITE	VT-2158D-N	8W	500	40W	E27	G200	Ø200x297	12



SMOKY FILAMENT-S200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



DECORATIVE BULBS

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	350	30W	E27	S200	Ø180x390	12



FILAMENT-R125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80



DECORATIVE BULBS


DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7467 - 4000K DAY WHITE 7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24



AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x105	100



CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x105	100



AMBER COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A67	Ø60x105	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A70	Ø60x105	100



FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217474 - 1800K WARM WHITE	VT-2185-N	4W	200	20W	E27	ST64	Ø64x142	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217220 - 2200K WARM WHITE	VT-2066-N	4.8W	280	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200 WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x143	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x143	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x143	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	300	30W	E27	ST64	Ø64x143	100
217416 - 1800K WARM WHITE	VT-2065D-N	4.8W **Dimmable**	250	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4.8W	280	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4.8W	280	30W	E27	G125	Ø125x173	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x173	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W **Dimmable**	700	60W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217147 - 2200K WARM WHITE	VT-2027-N	7W	700	60W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x138	20



FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø125x164	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217328 - 1800K WARM WHITE	VT-2126-N	6W	400	55W	E27	G125	Ø125x173	20



FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217456 - 2200K WARM WHITE	VT-2153-N	12W	1350	85W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217143 - 2200K WARM WHITE	VT-2006-N	6W	600	50W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217144 - 2200K WARM WHITE	VT-2008-N	7W	700	60W	E27	T30	Ø30x300	100



FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x103	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217114 - 2200K WARM WHITE	VT-1949-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217116 - 2200K WARM WHITE	VT-1947-N	4W	350	35W	E14	Candle	Ø35x121	100



AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x75	100



AMBER COVER -FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214499 - 2200K WARM WHITE	VT-1953-N	4W	350	30W	E14	P45	Ø45x77	100



FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50
71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50



FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50



FROST COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12



CLEAR GLASS-FILAMENT-A60-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7120 - 6400K WHITE	VT-1885	4W	400	40W	E27	A60	Ø60x107	50
217120 - 6500K WHITE	VT-1885-N	4W	400	35W	E27	A60	Ø60x105	100
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x107	100



CLEAR GLASS-FILAMENT-A67-E27

DIMMABLE

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212815 - 2700K WARM WHITE	VT-2288D-N	8W **Dimmable**	720	50W	E27	A67	Ø67x123	100
214410 - 3000K WARM WHITE 214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A67	Ø67x123	20
212802 - 3000K WARM WHITE	VT-2328-N	18W	2520	150W	E27	A67	Ø67x123	100



CLEAR GLASS-FILAMENT-A70-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217458 - 3000K WARM WHITE 217459 - 4000K DAY WHITE 217460 - 6500K WHITE	VT-2133-N	12W	1521	100W	E27	A70	Ø70x132	100



FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100



FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	360°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2703 - 6000K WHITE	VT-2204	4W	400	35W	E14	T20	Ø20x135	100
212701 - 3000K WARM WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100



CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6400K WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x58	200



HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212848 - 3000K WARM WHITE 212849 - 4000K DAY WHITE 212850 - 6500K WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
2870 - 3000K WARM WHITE	VT-2304D	4W **Dimmable**	400	35W	E14	Candle	Ø35x98	200
7806 - 3000K WARM WHITE 7807 - 4000K DAY WHITE	VT-21125	5.5W	600	45W	E14	Candle	Ø35x98	100
217423 - 3000K WARM WHITE 217424- 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214367 - 3000K WARM WHITE	VT-1985D-N	4W **Dimmable**	400	30W	E14	Candle	Ø35x100	100



CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214308 - 3000K WARM WHITE 214431 - 4000K DAY WHITE 214432 - 6500K WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214302 - 3000K WARM WHITE 214429 - 4000K DAY WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x121	100



CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4425 - 4000K DAY WHITE	VT-1996	4W	400	40W	E14	P45	Ø45x77	100
214300 - 3000K WARM WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 3000K WARM WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100



HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2856 - 6400K WHITE 2854 - 3000K WARM WHITE 2855 - 4000K DAY WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x77	100



CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x75	100
212844 - 6500K WHITE 212843 - 4000K DAY WHITE	VT-2366-N	6W	600	45W	E27	G45	Ø45x72	100



HIGH LUMENS CLEAR GLASS-FILAMENT-G45-E27

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2853 - 6400K WHITE 2851 - 3000K WARM WHITE 2852 - 4000K DAY WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x75	100



PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x75	100



GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x75	100



BLUE COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø45x75	100



RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x75	100



CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø125x177	20
7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x177	20
217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x177	20



CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214305 - 2700K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x135	20



LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
23159 - RGB	VT-713S	7.5W	13M	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10




LED STRING LIGHT-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7435 - RGB+YELLOW	VT-70510	5W	5M	10
217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10

LED STRING LIGHT-10M



- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7438 - RGB+YELLOW	VT-71020	10W	10M	10
217439 - 3000K WARM WHITE 217440 - 6000K WHITE	VT-71020-N	10W	10M	5

STRING LIGHT WP SOCKET-E27-EU PLUG-15M



- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included

IP65 RATING

SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4

STRING LIGHT SOCKET-E27-5M



- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3698	VT-7135	5M	4

STRING LIGHT SOCKET-E27-15M



- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3673	VT-713	15M	4

V-TAC

Meaningful Innovation.



LED Spotlights

Introducing a sustainable and energy-efficient replacement for power-hungry halogen spotlights. An extensive range of LED Spotlights (1.2W-8W).


Key Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for a durable body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver



G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4466 - 3000K WARM WHITE 4467 - 4000K DAY WHITE 4468 - 6400K WHITE	VT-1946	2.5W	200	25W	G9	300°	16.5x46.5	400



G9-LED CAPSULE LIGHT-6PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2745 - 3000K WARM WHITE 2746 - 4000K DAY WHITE 2747 - 6400K WHITE	VT-2243	3W	300	25W	G9	300°	17x49	300



GU10 SPOTLIGHT-RGB WITH REMOTE CONTROL

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode



RGB

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2927 - RGB+3000K WARM WHITE 2930 - RGB+4000K DAY WHITE	VT-2244-N-1	5.5W	420	35W	GU10	110°	56.5x50	200



GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2988 - 4000K DAY WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4500K DAY WHITE 211687 - 6000K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200



GU10 SPOTLIGHT MILKY COVER-3PCS PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
217269 - 3000K WARM WHITE 217270 - 4000K DAY WHITE 217271 - 6500K WHITE	VT-2095-N	4.5W	400	35W	GU10	100°	56.5x50	180



GU10 SPOTLIGHT MILKY COVER-6PCS PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212739 - 3000K WARM WHITE 212740 - 4000K DAY WHITE 212741 - 6500K WHITE	VT-2225-N	4.5W	400	35W	GU10	100°	56.5x50	180

ALUMINIUM MODULE SPOTLIGHT





Voltage/Frequency	AC:220-240V,50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212792 - 3000K WARM WHITE 212793 - 4000K DAY WHITE 212794 - 6500K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

20°AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
1245 - 6000K WHITE	VT-1120-20	20W	1800	100W	N/A	20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53



Voltage/Frequency	AC/DC:12V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4061 - 6400K WHITE	VT-1110-20	15W	950	75W	G53	20°	Ø111x86x63	60
214084 - 3000K WARM WHITE 214062 - 4000K DAY WHITE	VT-1110-20-N	12W	3000K-1030 4000K-1050	75W	G53	20°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE 214255 - 6000K WHITE	VT-1110-40-N	12W	3000K-1085 4000K-1160 6000K-1200	25W	G53	40°	Ø111x86x63	60

AR111 LED SPOTLIGHT- GU10

DIMMABLE OPTIONS




Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4223 - 4000K DAY WHITE	VT-1112	12W	900	60W	GU10	40°	Ø111x86	60
214224 - 3000K WARM WHITE 214225 - 6000K WHITE	VT-1112-N	12W	3000K-1020 6000K-1120	60W	GU10	40°	Ø111x86	
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6000K WHITE	VT-1112D-N	12W **Dimmable**	3000K-1030 6000K-1300	60W	GU10	40°	Ø111x86	

1XAR111 FITITNG




SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24
3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24



2XAR111 FITITNG


SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12
3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35771	VT-7223-W	White	Aluminium	3XAR111	168x455	475x174	12
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

GU10-HOLDER-PVC CABLE



Model No: PVC Cable-5pc
SKU: 34235
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 100

GU10-HOLDER-PVC CABLE



Model No: PVC Cable
SKU: 3423
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 500

GU10 SILICON WIRE-5PCS PACK



Model No: VT-791
SKU: 36205
Base: GU10
Material: Aluminium Ceramic
Color: White
Size(mm): 158
Cutting Size: NA
Box Qty: 500

GU10 SILICON WIRE



Model No: VT-791-W
SKU: 3620
Base: GU10
Material: Aluminium Ceramic
Color: White
Size(mm): 158
Cutting Size: NA
Box Qty: 500



E14-HOLDER

SKU	Box Qty
8840	400



E14-HOLDER

SKU	Box Qty
8751	400



E14-HOLDER

SKU	Box Qty
8753	400

V-TAC
Meaningful Innovation.



Spotlight Fittings

Spotlights fittings are a type of lighting fixture commonly used for residential and commercial lighting applications.

These fittings are versatile and can be used in various lighting scenarios. They are often found in track lighting systems, recessed ceiling lights, pendant lights, and wall-mounted fixtures. Their adaptability makes them suitable for both task lighting and ambient lighting.

Here are some common spotlight fittings with different base types:

- GU10
- GX53
- G9
- E14

NEW

SURFACED WALL FITTING G9



02 YEAR WARRANTY

Model No:	VT-10113-B
SKU:	23407
Base:	G9
Material:	Steel+Glass
Color:	Black
Size(mm):	95x120x250
Cutting Size:	NA
Box Qty:	10

NEW

SURFACED WALL FITTING G9



02 YEAR WARRANTY

Model No:	VT-10113-W
SKU:	23408
Base:	G9
Material:	Steel+Glass
Color:	White
Size(mm):	95x120x250
Cutting Size:	NA
Box Qty:	10

RECESSED FITTING GU10



Model No:	VT-11001
SKU:	6761
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	80x80x50
Cutting Size:	85x85
Box Qty:	30


RECESSED FITTING GU10



Model No:	VT-11011
SKU:	6775
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	150x80x50
Cutting Size:	155x85
Box Qty:	12

RECESSED FITTING GU10





Model No:	VT-439
SKU:	10298
Base:	2xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	175x88x30
Cutting Size:	160x75
Box Qty:	50


RECESSED FITTING GU10



Model No:	VT-11014
SKU:	6776
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	220x80x50
Cutting Size:	225x85
Box Qty:	6

RECESSED FITTING GU10





Model No:	VT-441
SKU:	10299
Base:	3xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	261x88x30
Cutting Size:	245x75
Box Qty:	50


RECESSED FITTING GU10



Model No:	VT-11002
SKU:	6762
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	190x100x40
Cutting Size:	195x105
Box Qty:	12

RECESSED FITTING GU10





Model No:	VT-442
SKU:	23003
Base:	4xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	175x175x30
Cutting Size:	165x160
Box Qty:	20

RECESSED FITTING GU10



Model No:	VT-11012
SKU:	6763
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	190x100x40
Cutting Size:	195x105
Box Qty:	12

RECESSED FITTING GU10






Model No:	VT-11003
SKU:	6764
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

RECESSED WALL FITTING G9






Model No:	VT-11006
SKU:	6769
Base:	G9
Material:	Plaster
Color:	White
Size(mm):	310x260x170
Cutting Size:	315x265
Box Qty:	6

RECESSED FITTING GU10






Model No:	VT-11013
SKU:	6765
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

RECESSED FITTING GU10






Model No:	VT-11007
SKU:	6770
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	180x120x70
Cutting Size:	185x125
Box Qty:	12

RECESSED FITTING GU10






Model No:	VT-11023
SKU:	6766
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

RECESSED FITTING GU10






Model No:	VT-11008
SKU:	6771
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	250x210x80
Cutting Size:	255x215
Box Qty:	6

RECESSED WALL FITTING E14






Model No:	VT-11004
SKU:	6767
Base:	E14
Material:	Plaster
Color:	White
Size(mm):	255x180x315
Cutting Size:	260x320
Box Qty:	6

RECESSED FITTING GU10






Model No:	VT-11009R
SKU:	6772
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	120x120x60
Cutting Size:	125x125
Box Qty:	24

RECESSED WALL FITTING G9






Model No:	VT-11005
SKU:	6768
Base:	G9
Material:	Plaster
Color:	White
Size(mm):	400x400x65
Cutting Size:	405x405
Box Qty:	1

RECESSED FITTING GU10





Model No:	VT-11009S
SKU:	6773
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	120x120x60
Cutting Size:	125x125
Box Qty:	24


RECESSED FITTING GU10






Model No:	VT-11010
SKU:	6774
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	350x100x75
Cutting Size:	355x105
Box Qty:	6

PENDANT BLACK-GU10-30CM



Model No:	VT-976-30CM
SKU:	6686
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	55x60x1500
Cutting Size:	NA
Box Qty:	20

PENDANT WHITE-GU10-30CM




Model No:	VT-976-300-W
SKU:	6779
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x300x1700
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-50CM



Model No:	VT-976-50CM
SKU:	6687
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	55x60x1700
Cutting Size:	NA
Box Qty:	20

PENDANT WHITE-GU10-50CM




Model No:	VT-976-500-W
SKU:	6780
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x500x1700
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-30CM



Model No:	VT-977-30CM
SKU:	6688
Base:	GU10
Material:	Aluminum
Color:	Black+Gold
Size(mm):	60x60x1500
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-20CM




Model No:	VT-975-20CM
SKU:	6684
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	55x60x1400
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-50CM




Model No:	VT-977-50CM
SKU:	6689
Base:	GU10
Material:	Aluminum
Color:	Black+Gold
Size(mm):	60x60x1700
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-30CM



Model No:	VT-975-30CM
SKU:	6685
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	55x60x1500
Cutting Size:	NA
Box Qty:	20


PENDANT WHITE-ROSE GOLD BOTTOM



Model No:	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-CHROME BOTTOM






05 YEAR WARRANTY

Model No:	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-CHROME BOTTOM






05 YEAR WARRANTY

Model No:	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-MATT ROSE GOLD BOTTOM






05 YEAR WARRANTY

Model No:	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

CEILING FITTING-GU10






Model No:	VT-7900-B
SKU:	7573
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	60x80x1170
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10





Model No:	VT-7900-W
SKU:	7574
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x80x1170
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10



Model No:	VT-788
SKU:	3617
Base:	1XGU10
Material:	Aluminium
Color:	White
Size(mm):	140x75x138
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10



Model No:	VT-789
SKU:	3618
Base:	2XGU10
Material:	Aluminium
Color:	White
Size(mm):	230x75x138
Cutting Size:	NA
Box Qty:	20


CEILING FITTING-GU10



Model No:	VT-790
SKU:	3619
Base:	3XGU10
Material:	Aluminium
Color:	White
Size(mm):	390x75x138
Cutting Size:	NA
Box Qty:	10

CEILING/WALL FITTING-GU10






Model No:	VT-823
SKU:	7980
Base:	1XGU10
Material:	PC
Color:	White
Size(mm):	120×144.8
Cutting Size:	NA
Box Qty:	50

CEILING/WALL FITTING-GU10






Model No:	VT-897
SKU:	7981
Base:	2XGU10
Material:	PC
Color:	White
Size(mm):	120×144.8
Cutting Size:	NA
Box Qty:	50

CEILING/WALL FITTING-GU10






Model No:	VT-899
SKU:	7982
Base:	3XGU10
Material:	PC
Color:	White
Size(mm):	145×144.8
Cutting Size:	NA
Box Qty:	20

WALL FITTING-GU10






Model No:	VT-429-B
SKU:	10294
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	55x150x160
Cutting Size:	NA
Box Qty:	50

WALL FITTING-GU10






Model No:	VT-429-W
SKU:	10295
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	55x150x160
Cutting Size:	NA
Box Qty:	50

SURFACE METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-MATT ROSE GOLD BOTTOM






05 YEAR WARRANTY

Model No:	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-CHROME BOTTOM






05 YEAR WARRANTY

Model No:	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-MATT ROSE GOLD BOTTOM





05 YEAR WARRANTY

Model No:	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-CHROME BOTTOM





Model No:	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

RECESSED FITTING GU10





03 YEAR WARRANTY

Model No:	VT-920-W
SKU:	6632
Base:	GU10
Material:	PC
Color:	White
Size(mm):	88x40
Cutting Size:	80
Box Qty:	50

SURFACE FITTINGS GU10





Model No:	VT-978-W
SKU:	6690
Base:	GU10
Material:	Iron
Color:	White
Size(mm):	Ø98x118
Cutting Size:	N/A
Box Qty:	20

RECESSED FITTING GU10





03 YEAR WARRANTY

Model No:	VT-920-B
SKU:	6633
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	88x40
Cutting Size:	80
Box Qty:	50

SURFACE FITTINGS GU10





Model No:	VT-978-B
SKU:	6691
Base:	GU10
Material:	Iron
Color:	Black
Size(mm):	Ø98x118
Cutting Size:	N/A
Box Qty:	20

RECESSED FITTING GU10





03 YEAR WARRANTY

Model No:	VT-925-W
SKU:	6636
Base:	GU10
Material:	PC
Color:	White
Size(mm):	93x55
Cutting Size:	83
Box Qty:	50

SURFACE FITTINGS GU10





Model No:	VT-979-W
SKU:	6692
Base:	GU10
Material:	Iron
Color:	White
Size(mm):	100x100x120
Cutting Size:	N/A
Box Qty:	20

RECESSED FITTING GU10





03 YEAR WARRANTY

Model No:	VT-925-B
SKU:	6637
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	93x55
Cutting Size:	83
Box Qty:	50

SURFACE FITTINGS GU10






Model No:	VT-979-B
SKU:	6693
Base:	GU10
Material:	Iron
Color:	Black
Size(mm):	100x100x120
Cutting Size:	N/A
Box Qty:	20

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-929-W
SKU:	6640
Base:	GU10
Material:	PC
Color:	White
Size(mm):	81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-929-B
SKU:	6641
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-930-W
SKU:	6642
Base:	GU10
Material:	PC
Color:	White
Size(mm):	81x81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-921-W
SKU:	6634
Base:	GU10
Material:	PC
Color:	White
Size(mm):	88x88x40
Cutting Size:	80
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-930-B
SKU:	6643
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	81x81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-921-B
SKU:	6635
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	88x88x40
Cutting Size:	80
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-W
SKU:	6644
Base:	GU10
Material:	PC
Color:	White+White
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-927-W
SKU:	6638
Base:	GU10
Material:	PC
Color:	White
Size(mm):	93x93x55
Cutting Size:	83x83
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-WB
SKU:	6645
Base:	GU10
Material:	PC
Color:	White+Black
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-927-B
SKU:	6639
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	93x93x55
Cutting Size:	83x83
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-B
SKU:	6646
Base:	GU10
Material:	PC
Color:	Black+Black
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-WC
SKU:	6647
Base:	GU10
Material:	PC
Color:	White+Chrome
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-B
SKU:	6652
Base:	GU10
Material:	PC
Color:	Black+Black
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-WG
SKU:	6648
Base:	GU10
Material:	PC
Color:	White+Gold
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-WC
SKU:	6653
Base:	GU10
Material:	PC
Color:	White+Chrome
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-931-WRG
SKU:	6649
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-WG
SKU:	6654
Base:	GU10
Material:	PC
Color:	White+Gold
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-W
SKU:	6650
Base:	GU10
Material:	PC
Color:	White+White
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-WRG
SKU:	6655
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-932-WB
SKU:	6651
Base:	GU10
Material:	PC
Color:	White+Black
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-933-W
SKU:	6656
Base:	GU10
Material:	PC
Color:	White
Size(mm):	102x102x42
Cutting Size:	95x95
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-933-B
SKU:	6657
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	102x102x42
Cutting Size:	95x95
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-980-WB
SKU:	6694
Base:	GU10
Material:	Aluminum
Color:	White+black
Size(mm):	92x53
Cutting Size:	60
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-934-W
SKU:	6658
Base:	GU10
Material:	PC
Color:	White
Size(mm):	102x42
Cutting Size:	85
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-980-BW
SKU:	6695
Base:	GU10
Material:	Aluminum
Color:	Black+white
Size(mm):	92x53
Cutting Size:	60
Box Qty:	50

RECESSED FITTING GU10






03 YEAR WARRANTY

Model No:	VT-934-B
SKU:	6659
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	102x42
Cutting Size:	85
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-980-B
SKU:	6696
Base:	GU10
Material:	Aluminum
Color:	Black+black
Size(mm):	92x53
Cutting Size:	60
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-974-W
SKU:	6682
Base:	GU10
Material:	Aluminum
Color:	White
Size(mm):	68x72
Cutting Size:	61
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-980-GB
SKU:	6697
Base:	GU10
Material:	Aluminum
Color:	Golden+Black
Size(mm):	92x53
Cutting Size:	60
Box Qty:	50

RECESSED FITTING GU10






Model No:	VT-974-B
SKU:	6683
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	68x72
Cutting Size:	61
Box Qty:	50

CONCRETE WALL FITTING






Model No:	VT-891D
SKU:	8690
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	150x130x130
Cutting Size:	N/A
Box Qty:	12

CONCRETE WALL FITTING





Model No:	VT-891L
SKU:	8691
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	150x130x130
Cutting Size:	N/A
Box Qty:	12

CONCRETE WALL FITTING





Model No:	VT-892D
SKU:	8692
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x100x120
Cutting Size:	N/A
Box Qty:	12

CONCRETE WALL FITTING





Model No:	VT-892L
SKU:	8693
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	120x100x120
Cutting Size:	N/A
Box Qty:	12

CONCRETE WALL FITTING





Model No:	VT-893D
SKU:	8694
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x100x240
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING





Model No:	VT-893L
SKU:	8695
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	120x100x240
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING





Model No:	VT-894D
SKU:	8696
Base:	GU10
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x140x235
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING






Model No:	VT-894L
SKU:	8697
Base:	GU10
Material:	Concrete
Color:	Light Grey
Size(mm):	120x140x235
Cutting Size:	N/A
Box Qty:	6

SURFACE FITTING GU10






Model No:	VT-1131-W
SKU:	10379
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	65x100mm
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10






Model No:	VT-1131-B
SKU:	10380
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	65x100mm
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10






Model No:	VT-802-W
SKU:	8944
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	ø70x107
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10






Model No:	VT-802-B
SKU:	8945
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	ø70x107
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10






Model No:	VT-804-W
SKU:	8946
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø59.5×197
Cutting Size:	N/A
Box Qty:	20

SURFACE FITTING GU10






Model No:	VT-804-B
SKU:	8947
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	Ø59.5×197
Cutting Size:	N/A
Box Qty:	20

SURFACE FITTING GU10






Model No:	VT-807-W
SKU:	8948
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x100
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10






Model No:	VT-807-B
SKU:	8949
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	60x100
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-883-WB
SKU:	8597
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	83x40.7
Cutting Size:	75x75
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-883-B
SKU:	8598
Base:	GU10
Material:	Aluminium + PC
Color:	Black
Size(mm):	83x40.7
Cutting Size:	75x75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-884-WB
SKU:	8599
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-884-B
SKU:	8608
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Color:	White+Black
Size(mm):	185x100x45
Cutting Size:	175x85
Box Qty:	20

RECESSED FITTING SQUARE-GU10






Model No:	VT-887
SKU:	8878
Base:	3xGU10
Material:	Aluminium
Color:	White+Black
Size(mm):	270x100x45
Cutting Size:	256x85
Box Qty:	20

RECESSED FITTING ROUND-GU10-IP44






Model No:	VT-981-B
SKU:	6699
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED CHROME REFLECTOR FITTING ROUND-GU10






Model No:	VT-889
SKU:	8879
Base:	GU10
Material:	Aluminium
Color:	White+Chrome Reflector
Size(mm):	ø140x50
Cutting Size:	ø85/90
Box Qty:	50

RECESSED FITTING ROUND-GU10-IP44






Model No:	VT-981-SN
SKU:	6700
Base:	GU10
Material:	PC
Color:	Satin Nickel
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED CHROME REFLECTOR FITTING SQUARE-GU10






Model No:	VT-890
SKU:	8880
Base:	GU10
Material:	Aluminium
Color:	White+Chrome Reflector
Size(mm):	128x75x55
Cutting Size:	79/85x75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-438-W
SKU:	10296
Base:	GU10
Material:	Iron+PC
Color:	White+White
Size(mm):	87.50x31
Cutting Size:	75
Box Qty:	100

RECESSED FITTING ROUND-GU10






Model No:	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

RECESSED FITTING ROUND-GU10-IP44






Model No:	VT-981-W
SKU:	6698
Base:	GU10
Material:	PC
Color:	White
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-873
SKU:	8595
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	ø83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-874
SKU:	8596
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	ø83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	ø83x40.7
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	ø83x40.7
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING ROUND-GU10






Model No:	VT-443-W
SKU:	10297
Base:	GU10
Material:	Iron+PC
Color:	White+White
Size(mm):	88x88x30
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING SQUARE-GU10






Model No:	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	85x32
Cutting Size:	75
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	85x85x32
Cutting Size:	75
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Color:	White
Size(mm):	142x100x100
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Color:	Black
Size(mm):	100x100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Color:	Satin Nickel
Size(mm):	100x100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Color:	White
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Color:	Black
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10






Model No:	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Color:	Satin Nickel
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED GX53-FITTING






Model No:	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Color:	White
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

RECESSED GX53-FITTING






Model No:	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Color:	Gold
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

RECESSED GX53-FITTING






Model No:	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Color:	Chrome
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

FITTING-SQUARE-GU10






Model No:	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	70x70x75
Cutting Size:	N/A
Box Qty:	36

FITTING-ROUND-GU10






Model No:	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø70x75
Cutting Size:	N/A
Box Qty:	36

FITTING-SQUARE-GU10






Model No:	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	75x75x75
Cutting Size:	N/A
Box Qty:	36

FITTING-ROUND-GU10





Model No:	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø75x75
Cutting Size:	N/A
Box Qty:	36

RECESSED FITTING-ROUND-GU10






Model No:	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø100x30
Cutting Size:	Ø103
Box Qty:	20

RECESSED FITTING-SQUARE-GU10






Model No:	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	215x120x60
Cutting Size:	218x123
Box Qty:	20

RECESSED FITTING-SQUARE-GU10





Model No:	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	132x132x74
Cutting Size:	135x135
Box Qty:	20

RECESSED FITTING-SQUARE-GU10






Model No:	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x50
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-ROUND-GU10





Model No:	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø120x40
Cutting Size:	Ø123
Box Qty:	24

RECESSED FITTING-ROUND-GU10






Model No:	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø140x40
Cutting Size:	Ø103
Box Qty:	20

RECESSED FITTING-SQUARE-GU10






Model No:	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x50
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-SQUARE-GU10





Model No:	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	100x100x30
Cutting Size:	103x103
Box Qty:	30

RECESSED FITTING-ROUND-GU10






Model No:	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø132x74
Cutting Size:	Ø135
Box Qty:	20

RECESSED FITTING-SQUARE-GU10






Model No:	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x45
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-SQUARE-GU10-FROST GLASS





Model No:	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x60
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-ROUND-GU10-FROST GLASS






Model No:	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø120x60
Cutting Size:	Ø123
Box Qty:	24

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-W-RD
SKU:	8938
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-SN-RD
SKU:	8939
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-CH-RD
SKU:	8940
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-SQUARE-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-W-SQ
SKU:	8941
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-SQUARE-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-SN-SQ
SKU:	8942
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-SQUARE-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-817-CH-SQ
SKU:	8943
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

RECESSED FITTING-ROUND-GU10






Model No:	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK






2 PCS PACK

Model No:	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

RECESSED FITTING-ROUND-GU10






Model No:	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Color:	Metallic Grey
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10-CHANGING ANGLE





Model No:	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø100x45
Cutting Size:	Ø90
Box Qty:	100

RECESSED FITTING-ROUND-GU10






TWIST TO OPEN

Model No:	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10-CHANGING ANGLE





Model No:	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø100x45
Cutting Size:	Ø90
Box Qty:	100

RECESSED FITTING-ROUND-GU10






TWIST TO OPEN

Model No:	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10





Model No:	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10






TWIST TO OPEN

Model No:	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Color:	Metallic Grey
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

RECESSED FITTING GU10






Model No:	VT-782RD-B
SKU:	8936
Base:	1XGU10
Material:	Aluminium
Color:	Black
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

RECESSED FITTING GU10






Model No:	VT-782SQ-B
SKU:	8937
Base:	1XGU10
Material:	Aluminium
Color:	Black
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Color:	White
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Color:	White
Size(mm):	173x91x25
Cutting Size:	155x75
Box Qty:	50

RECESSED FITTING-SQUARE-GU10






Model No:	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	173x91x25
Cutting Size:	155x75
Box Qty:	50

RECESSED FITTING-SQUARE-GU10






Model No:	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Color:	White
Size(mm):	255x91x25
Cutting Size:	235x75
Box Qty:	50

RECESSED FITTING-SQUARE-GU10






Model No:	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	255x91x25
Cutting Size:	235x75
Box Qty:	50

RECESSED FITTING-ROUND-GU10






Model No:	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Color:	Stainless Steel
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Color:	Stainless Steel
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	88x38
Cutting Size:	Ø75
Box Qty:	100

FITTING-ROUND-GU10






Model No:	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	82x101
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING-ROUND-GU10






Model No:	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	88x38
Cutting Size:	Ø75
Box Qty:	100

ZOOM FITTING-SPOTLIGHT





Model No:	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø102x46
Cutting Size:	93
Box Qty:	50

ZOOM FITTING-SPOTLIGHT




Model No:	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø102x46
Cutting Size:	93
Box Qty:	50

RECESSED FITTING-ROUND-GU10



Model No:	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Color:	White
Size(mm):	100x45
Cutting Size:	90
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Color:	Satin Nickel
Size(mm):	100x45
Cutting Size:	90
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	Satin Nickel
Size(mm):	84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Color:	White
Size(mm):	100x100x38
Cutting Size:	90x90
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	84x84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Color:	Satin Nickel
Size(mm):	100x100x38
Cutting Size:	90x90
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	Satin Nickel
Size(mm):	84x84x38
Cutting Size:	75
Box Qty:	100


RECESSED FITTING-ROUND-GU10



Model No:	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Color:	White
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Color:	Satin Nickel
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Color:	White
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

RECESSED FITTING GU10






Model No:	VT-779-BL
SKU:	8955
Base:	GU10
Material:	Zinc alloy
Color:	Black
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Color:	Satin Nickel
Size(mm):	82x82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-779-B
SKU:	8580
Base:	GU10
Material:	Zinc alloy
Color:	Bronze
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100


RECESSED FITTING-SQUARE-GU10






Model No:	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Color:	Chrome
Size(mm):	82x82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-779-G
SKU:	8579
Base:	GU10
Material:	Zinc alloy
Color:	Gold
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-779-SB
SKU:	8582
Base:	GU10
Material:	Zinc alloy
Color:	Bronze
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10






Model No:	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Color:	Chrome
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10






Model No:	VT-779-SG
SKU:	8581
Base:	GU10
Material:	Zinc alloy
Color:	Gold
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

WALL FITTING-ROUND-GU10






Model No:	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Color:	White
Size(mm):	70x90x95
Cutting Size:	N/A
Box Qty:	24

WALL FITTING-SQUARE-G9






Model No:	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Color:	White
Size(mm):	70x100x100
Cutting Size:	N/A
Box Qty:	24

RECESSED FITTING-SQUARE-GU10





Model No:	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	100x100x40
Cutting Size:	103x103
Box Qty:	40

RECESSED FITTING-ROUND-GU10






Model No:	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	ø100x40
Cutting Size:	ø103
Box Qty:	40

SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING-SQUARE METAL-CHROME BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING-SQUARE METAL-CHROME BOTTOM






05 YEAR WARRANTY

Model No:	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING SQUARE-GU10





Model No:	VT-882-SQ-BG
SKU:	8956
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Gold
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RD-BRG
SKU:	8997
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Rose Gold
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10






Model No:	VT-882-SQ-BRG
SKU:	8993
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Rose Gold
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RD-BC
SKU:	8998
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Chrome
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10






Model No:	VT-882-SQ-BC
SKU:	8994
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Chrome
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RD-B
SKU:	8999
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Black
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10






Model No:	VT-882-SQ-B
SKU:	8995
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Black
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10






Model No:	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RD-BG
SKU:	8996
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Gold
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10






Model No:	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Color:	White+Chrome Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10





Model No:	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Color:	White+Gold Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Color:	White+Gold Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10





Model No:	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Color:	White+Rose gold Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Color:	White+Rose gold Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10





Model No:	VT-882-SW
SKU:	8583
Base:	GU10
Material:	Aluminium + PC
Color:	White+White Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10





Model No:	VT-882-RW
SKU:	8588
Base:	GU10
Material:	Aluminium + PC
Color:	White+White Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE






Model No:	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

SURFACE FITTING ROUND-GU10






Model No:	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Color:	White+Chrome Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE





Model No:	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-SQUARE





05 YEAR WARRANTY

Model No:	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-SQUARE





05 YEAR WARRANTY

Model No:	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE





05 YEAR WARRANTY

Model No:	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-SQUARE





05 YEAR WARRANTY

Model No:	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND





05 YEAR WARRANTY

Model No:	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

CEILING MOVABLE-WHITE BOTTOM-SQUARE





Model No:	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	200x200
Cutting Size:	206x206
Box Qty:	12

FITTING-RECESSED-BLACK METAL-ROUND





05 YEAR WARRANTY

Model No:	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Color:	White+Black
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

FITTING-RECESSED-CHROME METAL-ROUND





05 YEAR WARRANTY

Model No:	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

FITTING-RECESSED-MATT ROSE GOLD METAL-ROUND






05 YEAR WARRANTY

Model No:	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

FITTING-RECESSED-BLCAK METAL-SQUARE






05 YEAR WARRANTY

Model No:	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Color:	White+Black
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-CHROME METAL-SQUARE





05 YEAR WARRANTY

Model No:	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-MATT ROSE GOLD-SQUARE





05 YEAR WARRANTY

Model No:	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-SQUARE





05 YEAR WARRANTY

Model No:	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	ø120x120
Cutting Size:	125x125
Box Qty:	24

FITTING-RECESSED-ROUND





05 YEAR WARRANTY

Model No:	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	ø120
Cutting Size:	ø125
Box Qty:	24

V-TAC

Meaningful Innovation.



LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens, and buildings. These energy-efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Key Features

- Available from 10w up to 100w
- Premium quality aluminum alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof /airtight performance
- High power LED chip
- Built-in constant current driver
- Built-in power supply, no external ballast required

NEW **FLOODLIGHT** CCT 3IN1




Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80

IP65 RATING

CCT EASY TOGGLE SWITCH

3-IN-1 COLOR CHANGING

RLE REPLACEABLE LIGHT ENGINE



SKU	Model	Watts	Lumens	Size(mm)
23613 - 3IN1	VT-44030CCT	30W	2350	171x26x176mm
23614 - 3IN1	VT-44050CCT	50W	4000	194x26x209mm
23615 - 3IN1	VT-44100CCT	100W	8150	276x26x263mm

NEW **FLOODLIGHT** RGB+WHITE - REMOTE CONTROL




Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING

REMOTE CONTROL

DIMMABLE



SKU	Model	Watts	Lumens	Size(mm)
23462 - RGB+6500K	VT-44034	30W	2310	164.5x34x153mm
23463 - RGB+6500K	VT-44053	50W	4000	183.5x34x169mm

ECONOMICAL SERIES-BLACK






Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70

IP65 RATING

HIGH QUALITY ECONOMICAL SERIES



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6737 - 3000K WARM WHITE 6738 - 4000K DAY WHITE 6739 - 6500K WHITE	VT-4924-B	20W	1650	120x105x27	40
6743 - 3000K WARM WHITE 6744 - 4000K DAY WHITE 6745 - 6500K WHITE	VT-4934-B	30W	2510	150x122x27	20
6749 - 3000K WARM WHITE 6750 - 4000K DAY WHITE 6751 - 6500K WHITE	VT-4954-B	50W	4300	180x150x27	20
6721 - 3000K WARM WHITE 6722 - 4000K DAY WHITE 6723 - 6500K WHITE	VT-49104-B	100W	8700	270x222x27	10
6733 - 4000K DAY WHITE 6734 - 6500K WHITE	VT-49204-B	200W	17600	400x333x32.5	5

ECONOMICAL SERIES-WHITE






Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70

IP65 RATING

HIGH QUALITY ECONOMICAL SERIES




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6740 - 3000K WARM WHITE 6741 - 4000K DAY WHITE 6742 - 6500K WHITE	VT-4924-W	20W	1650	120x105x27	40
6746 - 3000K WARM WHITE 6747 - 4000K DAY WHITE 6748 - 6500K WHITE	VT-4934-W	30W	2510	150x122x27	20
6752 - 3000K WARM WHITE 6753 - 4000K DAY WHITE 6754 - 6500K WHITE	VT-4954-W	50W	4300	180x150x27	20
6724 - 3000K WARM WHITE 6725 - 4000K DAY WHITE 6726 - 6500K WHITE	VT-49104-W	100W	8700	270x222x27	10
6735 - 4000K DAY WHITE 6736 - 6500K WHITE	VT-49204-W	200W	17600	400x333x32.5	5



E SERIES-WHITE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215950 - 4000K DAY WHITE 215951 - 6500K WHITE	VT-4021W-N	20W	1620	121x114x26	20
215956 - 4000K DAY WHITE 215957 - 6500K WHITE	VT-4031W-N	30W	2510	153x132x27	20
215962 - 4000K DAY WHITE 215963 - 6500K WHITE	VT-4051W-N	50W	4300	198x167x28	10
215967 - 3000K WARM WHITE 215968 - 4000K DAY WHITE 215969 - 6500K WHITE	VT-40101W-N	100W	8700	261x217x32	10



E SERIES-BLACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215947 - 4000K DAY WHITE 215948 - 6500K WHITE	VT-4021B-N	20W	1620	121x114x26	20
215953 - 4000K DAY WHITE 215954 - 6500K WHITE	VT-4031B-N	30W	2510	153x132x27	20
215959 - 4000K DAY WHITE 215960 - 6500K WHITE	VT-4051B-N	50W	4300	198x167x28	10
215965 - 4000K DAY WHITE 215966 - 6500K WHITE	VT-40101B-N	100W	8700	261x217x32	10




SUPER HIGH POWER FLOODLIGHTS-1M CABLE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING

135 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23089 - 4000K DAY WHITE 97212 - 6500K WHITE	VT-48500	500W	67500	530x65x523	1




COLOR FLOODLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING

RED GREEN BLUE



SKU	Model	Watts	Size(mm)	Box Qty
5989 - RED	VT-4011	10W	110x112x22	40
5991 - GREEN 5992 - RED	VT-4021	20W	150x143x26	20




SMART SERIES FLOODLIGHTS

Voltage/Frequency	AC:220-240V
PF	>0.9
CRI	>80

IP65 RATING

CCT AND DIMMING VIA SMART PHONE APP

V-TAC SMART




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5984 - RGB+W/WW/DW	VT-5020-White	20W	1400	141.6x126.3x42.7	20
5985 - RGB+W/WW/DW	VT-5020-Black	20W	1400	141.x126.36x42.7	20



PIR SENSOR-WI-FI-CAMERA

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

IP20 RATING | Wi Fi | CAMERA | PIR MOTION SENSOR | V-TAC SMART




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5745 - 6000K WHITE	VT-4818-White	18W	600	248x 162x 181	4



PIR SENSOR-WI-FI-CAMERA

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

IP20 RATING | Wi Fi | CAMERA | PIR MOTION SENSOR | V-TAC SMART



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5917 - 6000K WHITE	VT-4818-Black	18W	600	248x162x181	4

WATERPROOF BOX TERMINAL BLOCK

IP66 RATING



Model No:	VT-881	Cable Diameter:	5-9mm
SKU:	5987	Ampere:	24A
Wire Range :	0.5~2.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	150

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-868-w	Cable Diameter:	5-9mm
SKU:	5986	Ampere:	16A
Wire Range :	0.5~1.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	1000

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-868	Cable Diameter:	5-9mm
SKU:	5977	Ampere:	16A
Wire Range :	0.5~1.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	1000

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-869-B	Cable Diameter:	8-12mm
SKU:	5978	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	200

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-869-W	Cable Diameter:	8-12mm
SKU:	5979	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	200

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-870-B	Cable Diameter:	8-12mm
SKU:	5980	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION




Model No:	VT-870-W	Cable Diameter:	8-12mm
SKU:	5981	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION




Model No:	VT-871-B	Cable Diameter:	8-12mm
SKU:	5982	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-871-W	Cable Diameter:	8-12mm
SKU:	5983	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP65 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-7224-B	Material:	Polypropylene (PP)
SKU:	3578	Dimension:	123x46x33
Wire Range :	0.5-2.5mm²	IP Rating:	IP65
Voltage:	AC:250V Max	Box Qty:	160

WATERPROOF BOX TERMINAL BLOCK



IP65 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-7224-W	Material:	Polypropylene (PP)
SKU:	5897	Dimension:	123x46x33
Wire Range :	0.5-2.5mm²	IP Rating:	IP65
Voltage:	AC:250V Max	Box Qty:	240

WATERPROOF BOX TERMINAL BLOCK



IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-792-B	Material:	Flame Retardant PP
SKU:	3621	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

WATERPROOF BOX TERMINAL BLOCK




IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-792-W	Material:	Flame Retardant PP
SKU:	5896	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

TRIPOD STAND-YELLOW





SKU	Model	Size(mm)	Box Qty
9104	VT-41150Y	900x940~1800	8

TRIPOD STAND-BLACK





SKU	Model	Size(mm)	Box Qty
9546	VT-41150B	900x940~1800	8

FLOODLIGHT STAND-85X15CM



SKU	Model	Suitable For	Size(mm)	Box Qty
3623	VT-794	10-50w	850x150	4
3622	VT-793	70-200w	870x200	4

FLOODLIGHT SPIKE-WHITE



SKU	Model	Suitable For	Size(mm)	Box Qty
7537	VT-855-W	10-150W	Ø60xH265	100

V-TAC
Meaningful Innovation.



LED Panels

Introducing slim and sleek LED panel lights from V-TAC – experience consistent illumination without hot or cold spots.

Key Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No lead or mercury content – environmentally friendly
- Dimmable options available in selected models




HIGH LUMENS AGT DRIVER LED PANELS-TPA RATED

120 LUMEN/W

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+TPA+PS Body
- 50,000 hr lifespan

AGT Driver | FLICKER FREE | 05 YEAR WARRANTY

3 VARIABLE CCT VARIABLE WATTS | TP(a) RATED FLAME RESISTANT DIFFUSER



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23330-TPA - 3IN1	VT-6242-AGT	28W 32W 36W 40W	28W - 3500 32W - 3840 36W - 4320 40W - 4800	595x595x34	6




HIGH LUMENS LIFUD DRIVER TPA RATED LED PANELS

- DC:30-42V
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+TPA(PC) Body
- 30,000 hr lifespan

LiFud Driver | FLICKER FREE | 05 YEAR WARRANTY

120 LUMEN/W | TP(a) RATED FLAME RESISTANT DIFFUSER



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6826-TPA - 4000K DAY WHITE 6827-TPA - 6500K WHITE	VT-6242-TPA	36W **Single pack**	4320	595x595x33	6






NEW **DIAMOND** BORDERLINE LED PANELS

- AC:220-240V, 50Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+PC Body
- 30,000 hr lifespan

LiFud Driver | FLICKER FREE | 05 YEAR WARRANTY

100 LUMEN/W | LiFud Driver




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23666 - 4000K DAY WHITE 23665 - 6500K WHITE	VT-6163	60W	6000	595X595x15	6



CCT CHANGING BORDERLINE LED PANELS

- AC:220-240V, 50Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- 30,000 hr lifespan

CCT EASY TOGGLE SWITCH · 3-IN-1 COLOR CHANGING · 05 YEAR WARRANTY · 100 LUMEN/W · LiFud Driver




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10336 - 3IN1	VT-6448CCT	48W	4800	595X595	6



HIGH LUMENS CCT CHANGING BACKLIT LED PANELS

- AC:220-240V, 50Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+TPA(PC) Body
- 30,000 hr lifespan

CCT EASY TOGGLE SWITCH · 3-IN-1 COLOR CHANGING · 05 YEAR WARRANTY · 120 LUMEN/W




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6972 - 3IN1	VT-6436CCT	36W	4320	595x595x33	6



NEW HIGH LUMENS BACKLIT LED PANELS

- AC:220-240V,50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+PS+SPCC Body
- 20,000 hr lifespan

180 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23393- 4000K DAY WHITE 23458 - 6400K WHITE	VT-60025	25W	4500	595x595x33	10
23456 - 4000K DAY WHITE 23455 - 6500K WHITE	VT-6235	36W	4320	595x595x34	5



HIGH LUMENS BACKLIT LED PANELS

AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRi

25,000 hr lifespan

120 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10557 - 3000K WARM WHITE 10217 - 4000K DAY WHITE 10219 - 6400K WHITE	VT-60036	36W **Single pack**	3960	595x595x33	10



HIGH LUMENS BACKLIT LED PANELS

AC:220-240V,50/60Hz

110° Beam Angle


>0.9 PF

>80 CRi

30,000 hr lifespan

120 LUMEN/W

05 YEAR WARRANTY



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216706 - 4000K DAY WHITE 216707 - 6500K WHITE	VT-6436	36W **8 pcs pack**	4320	595x595x33	8



HIGH LUMEN LED PANELS

AC:200-240V, 50/60Hz

110° Beam Angle

>0.9 PF

>80 CRi

Aluminium + PMMA + PP Body

25,000 hr lifespan

135 LUMEN/W


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2162416 - 4500K DAY WHITE 2162426 - 6400K WHITE	VT-6129-6-N	29W	3960	595x595x13	6
6675 - 4000K DAY WHITE	VT-6262-1	29W	3480	620x620x9	6
216376 - 3000K WARM WHITE	VT-6136-N	32W **6 pcs pack**	4320	595x595x13	6



LED BACKLIT PANELS UGR<19 -TPA RATED

DC:30-42V
110° Beam Angle
>0.9 PF
>80 CRi
Aluminium+PS+PP Body
30,000 hr lifespan

UGR<19 LG7 COMPLIANT
TP(a) RATED FLAME RESISTANT DIFFUSER
05 YEAR WARRANTY




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216777 - 4000K DAY WHITE 216778 - 6000K WHITE	VT-6242U	40W	4000	595x595x33	6



BIG PANELS-60X60-LIFUD DRIVER

DC:33-40V
120° Beam Angle
>0.9 PF
>80 CRi
Aluminium+PS+PP Body
30,000 hr lifespan

LiFud Driver
FLICKER FREE
05 YEAR WARRANTY



120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216620 - 4000K DAY WHITE 216621 - 6500K WHITE	VT-6242	40W	4400	595x595x33	6




LED PANELS UGR<19

AC:200-240V, 50/60Hz
90° Beam Angle
>0.9 PF
>80 CRi
Aluminium + PMMA + PP Body
25,000 hr lifespan

UGR<19 LG7 COMPLIANT

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216221 - 6500K WHITE	VT-6069-N-1	40W **6 pcs pack**	3400	620x620x12.5	6
6674 - 4000K DAY WHITE	VT-6069-1	45W	4830	620x620x9	6

SURFACE/RECESSED LED PANELS



AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF


>80 CRi

FE+PP Body

20,000 hr lifespan

110 LUMEN/W

2IN1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
638031 - 3000K WARM WHITE 638011 - 4000K DAY WHITE 638021 - 6500K WHITE	VT-6139	36W	3960	595x595x30	6

LED PANELS



AC:200-240V, 50/60Hz

110°(120°-VT-6060-6-N) Beam Angle

>0.9 PF

>80 CRi

Aluminium Body

25,000 hr lifespan


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6673 - 4000K DAY WHITE	VT-6237-1	36W	3820	595x595x9	6
216671 - 4000K DAY WHITE 216672 - 6500K WHITE	VT-6340-6-N	40W	4950	595x595x8.5	6
2160286 - 3000K WARM WHITE 2160246 - 4000K DAY WHITE 2160256 - 6500K WHITE	VT-6060-6-N	40W	4950	595x595x13	6

BIG LED BACKLITE PANELS



- AC:200-240V, 50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- FE+PP Body
- 20,000 hr lifespan

110 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216625 - 4000K DAY WHITE 216626 - 6500K WHITE	VT-6147-N	40W **6 pcs pack**	4400	1195x295x30	6

HIGH LUMEN BIG LED PANELS



- AC:200-240V, 50/60Hz
- (29W)120° / (40W)110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium + PMMA + PP Body
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216257 - 4000K DAY WHITE 216258 - 6500K WHITE	VT-12031-N	29W	3960	1195x295x12.5	6
23147 - 4000K DAY WHITE 23148 - 6500K WHITE	VT-61140	40W **6 pcs pack**	4800	1195x295x30	6

DRIVERS - BIG PANELS

SKU	SKU	Watts	Box Qty			
	6259	29W	50			
	6271	29W	50	05 YEAR WARRANTY	FLICKER FREE	
	6437	45W	20	1-10V DIMMABLE		
	6328	72W	50	05 YEAR WARRANTY		

ALUMINIUM SUSPENDED MOUNTING


Adjustable 1m suspension kit compatible with all panel sizes.This product can be used for all sizes of panels , that is

- 300 x 300
- 600 x 600
- 1200 x 300
- 1200 x 600




SKU	Box Qty
6018	50

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
11449	600x600x43	12

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
10230	600x600x63	20

ALUMINIUM SURFACE MOUNTING-60X60

Convert the recessed panel to surface panel and install it easily on solid surfaces.



SKU	Size(mm)	Box Qty
9999	611x611x56	5


ALUMINIUM SURFACE MOUNTING-62X62

Convert the recessed panel to surface panel and install it easilyon solid surfaces.



SKU	Size(mm)	Box Qty
9997	625x625	5

ALUMINIUM SURFACE MOUNTING-60X60




SKU	Size(mm)	Box Qty
8156	600x600	10

PLASTIC SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
6627	600x600	25

PLASTIC SURFACE MOUNTING 1200X300MM



SKU	Size(mm)	Box Qty
6708	1200x300	25

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
8158	1200x300	10

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
9969	1200x300	6

ALUMINIUM SURFACE MOUNTING 120X60



SKU	Size(mm)	Box Qty
6623	1200x600	10

ALUMINIUM SURFACE MOUNTING-120X60



SKU	Size(mm)	Box Qty
9989	1200x600	5

ALUMINIUM SURFACE MOUNTING-60X120



SKU	Size(mm)	Box Qty
10231	1200x600x63	20

BACKLIT RECESSED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRi

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7855 - 3000K WARM WHITE 7856 - 4000K DAY WHITE 7857 - 6500K WHITE	VT-61003RD	3W	330	90.5x28	80	100
7858 - 3000K WARM WHITE 7859 - 4000K DAY WHITE 7860 - 6500K WHITE	VT-61006RD	6W	660	120.5x28.4	110	80
7861 - 3000K WARM WHITE 7862 - 4000K DAY WHITE 7863 - 6500K WHITE	VT-61012RD	12W	1200	170.8x28.4	155	60
7864 - 3000K WARM WHITE 7865 - 4000K DAY WHITE 7866 - 6500K WHITE	VT-61018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.8x28.9	205	40
7867 - 3000K WARM WHITE 7868 - 4000K DAY WHITE 7869 - 6500K WHITE	VT-61024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	296x29.1	280	20

BACKLIT RECESSED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRi

Plastic Body

20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10477 - 3000K WARM WHITE 10478 - 4000K DAY WHITE 10479 - 6500K WHITE	VT-61003SQ	3W	330	90.2x90.2x28.2	80x80	100
10480 - 3000K WARM WHITE 10481 - 4000K DAY WHITE 10482 - 6500K WHITE	VT-61006SQ	6W	660	120.5x120.5x28.4	110x110	80
10483 - 3000K WARM WHITE 10484 - 4000K DAY WHITE 10485 - 6500K WHITE	VT-61012SQ	12W	1200	170.8x170.8x28.4	155x155	60
10486 - 3000K WARM WHITE 10487 - 4000K DAY WHITE 10488 - 6500K WHITE	VT-61018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.4x220.4x28.8	205x205	40
10489 - 3000K WARM WHITE 10490 - 4000K DAY WHITE 10491 - 6500K WHITE	VT-61024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	295x295x28.6	280x280	20

BACKLIT SURFACED SERIES-ROUND



- AC:220-240V, 50/60Hz
- >80 CRi
- Plastic Body
- 20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7870 - 3000K WARM WHITE 7871 - 4000K DAY WHITE 7872 - 6500K WHITE	VT-60006RD	6W	660	121.2x30.6	100
7873 - 3000K WARM WHITE 7874 - 4000K DAY WHITE 7875 - 6500K WHITE	VT-60012RD	12W	1200	167.4x30.7	60
7876 - 3000K WARM WHITE 7877 - 4000K DAY WHITE 7878 - 6500K WHITE	VT-60018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	215.6x30.8	40
7879 - 3000K WARM WHITE 7880 - 4000K DAY WHITE 7881 - 6500K WHITE	VT-60024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	288.6x31.2	20

BACKLIT SURFACED SERIES-SQUARE



- AC:220-240V, 50/60Hz
- >80 CRi
- Plastic Body
- 20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10492 - 3000K WARM WHITE 10493 - 4000K DAY WHITE 10494 - 6500K WHITE	VT-60006SQ	6W	660	120.8x120.8x30.7	100
10495 - 3000K WARM WHITE 10496 - 4000K DAY WHITE 10497 - 6500K WHITE	VT-60012SQ	12W	1200	167.3x167.3x30.7	60
10498 - 3000K WARM WHITE 10499 - 4000K DAY WHITE 10500 - 6500K WHITE	VT-60018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	214x214x31	40
10514 - 3000K WARM WHITE 23023 - 4000K DAY WHITE 10516 - 6500K WHITE	VT-60024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	287x287x30.7	20

LED MINI PANELS PREMIUM SERIES-ROUND



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body




SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216292 - 2700K WARM WHITE 216293 - 4000K DAY WHITE 216294 - 6400K WHITE	VT-307RD-N	3W	130	Ø84x12	Ø73	50
214854 - 2700K WARM WHITE 214855 - 4000K DAY WHITE 214856 - 6400K WHITE	VT-607RD-N	6W	490	Ø120x12	Ø110	40
214857 - 2700K WARM WHITE 214858 - 4000K DAY WHITE 214859 - 6400K WHITE	VT-1207RD-N	12W	1160	Ø170x12	Ø155	20
214860 - 2700K WARM WHITE 214861 - 4000K DAY WHITE 214862 - 6400K WHITE	VT-1807RD-N	18W	1400	Ø225x12	Ø210	20
216423 - 4000K DAY WHITE	VT-2207RD-N	22W	2265	Ø240x12	Ø220	20
214872 - 2700K WARM WHITE 214873 - 4000K DAY WHITE 214874 - 6400K WHITE	VT-2407RD-N	24W	2500	Ø300x12	Ø280	10
216429 - 6400K WHITE	VT-3107RD-N	30W	3155	Ø300x12	Ø280	10

LED MINI PANELS PREMIUM SERIES-SQUARE



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216295 - 2700K WARM WHITE 216296 - 4000K DAY WHITE 216297 - 6400K WHITE	VT-307SQ-N	3W	180	84x84x12	74x73	50
4863 - 3000K WARM WHITE	VT-607SQ	6W	420	120x120x12	110	40
214864 - 4000K DAY WHITE 214865 - 6400K WHITE	VT-607SQ-N	6W	490	120x120x12	110	40
214866 - 2700K WARM WHITE 214867 - 4000K DAY WHITE 214868 - 6400K WHITE	VT-1207SQ-N	12W	1160	170x170x12	155x155	20
214869 - 2700K WARM WHITE 214870 - 4000K DAY WHITE 214871 - 6400K WHITE	VT-1807SQ-N	18W	1400	225x225x12	205x205	20
214887 - 2700K WARM WHITE 214889 - 6400K WHITE	VT-2407SQ-N	24W	2500	300x300x12	280x280	10
216431 - 6400K WHITE	VT-3107SQ-N	36W	3820	300x300x12	280x280	10

LED MINI PANELS PREMIUM SERIES-ROUND-3IN1



AC:100-240V, 50Hz

120° Beam Angle


>0.9 PF

>80 CRi

Aluminium Body

30,000 hr lifespan





SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
23326 - 3IN1	VT-61103	3W	130	84x12		
6982 - 3IN1	VT-61106	6W	490	120x12	110	40
6983 - 3IN1	VT-61109	9W	820	145x18	133	20
6984 - 3IN1	VT-61112	12W	1160	170x12	160	20
6985 - 3IN1	VT-61118	18W	1550	225x12	210	20
23327 - 3IN1	VT-61122	22W	2265	240x12		
23328 - 3IN1	VT-61124	24W	2500	300x12		

LED CHROME SURFACE PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.6 PF

>80 CRi

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6364 - 3000K WARM WHITE	VT-1205CH	12W	1000	Ø140x24	40

LED SATIN NICKEL PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRi

Aluminium+Satin Nickel Body

20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6355 - 3000K WARM WHITE 6356 - 4000K DAY WHITE	VT-2407SN	24W	2000	Ø300x25	Ø285	10

LED CHROME PANELS



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium+Chrome Body
- 20,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6346 - 3000K WARM WHITE 6347 - 4000K DAY WHITE 6348 - 6400K WHITE	VT-1807CH	18W	1500	Ø225x25	Ø205	20
6352 - 3000K WARM WHITE 6353 - 4000K DAY WHITE	VT-2407CH	24W	2000	Ø300x25	Ø285	10

LED TRIMLESS MINI PANELS-SQUARE



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4943 - 3000K WARM WHITE	VT-888SQ	8W	800	90x90x8	75x75	100
4948 - 6400K WHITE	VT-1515SQ	15W	1500	146x146x8	130x130	40
4798 - 6400K WHITE	VT-2222SQ	22W	2200	170x170x8	155x155	40

LINEAR LIGHTS SLIM



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6401 - 3000K WARM WHITE	VT-10001	10W	750	160x45x65	138x32	20
6406 - 6400K WHITE	VT-20001	20W	1600	290x45x65	270x32	20
6407 - 3000K WARM WHITE 6409 - 6400K WHITE	VT-30001	30W	2400	430x45x65	405x32	10

LINEAR LIGHTS



- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6412 - 6400K WHITE	VT-10002	10W	700	160x45x72	138x32	20
6415 - 6400K WHITE	VT-20002	20W	1400	290x45x72	270x32	20
6418 - 6400K WHITE	VT-30002	30W	2100	430x45x72	405x32	10



V-TAC

Meaningful Innovation.




LED Tubes Lights

V-TAC's LED tubes fit perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to fluorescent systems.

Key Features

- Cost effective, safe retrofit for T8 Tubes
- Easy Installation
- No lead or mercury content – environmentally friendly
- No Ultraviolet or Infrared rays
- Long lifespan, energy-saving and low maintenance
- Available in 60 cm, 120 cm, 150 cm & 180 cm

T8 GLASS TUBES




Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

03 YEAR WARRANTY

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
7796 - 3000K WARM WHITE 7797 - 4000K DAY WHITE 7798 - 6500K WHITE	VT-6729	9W	850	28x600	25
2981 - 3000K WARM WHITE 2982 - 4000K DAY WHITE 2983 - 6500K WHITE	VT-1221	18W	1850	28x1200	25
7799 - 3000K WARM WHITE 7801 - 4000K DAY WHITE 7803 - 6500K WHITE	VT-1575	20W	2100	28x1500	25

T8 NANO PLASTIC TUBES




Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

03 YEAR WARRANTY

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
216392 - 3000K WARM WHITE 216393 - 4000K DAY WHITE 216394 - 6500K WHITE	VT-6072-NR-N	9W	850	28x600	25
216272 - 4000K DAY WHITE 216262 - 6500K WHITE	VT-9077-N	14W	1400	28x900	25
216263 - 3000K WARM WHITE 216273 - 4000K DAY WHITE 216264 - 6500K WHITE	VT-1277-N	18W	1850	28x1200	25
216265 - 3000K WARM WHITE 216309 - 4000K DAY WHITE 216310 - 6500K WHITE	VT-1577-N	20W	2100	28x1500	25

T5 GLASS TUBES



Holder	G5
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

02 YEAR WARRANTY

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
216318 - 4000K DAY WHITE 216319 - 6500K WHITE	VT-6005-N	8W	880	19X600	25
216320 - 4000K DAY WHITE 216321 - 6500K WHITE	VT-1225-N	16W	1760	19x1200	25

SINGLE BATTEN FITTING



SKU	Model	Body Type	Size(mm)	Box Qty
6052	VT-16010	Iron	615x45x50	20
6054	VT-12020	Iron	1225x45x50	20

DOUBLE BATTEN FITTING




SKU	Model	Body Type	Size(mm)	Box Qty
6053	VT-16011	Iron	615x55x50	20
6055	VT-12021	Iron	1225x55x50	12
6057	VT-15021	Iron	1520x55x50	12

COMMERCIAL TUBES

Specialized LED tubes designed for use in the food industry. These cost-effective LED tubes are ideal for illuminating meat, bread, vegetables, seafood, or plant cultivation. Their unique light spectrum enhances the appearance of food in stores without distorting it inappropriately.

Holder	G13
Voltage/Frequency	AC:180-240V,50Hz
PF	>0.9
CRI	>95
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s

02 YEAR WARRANTY



T8 BAKERY TUBE





SKU	Model	Watts	Lumens	Size	Box Qty
6322	VT-1228-B	18W	1530	26x1200	25

T8 VEGETABLE TUBE






SKU	Model	Watts	Lumens	Size	Box Qty
6324	VT-1228-V	18W	1530	26x1200	25

T8 SEAFOOD TUBE





SKU	Model	Watts	Lumens	Size	Box Qty
6325	VT-1228-S	18W	1530	26x1200	25


NEW

GRILL FITTING-SLIM SERIES


Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.9
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic

120 LUMEN/W

IP20 RATING



SKU	Model	Watts	Lumens	Size	Box Qty
8048 - 4000K DAY WHITE 8049 - 6500K WHITE	VT-8340	40W	4800	1200x75x24	30
8050 - 4000K DAY WHITE 8054 - 6500K WHITE	VT-8350	50W	6000	1500x75x24	30



DOUBLE T8 NANO PLASTIC TUBE

Holder	G13
Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size	Box Qty
6313 - 4000K DAY WHITE	VT-6077	18W	2500	18.5x549	10

V-TAC

Meaningful Innovation.



LED Batten Fittings

Introducing our range of IP65-rated waterproof batten fittings. Built with a durable, air-tight body allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Key Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for whole T8 fluorescent lighting fixtures
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

WATERPROOF FITTING-X SERIES



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- PC+ABS Body
- 20,000 hr lifespan

IP65 RATING | LINKABLE | 120 LUMEN/W




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10213 - 4000K DAY WHITE 10215 - 6500K WHITE	VT-1253S	36W **With microwave sensor**	4320	1200x64x60	12
10221 - 4000K DAY WHITE 10220 - 6500K WHITE	VT-1253	36W	4320	1200x64x60	12
10223 - 4000K DAY WHITE 10222 - 6500K WHITE	VT-1254	48W	5760	1500x64x60	12

WATERPROOF FITTING-LINKABLE SERIES



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.7 to >0.9 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan

IP65 RATING | LINKABLE



SKU	Model	Watts	Lumens	Size(mm)
23087 - 4000K DAY WHITE 23088 - 6500K WHITE	VT-80060	18W	1900	600x59x47
23083 - 4000K DAY WHITE 23084 - 6500K WHITE	VT-80120	36W	3900	1200x59x47
23085 - 4000K DAY WHITE 23086 - 6500K WHITE	VT-80150	48W	5200	1500x59x47


WATERPROOF FITTING WITH TUBES



- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 to >0.7 PF
- >80 CRI
- Plastic+ABS Body
- 20,000 hr lifespan

IP65 RATING

TUBES INCLUDED



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6459 - 4000K DAY WHITE 6460 - 6400K WHITE	VT-12028	18W **Single Tube**	1700	1276x68x58	16
6461 - 4000K DAY WHITE 6462 - 6400K WHITE	VT-15028	22W **Single Tube**	2000	1576x68x58	16
6387 - 4000K DAY WHITE 6399 - 6400K WHITE	VT-12023	36W **Double Tube**	3400	1276x96x58	10
6388 - 4000K DAY WHITE 6400 - 6400K WHITE	VT-15022	44W **Double Tube**	4000	1576x96x58	10


WATERPROOF FITTING-G SERIES




- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.7 to >0.9 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan

IP65 RATING

LINKABLE



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216283 - 4000K DAY WHITE 216282 - 6500K WHITE	VT-6076-N	18W	2160	600x66x58	12
216285 - 4500K DAY WHITE 216284 - 6400K WHITE	VT-1249-N	36W	4320	1200x65x58	12
216287 - 4500K DAY WHITE 216286 - 6400K WHITE	VT-1574-N	48W	5760	1500x65x58	12



WATERPROOF SUSPENSION KIT

SKU	Box Qty
8119	50

HERMETIC FITTINGS



Our hermetic fittings (tubes not included) are easy to install, yet provide praiseworthy protection from dampness and rainfall making them suitable for indoor and outdoor lighting.

SKU	Model	Body Type	Size(mm)	Box Qty
6717	VT-6028-N	Plastic+ABS	666x68x58	16
6719	VT-6029-N	Plastic+ABS	666x96x58	12
6711	VT-12028-N	Plastic+ABS	1276x68x58	16
6709	VT-12023-N	Plastic+ABS	1576x68x58	16
6713	VT-15028-N	Plastic+ABS	1290x116x66	10
6715	VT-15022-N	Plastic+ABS	1590x116x66	10

HERMETIC FITTINGS



SKU	Model	Body Type	Size(mm)	Box Qty
7882	VT-12004	PS+HIPS+ABS	666x94x55	12
7883	VT-12004M	PS+HIPS+ABS	666x94x55	12
7884	VT-12005	PS+HIPS+PC	1576x94x55	12
7885	VT-12005M	PS+HIPS+PC	1576x94x55	12



V-TAC

Meaningful Innovation.



LED Highbay Lights

V-TAC's new UFO and Linear Highbays are designed for widespread, efficient illumination and resistance to harsh conditions.The UFO highbays, powered with Meanwell drivers for performance, are encased in a sturdy, IP65 rated body to ensure endurance. Two beam angle options available for even light distribution.

Key Features

- Powerful LED light source with a unique design
- Aluminium diffuser with multiple beam angle's to choose from 90°/ 120°
- Shatterproof perspex lens
- High thermal conductivity, low luminous decay, pure colors & no heavy shade
- The unique design of the heatsink fuses with the lamp frame perfectly, establishing effective heat dissipation to reduce the temperature inside the lamp itself.

NEW **HIGH** LUMEN LED UFO HIGHBAY 3IN1



IP65 RATING

160 LUMEN/W

IK08 RATING

05 YEAR WARRANTY

3 VARIABLE CCT VARIABLE WATTS


AC:100-240V, 50/60Hz

>0.9 PF

>70 CRi

Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
20331 - 3IN1	VT-9-210-1	120W | 160W | 200W	32000	319x118mm	2

HIGH LUMEN LED UFO HIGHBAY 3IN1



IP65 RATING

160 LUMEN/W

IK08 RATING

LiFud Driver

05 YEAR WARRANTY

3 VARIABLE CCT VARIABLE WATTS

AC:100-277V, 50/60Hz


120° Beam Angle

>0.9 PF

>80 CRi

Die Cast Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10467 - 3IN1	VT-90202	120W | 150W | 200W	27000	320x125	1

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER



IP65 RATING

185 LUMEN/W

DIMMABLE

MEAN WELL

05 YEAR WARRANTY

REMOTE CONTROL

AC:175-265V, 50/60Hz

100° Beam Angle

>0.9 PF

>70 CRi

Aluminium Body

25,000 hr lifespan


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7655 - 4000K DAY WHITE	VT-9119	100W	18500	233x161mm	1
7656 - 4000K DAY WHITE 7657 - 6500K WHITE	VT-9219	200W	37000	305x221mm	1
11361	Remote Control				

NEW LED HIGHBAY LIGHTS 3IN1



IP65 RATING

3-IN-1 COLOR CHANGING



- AC:220-240V,50/60Hz
- 90° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium Body
- 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23622 - 3IN1	VT-91100CCT	100W	8300	235x32mm	10
23623 - 3IN1	VT-91150CCT	150W	12300	277x32mm	10

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER




IP65 RATING

130 LUMEN/W

1-10V DIMMABLE

MEAN WELL

- AC:90-295V,50Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Die Cast Aluminium Body
- 50,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5608 - 6400K WHITE	VT-9500	500W	65000	Ø360	1


LED HIGHBAY LIGHTS



IP65 RATING

120 LUMEN/W

- AC:175-265V, 50/60Hz
- 110° Beam Angle
- >0.9 PF
- >70 CRi
- Die Cast Aluminium Body
- 25,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7808 - 4000K DAY WHITE 7809 - 6500K WHITE	VT-92100	100W	10200	230x88	1
7810 - 4000K DAY WHITE 7811 - 6500K WHITE	VT-92150	150W	15300	260x88	1
7812 - 4000K DAY WHITE 7813 - 6500K WHITE	VT-92200	200W	20400	310x88	1

LED HIGHBAY LIGHTS



IP65 RATING

- AC:220-240V,50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Die Cast Aluminium Body
- 25,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10202 - 4000K DAY WHITE 10203 - 6500K WHITE	VT-90101	100W	8500	254x72.2	10
10204 - 4000K DAY WHITE 10205 - 6500K WHITE	VT-90201	200W	17000	330x78.2	10

LED HIGHBAY LIGHTS



IP65 RATING

- AC:220-240V,50/60Hz
- 115° Beam Angle
- >0.9 PF
- >70 CRi
- Aluminium Body
- 25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)
10035 - 4000K DAY WHITE 10040 - 6500K WHITE	VT-91101	100W	8700	230.4x80
10041 - 4000K DAY WHITE 10042 - 6500K WHITE	VT-91200	200W	17540	326x86.8

LED LINEAR HIGHBAY



IP65 RATING

- AC:220-240V,50/60Hz
- 115° Beam Angle
- >0.9 PF
- >70 CRi
- Aluminium Body
- 25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)
7892 - 4000K DAY WHITE 7893 - 6500K WHITE	VT-91100	100W	8700	510x97x53.2

V-TAC

Meaningful Innovation.



LED Street Lights

LED street lights are specifically designed to illuminate streets, roads, highways and other public areas. They have become increasingly popular in recent years thanks to the numerous advantages they have over traditional incandescent and fluorescent lights. Here are some key characteristics and benefits of LED street lights:

Key Features

- Energy Efficiency
- Longevity: LEDs have a longer lifespan compared to conventional lighting technologies.
- LED street lights are robust and resistant to shocks, vibrations, and weather conditions.
- Reduced Maintenance Costs
- LED street lights are eco-friendly, as they contain no hazardous materials like mercury, which is found in fluorescent lighting.

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz


115° Beam Angle

>0.9 PF

>70 CRI

25,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7886 - 4000K DAY WHITE 7887 - 6500K WHITE	VT-150030ST	30W	2505	333x138.4x92	1
7888 - 4000K DAY WHITE 7889 - 6500K WHITE	VT-150050ST	50W	4270	386.5x149.4x92	1
7890 - 4000K DAY WHITE 7891 - 6500K WHITE	VT-150100ST	100W	8700	480x179.4x92	1

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>70 CRI

25,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10206 - 4000K DAY WHITE 10207 - 6500K WHITE	VT-15035ST	30W	2510	266x129x37	30
10208 - 4000K DAY WHITE 10209 - 6500K WHITE	VT-15057ST	50W	4270	306x150x37	24
10210 - 4000K DAY WHITE 10211 - 6500K WHITE	VT-15110ST	100W	8700	437x200x40	12

V-TAC

Meaningful Innovation.



LED Strip Lights

Add an extensive array of lights and colors to any setting, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space required makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Key Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

INDOOR STRIP LIGHTS

Indoor strip lights are a versatile and popular lighting solution used to enhance the ambiance, aesthetics, and functionality of indoor spaces. Indoor strip lights come in various colors, lengths, and styles, making them suitable for a wide range of applications in residential and commercial settings.
These indoor strip lights comes with an IP20 rating.



MAGIC STRIP SET-5050 60 LEDS



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width

5 METER ROLL

DUAL CONTROL APP & REMOTE

EU PLUG

IP20 RATING

SKU	Model	Watts/m
23145 - RGB	VT-5050-60-24V-M	13W

BED LIGHTS-PIR SENSOR



DC:12V	SMD LED
30 LEDs/m	120° :BA
IP20 Rating	1.2 x1 mm Width
25 Box Qty	

PIR MOTION SENSOR

DIMMABLE

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212549 - 4000K DAY WHITE	VT-8067-N	3W	260lm	LM

STRIP SET-5050 300 LEDS



AC:100-240V, 50/60Hz	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
20 Box Qty	10 mm Width

Included



EU PLUG

10 METER ROLL

BS PLUG

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2630 - RGB	VT-5050-300-EU-Plug	4.8W	500lm	14-16lm
2631 - RGB	VT-5050-300-BS-Plug	4.8W	500lm	14-16lm

STRIP SETS-5050 60 LEDS



AC:100-265V,50/60Hz	SMD LED
60 LEDs/m	1.5A /m
IP20 Rating	120° :BA
20 Box Qty	8 mm Width

POWER SUPPLY

EU PLUG

BS PLUG

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2545 - 3000K WARM WHITE 2544 - RGB	VT-5050-60 -Set-BS-Plug	10W	1000lm	14-16lm
212546 - 6000K WHITE	VT-5050-60-Set-N-BS-Plug	11W	900lm	14-16lm
212558 - RGB	VT-5050-60-RGB-EU-Plug	7W	1000lm	14-16lm

STRIP-2835 60 LEDS




DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	6 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212559 - 3000K WARM WHITE 212560 - 4000K DAY WHITE 212561 - 6400K WHITE	VT-2835-60 -N	4.2W	420lm	6-7lm

STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	3 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
23024 - 3000K WARM WHITE 23025 - 4000K DAY WHITE 23026 - 6500K WHITE	VT-2835-120-24V	8W	800lm	20-22lm

STRIP LIGHTS 2835 240 DOUBLE PCB



DC:24V	SMD LED
240 LEDs/m	120° :BA
IP20 Rating	15 mm Width
400 m Box Qty	

5 METER ROLL


IP20 RATING

SKU	Model	Watts/m	Lumen/m
10554 -3IN1	VT-2835 240-24V	21W	1100lm - 3000K 2340lm - 4000K 1200lm - 6500K

NEW STRIP LIGHTS 2835 120 RUNNING STRIP 24V

10 METER ROLL

IP20 RATING



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
800 m Box Qty	

SKU	Model	Watts	Lumen/M
23607 - 3000K WARM WHITE 23608 - 4000K DAY WHITE 23609 - 6500K WHITE	VT-2835 120 24V	10W	800lm

STRIP LIGHTS 2835 120 DOUBLE PCB

10 METER ROLL

IP20 RATING




DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
800 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212622 - 3000K WARM WHITE 212623 - 4000K DAY WHITE 212624 - 6400K WHITE	VT-2835 120-N	8W	750lm	6-7lm

STRIP LIGHTS-3535 120 DOUBLE PCB

5 METER ROLL

IP20 RATING



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

SKU	Model	Watts/m
10556 - RGB	VT-3535-120-24V	12W

NEW LED STRIP-2835 48 LEDS

5 METER ROLL

IP20 RATING



DC:24V	SMD LED
48 LEDs/m	170° :BA
IP20 Rating	11 mm Width
240 Box Qty	

SKU	Model	Watts	Lumen/M
23334 - 3000K WARM WHITE 23335 - 4000K DAY WHITE 2336 - 6500K WHITE	VT-2835 48	16.5W	1320lm

LED STRIP-2835 126 LEDS -HIGH LUMEN



DC:24V	SMD LED
126 LEDs/m	0.33A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150 LUMEN/W | 5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212593 - 3000K WARM WHITE 212594 - 4000K DAY WHITE 212595 - 6500K WHITE	VT-2835-126-24V-N	8W	1100lm	8-9lm

LED STRIP-4040-60



DC:12V	SMD LED
60 LEDs/m	0.66A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

REAL COLOR SERIES CRI >80 | 5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2931 - 3000K WARM WHITE 2932 - 4000K DAY WHITE 2933 - 6400K WHITE	VT-4040-60	8W	800lm	13-14lm

LED STRIP-2835 168 LEDS-HIGH LUMEN



DC:24V	SMD LED
168 LEDs/m	0.45A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150 LUMEN/W | 5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212596 - 3000K WARM WHITE 212597 - 4000K DAY WHITE 212598 - 6500K WHITE	VT-2835-168-24V-N	12W	1680lm	10-11lm

STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120º :BA
400 m Box Qty	12 mm Width

5 IN 1 RGB 3000K 4000K 6400K | 5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2895 - 5IN1	VT-5050-60-24V-CCT	24W	1400lm	23-24lm

STRIP LIGHTS 2835 - CCT 3IN1



DC:24V	SMD LED
120 LEDs/m	0.6A /M
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

3 IN 1 3000K 4000K 6400K

5 METER ROLL

IP20 RATING

SKU	Model	Watts	Lumen/M	Lumen/LED
2897 -3IN1	VT-2835-120--24V	14W	1750lm	14-15lm

LED STRIP-2835 238 LEDS-HIGH LUMEN



DC:24V	SMD LED
238 LEDs/m	0.7A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150 LUMEN/W

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212599 - 3000K WARM WHITE 212600 - 4000K DAY WHITE 212601 - 6500K WHITE	VT-2835-238-24V-N	18W	2430lm	10-11lm

LED STRIP LIGHTS-2835 204 LEDS



DC:12V	SMD LED
204 LEDs/m	1.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212461 - 3000K WARM WHITE 212462 - 4000K DAY WHITE 212463 - 6500K WHITE	VT-2835-204-N	17W	1700lm	8-9lm

LED STRIP-2835 128 LEDS



DC:24V	SMD LED
128 LEDs/m	0.37A /m
IP20 Rating	120° :BA
400 m Box Qty	4 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2906 - 3000K WARM WHITE 2907 - 4000K DAY WHITE 2908 - 6400K WHITE	VT-2835-128-24V	WW-8.5W/ DW-8.5W/W-9W	1150lm 1200lm 1260lm	9-10lm

STRIP LIGHTS 2835 90-HIGH LUMEN



DC:24V	SMD LED
90 LEDs/m	0.16A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

200 LUMEN/W
5 METER ROLL
IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2696 - 3000K WARM WHITE 2697 - 4000K DAY WHITE 2698 - 6400K WHITE	VT-2835-90	4W	800lm	10-11lm

LED STRIP LIGHTS-2835 240 LEDS-HIGH LUMEN



DC:12V	1.66A /m
240 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL
IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212164 - 3000K WARM WHITE 212165 - 4000K DAY WHITE 212166 - 6500K WHITE	VT-2835-240-N	20W	2000lm	8-9lm

LED STRIP LIGHTS-5730 120 LEDS-HIGH LUMEN



DC:12V	1.66A /m
120 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL
IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212162 - 3000K WARM WHITE 212163 - 4000K DAY WHITE 212161 - 6500K WHITE	VT-5730-120-N	20W	2000lm	16-17lm

STRIP LIGHTS 2110 700



DC:24V	SMD LED
700 LEDs/m	0.875A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width

700 LED PER METRE
CRI 95
5 METER ROLL
IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2603 - 4000K DAY WHITE 2604 - 6400K WHITE	VT-2110 700	21W	2000lm	8-10lm
212602 - 3000K WARM WHITE	VT-2110 700-N	22W	2100lm	8-10lm

STRIP-2216 360 LEDS



DC:24V	SMD LED
360 LEDs/m	1.25A /m
IP20 Rating	120° :BA
250 m Box Qty	10 mm Width

5 METER ROLL

CRI UP-TO 95

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2580 - 3000K WARM WHITE 2582 - 6000K WHITE	VT-2216 360	30W	2400lm	6-7lm
212581 - 4000K DAY WHITE	VT-2216 360-N	30W	2850lm	7-8lm

COB STRIP LIGHTS IP20



DC:24V	0.42A /m
280 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212652 - 3000K WARM WHITE 212653 - 4000K DAY WHITE 212654 - 6500K WHITE	VT-COB-280-N	10W	950lm	3-4lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
320 LEDs/m	120° :BA
IP20 Rating	8 mm Width

30 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m
6862 - 3000K WARM WHITE 6863 - 4000K DAY WHITE	VT-COB-320 -24V	10.5W	1050lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
420 LEDs/m	0.42A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2668 - 4000K DAY WHITE 2669 - 6400K WHITE	VT-COB-421	10W/M	1000	2-3lm
212667 - 3000K WARM WHITE	VT-COB-421-N	10W	960lm	2-3lm

COB STRIP LIGHTS IP20

CRI 90 | 5 METER ROLL | IP20 RATING




DC:24V	COB LED
512 LEDs/m	0.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2650 - 4000K DAY WHITE 2651 - 6000K WHITE	VT-512	12W	1000lm	2-3lm
212649 - 3000K WARM WHITE 212650 - 4000K DAY WHITE 212651 - 6500K WHITE	VT-512-N	13W	1050lm	2-3lm

COB STRIP LIGHTS IP20

5 METER ROLL | IP20 RATING



DC:24V	COB LED
560 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 Box Qty	

SKU	Model	Watts/m	Lumen/m
10555 - 3IN1	VT-COB 560-CCT	2700K - 9W 4000K - 18W 6500K - 9W	500lm - 2700K 1135lm - 4000K 700lm - 6500K

COB STRIP LIGHTS IP20

5 METER ROLL | IP20 RATING



DC:24V	COB LED
672 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

SKU	Model	Watts/m
2880 - RGB	VT-COB 422	13W/M

LED STRIP LIGHTS-3528 60 LEDS

5 METER ROLL

IP20 RATING



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212016 - 3000K WARM WHITE 212041 - 4000K DAY WHITE 212005 - 6500K WHITE 212015 - RED 212013 - BLUE 212011 - GREEN 212009 - YELLOW	VT-3528 -60-N	4.2W	420lm	7-8lm

LED STRIP LIGHTS-3528 120 LEDS

5 METER ROLL

IP20 RATING



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212025 - 3000K WARM WHITE 212042 - 4000K DAY WHITE 212002 - 6500K WHITE	VT-3528 120-N	8W	800lm	6-7lm

LED STRIP LIGHTS-5050 30 LEDS

5 METER ROLL

IP20 RATING



DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212135 - 3000K WARM WHITE 212133 - 6500K WHITE 212124 - RGB	VT-5050 30-N	6W	500lm	16-17lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212122 - 3000K WARM WHITE 212143 - 4000K DAY WHITE 212126 - 6400K WHITE 212120 - RGB 212128 - RED 212137 - BLUE 212138 - GREEN 212156 - YELLOW 212547 - 2200K WARM WHITE	VT-5050-60-N	10.8W	900lm	14-15lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.66A /m
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212159 - RGB+WHITE 212552 - RGB+DAY WHITE 212553 - RGB+WARM WHITE	VT-5050-60-RGBW-N	8W	357lm	5-6lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212431 - 3000K WARM WHITE 212459 - 4000K DAY WHITE 212430 - 6400K WHITE 212591 - RGB	VT-5050-60-24V-N-5m	10W	830lm	13-14lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width

10 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212592 - RGB	VT-5050-60-24V-N	7W	140lm	2-3lm

NEON FLEX IP65



DC:24V	SMD LED
240 LEDs/m	360° :BA
IP65 Rating	25 mm Width
20 Box Qty	

360° LIGHT
10 METER ROLL
IP65 RATING

SKU	Model	Watts/m
6875 - RGB	VT-561	10W
6868 - 3000K WARM WHITE 6869 - 4000K DAY WHITE 6870 - 6500K WHITE 6873 - AMBER 6872 - BLUE 6871 - GREEN 6874 - PINK	VT-551	12W

NEON FLEX IP65







360° LIGHT
5 METER ROLL
DUAL CONTROL APP & REMOTE
IP65 RATING

DC:24V	SMD LED
192 LEDs/m	360° :BA
IP65 Rating	25 mm Width
10 Box Qty	

SKU	Model	Watts/m
6876 - RGB	VT-561-M	24W

WEATHERPROOF STRIP LIGHTS

Outdoor strip lights are a versatile and effective lighting solution designed specifically for outdoor use. These flexible and weather-resistant lighting fixtures have gained popularity for their ability to enhance the aesthetics, safety, and functionality of outdoor spaces. One of the most crucial aspects of outdoor strip lights is their ability to withstand various weather conditions. They are typically designed with a high level of weather resistance, often carrying IP ratings like IP65 or higher. This ensures they can endure rain, snow, wind, and exposure to the sun without being damaged.



WP-MAGIC STRIP SET-5050 60 LEDS



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	10 mm Width

5 METER ROLL
DUAL CONTROL APP & REMOTE
EU PLUG
IP65 RATING

SKU	Model	Watts/m
23146 - RGB	VT-5050 60--60-24V	13W

WP-STRIP-2835-SENSOR



DC:6V	SMD 2835 LED
30 LEDs/m	120° :BA
IP65 Rating	1 m mm Width
50 Box Qty	

IP65 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2573 - 2700K WARM WHITE	VT-8082	2.4W	200lm	5-6lm
212574 - 4000K DAY WHITE	VT-8082-N	2.4W	200lm	5-6lm

WP-STRIP LIGHTS 5050 60



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	0.9A /m
IP65 Rating	120° :BA
20 Box Qty	10 mm Width

BS PLUG
5 METER ROLL
3M TAPE ADHESIVE
IP65 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2606 - 3000K WARM WHITE 2605 - RGB	VT-5050 60-S3M	9W	1000lm	14-16lm
212607 - 6500K WHITE	VT-5050 60-S3M-N	11W	1000lm	14-16lm

WP-STRIP LIGHTS 5050 60 220V



AC:220-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP66 Rating	8 mm Width
50 m Box Qty	

EU PLUG
50 METER ROLL
IP66 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2636 - 4000K DAY WHITE	VT-5050 60	8.5W	300lm	13-14lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB

30 METER ROLL

IP65 RATING



DC:12V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6855 - 3000K WARM WHITE 6856 - 4000K DAY WHITE	VT-2835-60-12V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB

30 METER ROLL

IP65 RATING




DC:24V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6857 - 3000K WARM WHITE 6858 - 4000K DAY WHITE	VT-2835-60-24V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 120 DOUBLE PCB

10 METER ROLL

IP65 RATING



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212625 - 3000K WARM WHITE 212626 - 4000K DAY WHITE 212627 - 6400K WHITE	VT-2835 120-IP65-N	7.5W	750lm	6-7lm

WP-STRIP LIGHT-5050 RGB + CCT 5IN1

5 METER ROLL

5 IN 1 RGB 3000K 4000K 6400K

IP65 RATING



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120º :BA
200 m Box Qty	12 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2896 -5IN1	VT-5050-60-RGB	14W	1400lm	23-24lm

WP-STRIP LIGHTS 2835 - CCT



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

5 METER ROLL

3 IN 1 3000K 4000K 6400K

IP65 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2898 - 3IN1	VT-2835-120-IP65	14.5W	1750lm	14-15lm

WP-COB STRIP LIGHTS IP65



DC:12V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width

30 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
6864 - 3000K WARM WHITE 6865 - 4000K DAY WHITE	VT-COB-320 -12V	10W	1200lm

WP-COB STRIP LIGHTS IP65




DC:24V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width

30 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
6866 - 3000K WARM WHITE 6867 - 4000K DAY WHITE	VT-COB -320-24V	10.5W	1050lm

WP-COB STRIP LIGHTS IP67



DC:24V	COB LED
320 LEDs/m	120° :BA
IP67 Rating	8 mm Width

5 METER ROLL

IP67 RATING

SKU	Model	Watts/m	Lumen/m
23138 - 3000K WARM WHITE 23139 - 4000K DAY WHITE 23140 - 6500K WHITE 23141 - RED 23142 - BLUE 23143 - GREEN 23144 - AMBER	VT-COB-320 -24V-IP67	10W	840lm

WP-LED STRIP LIGHTS-3528 60 LEDS

5 METER ROLL

IP65 RATING



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP65 Rating	120° :BA
400 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212032 - 3000K WARM WHITE 212043 - 4500K DAY WHITE 212031 - 6500K WHITE 212036 - RED 212035 - BLUE 212034 - GREEN	VT-352-60-N	5W	420lm	7-8lm

WP-LED STRIP LIGHTS-3528 120 LEDS

5 METER ROLL

IP65 RATING



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP65 Rating	9.2 mm Width
400 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212038 - 3000K WARM WHITE 212044 - 4000K DAY WHITE 212037 - 6400K WHITE	VT-3528-120-N	8W	800lm	6-7lm

WP-LED STRIP LIGHTS-5050 30 LEDS

5 METER ROLL

IP65 RATING




DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2144 - 6000K WHITE	VT-5050-30	4.8W	500lm	14 -16lm
212460 - 4000K DAY WHITE 212145 - 3000K WARM WHITE 212118 - RGB	VT-5050-30-N	6W - 3000K 4.8W - 4000K 4W - RGB	500lm-3000K 500lm-4000K 70lm-RGB	14 -16lm

WP-LED STRIP LIGHTS-5050 60 LEDS

5 METER ROLL

IP65 RATING



DC:12V	0.9A /M
60 LEDs/m	120° :BA
IP65 Rating	11.4 mm Width
400 m Box Qty	

SKU	Model	Watts	Lumen/M	Lumen/LED
212149 - 3000K WARM WHITE 212150 - 4500K DAY WHITE 212148 - 6400K WHITE 212155 - RGB	VT-5050 60-N	11W	900lm	14-15lm

WP-TAPE-5050 60 LEDS

5 METER ROLL

IP65 RATING



DC:24V	SMD LED
60 LEDs/m	0.375A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212562 - 3000K WARM WHITE 212563 - 4000K DAY WHITE 212564 - 6400K WHITE	VT-5050 60-24V-N	10W	830lm	13-14lm

WP-NEON FLEX IP68

10 METER ROLL

IP68 RATING



DC:24V	SMD LED
126 LEDs/m	0.27A /m
IP68 Rating	120° :BA
50 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m
2614 - 6400K WHITE 2616 - GREEN	VT-554	6.5W	260lm

WP-NEON FLEX SILICON COVER

5 METER ROLL

IP65 RATING



DC:24V	SMD LED
238 LEDs/m	0.34A /m
IP65 Rating	120° :BA
200 m Box Qty	4 mm Width

SKU	Model	Watts/m	Lumen/m
2621 - 6000K WHITE	VT-560	8W	530lm

WP-NEON FLEX-WHITE

10 METER ROLL

IP65 RATING



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

SKU	Model	Watts/m	Lumen/m
2512 - 6000K WHITE	VT-555W	8W	320

WP-NEON FLEX-WARM WHITE



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2513 - 3000K WARM WHITE	VT-555WW	8W	320

WP-NEON FLEX-DAY WHITE



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2514 - 4500K DAY WHITE	VT-555DW	8W	320

WP-NEON FLEX-BLUE



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2515 - BLUE	VT-555B	8W	320

WP-NEON FLEX-RED



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2516 - RED	VT-555R	8W	320

WP-NEON FLEX-GREEN



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2517 - GREEN	VT-555G	8W	320

WP-BACKLITE SILICON NEON FLEX




DC:24V	SMD LED
120 LEDs/m	120° :BA
IP65 Rating	8 mm Width
200 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2568 - 3000K WARM WHITE 2569 - 4000K DAY WHITE 2570 - 5000K WHITE	VT-559	13W	1000

BAR 4014 144 LEDS



DC:12V	SMD LED
IP20 Rating	1.5A /m
125 Box Qty	1 mm Height

SKU	Model	Watts/m	Lumen/m	Lumen/LED	
2540 - 6400K WHITE 2538 - 3000K WARM WHITE	VT-4014 144-10Pc	18W	1700lm	20-24lm	10 PCS PACK


STRIP CONNECTORS



SKU	Model	Box Qtt
2587	Flexible Connector – LED Strip 5050 RGB+White	2500
2588	Flexible Connector – 5050 RGB+White With Pin	2000
2589	Connector – LED Strip 5050 RGB+White	3000
3500	Flexible Connector – LED Strip 3528	100
3501	Flexible Connector – LED Strip 5050	100
3502	Flexible Connector – LED Strip 5050 RGB	100
3503	Connector – LED Strip 3528	100
3504	Connector – LED Strip 5050	1000
3505	Connector – LED Strip 5050 RGB	1000
3507	Flexible Connector – LED Strip 3528 DC Female	100
3508	Flexible Connector – LED Strip 5050 DC Female	100
3512	Connector – LED Strip DC Female	100




MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8113	2873	2000x17.4x7	Black	box




MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8109	2874	2000x15.8x15.15.8	Black	box




MOUNTING KIT WITH BLACK DIFFUSER




Model	SKU	Size(mm)	Color	Box Qtt
VT-8106	2875	2000x24.7x7	Black	box




MOUNTING KIT WITH BLACK DIFFUSER




Model	SKU	Size(mm)	Color	Box Qtt
VT-8108	2876	2000x23.5x10	Black	box




MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8114	2877	2000x19x19	Black	box




MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8110	2878	2000x17.2x14.4	Black	box


MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color	Box Qtt
VT-8156	10320	2000x24.7x7	Silver	100

MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color	Box Qtt
VT-8157	10321	2000x17.4x7	Silver	100


MOUNTING KIT SILVER





Model	SKU	Size(mm)	Color	Box Qtt
VT-8158	10322	2000x15.8x15.15.8	Silver	100


MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8201	23173	2000x55x15	Silver


MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8202	23174	2000x20x10	Silver

MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8203	23175	2000x20x10	Silver


MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8204-S	23176	2000x30x10	Silver


MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8204-R	23177	2000x30x10	Silver

MOUNTING KIT SILVER






Model	SKU	Size(mm)	Color
VT-8206-S	23178	2000x50x20	Silver

MOUNTING KIT SILVER





Model	SKU	Size(mm)	Color
VT-8206-R	23179	2000x50x20	Silver

MOUNTING KIT SILVER





Model	SKU	Size(mm)	Color
VT-8208	23180	2000x60x36	Silver

MOUNTING KIT WHITE



Model	SKU	Size(mm)	Color	Box Qtt
VT-8126	2871	2000x50x35	White	20



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8127	2872	2000x50x75	White	10



MOUNTING KIT WITH DIFFUSER SURFACED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8136	2903	2000x7.8x9	Silver	box



MOUNTING KIT WITH DIFFUSER RECESSED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8137	2904	2000x12.4x9	Silver	box




MOUNTING KIT BENDABLE SILVER

Model	SKU	Size(mm)	Color	Box Qtt
VT-8138	2909	2000x18x6	Silver	box

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qtt
VT-8106-M	3350	2000x24.7x7	Silver	180
VT-8122-W	3368	2000x24.7x7	White	180

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8108-M	3352	2000x23.5x10	Silver	120
VT-8108-W	3367	2000x23.5x10	White	120

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8109-M	3353	2000x15.8x15.8	Silver	160
VT-8123-W	3369	2000x15.8x15.8	White	160

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8110-M	3354	2000x17.2x14.4	Silver	120
VT-8110-W	3366	2000x17.2x14.4	White	120

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8113-M	3355	2000x17.4x7	Silver	180
VT-8113-W	3365	2000x17.4x7	White	180

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8114-M	3356	2000x19x19	Silver	120
VT-8114-W	3364	2000x19x19	White	120


MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-8107	3351	2000x23x15.5	Silver	120

MOUNTING KIT






Model	SKU	Size(mm)	Color	Box Qtt
VT-9327	3370	2000x16x7	Silver	200

MOUNTING KIT







Model	SKU	Size(mm)	Color	Box Qtt
VT-8115	3357	2000x24.5x12.2	Silver	120

MOUNTING KIT







Model	SKU	Size(mm)	Color	Box Qtt
VT-8116	3358	2000x17.4x12.1	Silver	120




MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qtt
VT-8101	3359	2000	Silver	30




MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qtt
VT-8102	3360	2000	Silver	50




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8103	3361	2000	Silver	40




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8104	3362	2000	Silver	30




MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8105	3363	2000	Silver	30




MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8118	3371	2000x30x20	Silver	50




MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8119	3372	2000x32x20	Silver	60



MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-7104	9956	19x19x2000	Silver	40

SINGLE COLOR CONTROLLER

SKU	Model
2911	VT-2431



- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB CONTROLLER

SKU	Model
2912	VT-2432



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB+W CONTROLLER

SKU	Model
2913	VT-2434



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

5 CHANNEL AMPLIFIER

SKU	Model
2914	VT-2435



- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode

WALL CONTROLLER - 3 IN 1

SKU	Model
2915	VT-2433



- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20-60°C
- Panel Size: 86x86mm"
- Compatible with RGB/RGBW/RGB+CCT strips

4 ZONE CONTROLLER

SKU	Model
2916	VT-2439



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

4 ZONE RGB+W CONTROLLER

SKU	Model
2917	VT-2437



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

TOUCH DIMMER-WHITE

SKU	Model
2919	VT-2440-W



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

TOUCH DIMMER-BLACK

SKU	Model
2920	VT-2440-B



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

8 ZONE REMOTE CONTROL

SKU	Model
2921	VT-2438



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 47x19x153mm

4 ZONE REMOTE CONTROL

SKU	Model
2918	VT-2436



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 53x21x110.5mm

TOUCH REMOTE CONTROL RGB+CCT

SKU	Model
2922	VT-2441



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 56x20x138mm

TOUCH REMOTE CONTROL RGB+W-WHITE

SKU	Model
2923	VT-2442-W



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

TOUCH REMOTE CONTROL RGB+W-BLACK

SKU	Model
2924	VT-2442-B



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

STRIP-CONTROLLER-DIMMER



SKU	Model	Voltage
3300	VT-2402	DC:12/24V

NEW RUNNING STRIP CONTROLLER



SKU	Model	Voltage
23610	23610	DC:24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3303	VT-2404	DC:12/24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3312	VT-2405	DC:12/24V

STRIP-CONTROLLER-INFRARED



SKU	Model	Voltage
3625	VT-2472	DC:12/24V

STRIP-CONTROLLER-RGB + CCT



SKU	Model	Voltage
2899	VT-2428	DC:12V/24V

STRIP-CONTROLLER-CCT



SKU	Model	Voltage
2901	VT-2425	DC:12V/24V

STRIP-AMPLIFIER-5050



SKU	Model	Voltage
3018	3018	DC:12V

STRIP CONTROLLER- WIFI - RGB + CCT



SKU	Model	Voltage
2900	VT-2429	DC:12V/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3327	VT-2408	DC:12/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3309	VT-2407	DC:12/24V

NEW HEAD DOOR SENSOR



SKU	Model	Voltage
23457	VT-82060	DC:12V-24V

BED LIGHT-SENSOR

Sensing Distance:2-5m
DeLay Time:3s-6min



SKU	Model	Voltage
2554	VT-8069	DC:12V

SURFACE-TOUCH SENSOR



SKU	Model	Voltage
2556	VT-8071	DC:12V

HAND WAVE SENSOR



SKU	Model	Voltage
2557	VT-8072	DC:12V

LED SYNC CONTROLLER-DIMMER



SKU	Model	Voltage
3337	VT-2414	DC:12/24V

LED SYNC CONTROLLER-RGBW/WW



SKU	Model	Voltage
3338	VT-2424	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3339	VT-2420	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3340	VT-2421	DC:12/24V

STRIP DIMMER- TOUCH REMOTE CONTROL



SKU	Model	Voltage
2590	VT-5115	DC:12/24V

CONTROLLER FOR NEON FLEX(VT-561)



SKU	Model	Voltage
7805	7805	DC:5-24V

STRIP WIFI CONTROLLER - CCT



SKU	Model	Voltage
2902	VT-2427	DC:12V/24V

STRIP-CONTROLLER-5050



SKU	Model	Voltage
3326	3326	DC:12/24V

STRIP-CONTROLLER-DIMMER-RECESSED



SKU	Model	Voltage
3341	VT-2411	DC:12V

NEW HIDDEN TOUCH DIMMER SWITCH WHITE



SKU	Model	Voltage
23465	VT-2412-W	DC:12V-24V

NEW HIDDEN TOUCH DIMMER SWITCH BLACK



SKU	Model	Voltage
23466	VT-2412-B	DC:12V-24V



2P PVC WIRE 0.5MTR/ PCS,0.5MM²

SKU	Box Qty
6877	1000



3P PVC WIRE 0.5MTR/ PCS,0.5MM²

SKU	Box Qty
7852	1000



4P PVC WIRE 0.5MTR/ PCS,0.5MM²

SKU	Box Qty
6878	1000

22END CAP

SKU	Box Qty
6879	2000

22HEAD CAP

SKU	Box Qty
6880	2000



MIDDLE CONNECTOR

SKU	Box Qty
2641	3000



FIXING CLIP + SCREWS FOR 360 NEON LIGHT

SKU	Box Qty
2642	2000




FIXING CLIP + SCREWS FOR 220V STRIP LIGHT

SKU	Box Qty
2642P	2000



FLEXIBLE CONNECTOR

SKU	Box Qty
2643	300



T SHAPE CONNECTOR

SKU	Box Qty
2644	500



L SHAPE CONNECTOR

SKU	Box Qty
2645	300



END CUP

SKU	Box Qty
2567	1000



CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2655	5000



CONNECTOR FOR STRIP 8MM SINGLE HEAD

SKU	Box Qty
2656	2500



CONNECTOR FOR STRIP 8MM DUAL HEAD

SKU	Box Qty
2657	2500



L SHAPE CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2658	5000



CONNECTOR FOR STRIP 10MM

SKU	Box Qty
2659	5000



CONNECTOR FOR STRIP 10MM SINGLE HEAD

SKU	Box Qty
2660	2500



CONNECTOR FOR STRIP 10MM DUAL HEAD

SKU	Box Qty
2661	2500



L SHAPE CONNECTOR FOR STRIP 10MM

SKU	Box Qty
2662	5000



CONNECTOR FOR COB STRIP 8MM SINGLE HEAD

SKU	Box Qty
2663	1000



CONNECTOR FOR COB STRIP 8MM DUAL HEAD

SKU	Box Qty
2664	1000



CONNECTOR FOR COB STRIP 10MM SINGLE HEAD

SKU	Box Qty
2665	1000



CONNECTOR FOR COB STRIP 10MM DUAL HEAD

SKU	Box Qty
2666	1000



QUICK CONNECT WIRE FOR LED STRIP LIGHT

SKU	Box Qty
11341	1000



QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT

SKU	Box Qty
11342	1000



QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT

SKU	Box Qty
11343	500

MODULES-3 SMD-IP67

DC:12V
66lm
>75 CRI
160° Beam Angle
67x15x8.5
2000 Box Qty



IP67 RATING

SKU	Model	Watts
5116 - 6000K WHITE 5117 -RED 5118 - BLUE 5119 - GREEN	VT-50503	0.72W

MODULES-3 SMD-IP67

DC:12V
100lm
>75 CRI
120° Beam Angle
53x12x4.6
200 Box Qty



IP67 RATING

SKU	Model	Watts
5120 - 6000K WHITE 5121 -RED 5123 - GREEN	VT-28353	1W

MODULES-3 SMD-IP67

DC:12V
120-150lm
>75 CRI
120° Beam Angle
87x15x10
2000 Box Qty




IP67 RATING

SKU	Model	Watts
5124 - 3000K WARM WHITE 5127 - BLUE 5128 - GREEN	VT-28356	1.5W

MODULES-4 SMD-IP68

DC:12V
120-135lm
>75 CRI
160° Beam Angle
37x37x6.8
100 Box Qty



IP68 RATING

SKU	Model	Watts
5130 - 6000K WHITE 5129 - 3000K WARM WHITE 5131 -RED 5132 - BLUE 5133 - GREEN	VT-28358	1.44W

MODULES-3 SMD-IP67

DC:12V
20lm
>75 CRI
120° Beam Angle
68x19.5x5.7
100 Box Qty



IP67 RATING

SKU	Model	Watts
5134 - RGB	VT-50506	0.72W

MODULES-SMD-IP68

DC:12V
20lm
>75 CRI
120° Beam Angle
12x22
320 Box Qty



IP68 RATING

SKU	Model	Watts
5136 - 6000K WHITE 5141 - 4000K DAY WHITE 5135 - 3000K WARM WHITE 5137 -RED 5139 - BLUE 5140 - GREEN 5138 - YELLOW	VT-50501	0.24W

SLIM POWER SUPPLY



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3255	VT-20030	30W	2.5A	AC:220-240V,50Hz	DC:12V	130x50x31	36
3246	VT-20062	60W	5A	AC:85-265V,50/60Hz	DC:12V	130x50x31	36
3247	VT-20077	75W	6A	AC:85-265V,50/60Hz	DC:12V	130x50x31	60
3243	VT-20122	120W	10A	AC:85-265V,50/60Hz	DC:12V	190x50x31	80
3244	VT-20152	150W	12.5A	AC:85-265V,50/60Hz	DC:12V	200x62x31	60
3261	VT-24061	60W	2.5A	AC:85-265V,50/60Hz	**DC:24V**	130x50x31	36
3262	VT-24120	120W	5A	AC:85-265V,50/60Hz	**DC:24V**	190x50x31	80
3253	VT-20153	150W	6.5A	AC:85-265V,50/60Hz	**DC:24V**	200x62x31	50
3273	VT-22250	250W	10A	AC:200-265V, 50Hz	**DC:24V**	225x60x30	30

LED POWER SUPPLY-METAL



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3259	VT-20352	350W	30A	AC:200-240V,50/60 Hz	DC:12V	208x82x32	30
3263	VT-24350	350W	15A	AC:200-240V,50/60 Hz	**DC:24V**	208x82x32	30

METAL POWER SUPPLY

05 YEAR WARRANTY

NO NOISE WITHOUT FAN



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3274	VT-21360	360W	30A	AC:200-240V,50Hz	DC:12V	208x82x32	24
3275	VT-21361	360W	15A	AC:200-240V,50Hz	**DC:24V**	208x82x32	24

LED POWER SUPPLY-METAL



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3228	VT-20026	25W	2.1A	AC:85-265V,50/60Hz	DC:12V	115x40x25	100

LED POWER SUPPLY-TRIAC DIMMABLE



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3256	VT-20101D	100W	8.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3257	VT-20154D	150W	12.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3258	VT-20155D	150W	6.25A	AC:200-240V,50/60 Hz	**DC:24V**	199x62x31	50

RAINPROOF POWER SUPPLY

IP45 RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3070	VT-21060	60W	5A	AC:200-240V,50Hz	DC:12V	125x74x42	30

LED POWER SUPPLY-RAINPROOF

IP45 RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3231	VT-21151	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	207x74x42	40
3232	VT-21251	250W	20A	AC: 100-264V,50/60Hz	DC:12V	218x95x50	25
3233	VT-21401	400W	33A	AC: 100-264V,50/60Hz	DC:12V	223x118x50	20
3265	VT-26400	400W	16.6A	AC: 100-264V,50/60Hz	**DC:24V**	223x118x50	20

LED POWER SUPPLY-WATERPROOF

IP65 RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3236	VT-22101	100W	8.0A	AC: 100-264V,50/60Hz	DC:12V	201x30.5x20	20
3101	VT-22101-24	100W	4.2A	AC: 100-264V,50/60Hz	**DC:24V**	192x52x37	20

LED POWER SUPPLY-WATERPROOF

IP67 RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3271	VT-21030	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	150x40x30	60
3234	VT-22061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3235	VT-22075	75W	6A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3248	VT-22153	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	15

LED POWER SUPPLY-PLASTIC

05 YEAR WARRANTY

IP67 RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3252	VT-22065	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3251	VT-22105	100W	8.3A	AC: 100-264V,50/60Hz	DC:12V	192x52x37	25
3250	VT-22155	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	20

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3237	VT-23019	18W	1.5A	AC: 100-264V,50/60Hz	DC:12V	73x27x43	120

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3238	VT-23031	30W	2.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3249	VT-23043	42W	3.5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50
3239	VT-23061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3240	VT-23079	78W	6.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3264	VT-25060	60W	2.5A	AC: 100-264V,50/60Hz	**DC:24V**	119x52x32	50
3272	VT-22078	78W	3.25A	AC: 100-264V,50/60Hz	**DC:24V**	119x52x32	50

LED POWER SUPPLY-PLASTIC

BS PLUG



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3035	VT-23060	60W	5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50

POWER SUPPLY - PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Box Qty
2671	VT-23032	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	100
2672	VT-23044	42W	3.5A	AC:100-240V,50/60Hz	DC:12V	100

V-TAC

Meaningful Innovation.



LED Track Lights


V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

Key Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform radiance & enhances the appeal of a retail environment
- Greatly increased levels of performance and efficiency compared to older solutions such as high wattage halogen or HID light sources in retail and commercial lighting applications

COB TRACK LIGHTS






05 YEAR WARRANTY

- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1334 - 6000K WHITE	VT-4512	10W	800	209x65x163	40
1337 - 6000K WHITE	VT-4528	25W	2100	209x85x187	20
1338 - 3000K WARM WHITE 1340 - 6000K WHITE	VT-4537	35W	2850	224x100x215	10

COB TRACK LIGHTS





05 YEAR WARRANTY


CRI 95

- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >95 CRi
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1303 - 6400K WHITE	VT-4615B	15W	1300	180x97x155	20
1297 - 6400K WHITE	VT-4635B	30W	2700	180x140x215	20

COB 4 LINE TRACK LIGHTS





CRI 90


3-IN-1 COLOR CHANGING

- AC:220-240V, 50Hz Input Voltage
- 35° Beam Angle
- >90 CRi
- ABS+Aluminium Body
- 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8078 - 3IN1	VT-47030-B	30W	2900	253x71x71	20
8842 - 3IN1	VT-47050-B	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS





CRI 90

3-IN-1 COLOR CHANGING

AC:220-240V, 50Hz Input Voltage

35° Beam Angle

>90 CRi


ABS+Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8142 - 3IN1	VT-47030-W	30W	2900	253x71x71	20
8843 - 3IN1	VT-47050-W	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS





3-IN-1 COLOR CHANGING

AC:220-240V, 50Hz Input Voltage

35° Beam Angle

>80 CRi


Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
10371 - 3IN1	VT-4633	30W	3000	105x150x141

COB 4 LINE TRACK LIGHTS





AC:220-240V, 50Hz Input Voltage

30° Beam Angle

>80 CRi


Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10281 - 4000K DAY WHITE	VT-4235-B	35W	3000	91x151x159	20

COB 4 LINE TRACK LIGHTS





CRI 95

AC:100-240V,50/60Hz Input Voltage

25° Beam Angle

>0.9 PF

>95 CRi


Die Cast Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1235 - 5000K WHITE	VT-4535	33W	1800	112x165x205	8
1238 - 5000K WHITE	VT-4545	45W	2300	123x165x218	8

COB 4 LINE TRACK LIGHTS






- AC:220-240V,50/60Hz Input Voltage
- 10° Beam Angle
- >0.9 PF
- >80 CRi
- PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211255 - 3000K WARM WHITE 211256 - 4000K DAY WHITE 211257 - 6500K WHITE	VT-4536W-N	35W	3000	208x195xØ93.5	20

COB 4 LINE TRACK LIGHTS






- AC:220-240V,50/60Hz Input Voltage
- 10° Beam Angle
- >0.9 PF
- >80 CRi
- PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211285 - 3000K WARM WHITE 211286 - 4000K DAY WHITE 211287 - 6000K WHITE	VT-4536B-N	35W	3000	208x195xØ93.5	20

COB 4 LINE TRACK LIGHTS





- AC:220-240V,50/60Hz Input Voltage
- 22° Beam Angle
- >0.9 PF
- >70 CRi
- Aluminium Body
- 20,000 hr lifespan


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1192 - 5000K DAY WHITE	VT-4540T	40W	2600	225x185x138	8



Track Fitting-GU10

- AC:220-240V, 50/60Hz
- PC+Aluminium Body

SKU	Box Qty
6783	20






Track Fitting-GU10

- AC:220-240V, 50/60Hz
- PC+Aluminium Body

SKU	Box Qty
6784	20





Connector 4I

SKU	Box Qty
3522	50



Connector 4I

SKU	Box Qty
3523	50



Connector 4T

SKU	Box Qty
3524	25



Connector 4T

SKU	Box Qty
3525	25



Connector 4X

SKU	Box Qty
3526	10



4 Wired Y Series Connector

SKU	Box Qty
3655	100



4 Wired Y Series Connector

SKU	Box Qty
3656	100



End Cap White

SKU	Box Qty
3657	200



End Cap Black

SKU	Box Qty
3658	200



4 Wired Y Series Adaptor

SKU	Box Qty
3659	50



4 Wired Y Series Adaptor

SKU	Box Qty
3660	50



Connector 4X

SKU	Box Qty
3527	10



Connector 4L

SKU	Box Qty
3528	25



Connector 4L

SKU	Box Qty
3529	25



Flexible Joint 4 Line

SKU	Box Qty
3559	20



Flexible Joint 4 Line

SKU	Box Qty
3560	20



Hanging Trackline Kit 1 Meter

SKU	Box Qty
3565	100



Hanging Trackline Kit 1 Meter

SKU	Box Qty
3566	100



4 Core Track 1 Meter

SKU	Box Qty
9944	10



4 Core Track 1 Meter

SKU	Box Qty
9945	10



4 Core Track 1.5 Meter

SKU	Box Qty
9952	10



4 Core Track 1.5 Meter

SKU	Box Qty
9953	10



4 Core Track 2 Meter

SKU	Box Qty
9954	10



4 Core Track 2 Meter

SKU	Box Qty
9955	10

LED MAGNETIC TRACK LIGHTS FLEXIBLE TUBE

- DC:48V Input Voltage
- 200° Beam Angle
- >80 CRi
- Silicone Body





DIMMABLE

SKU	Model	Unit Color	Watts	Lumens	Size(mm)
10277 - 3000K WARM WHITE 10278 - 4500K DAY WHITE	VT-42112	Black	11W	1320	1066x150x26mm
10279 - 3000K WARM WHITE 10280 - 4000K DAY WHITE	VT-42024	Black	23W	2850	2066x150x26mm

MAGNETIC TRACKLIGHTS-GRILLE LIGHT


- DC:48V Input Voltage
- 5W=39°/12-22W=35° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating





03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10234 - 3000K WARM WHITE 10233 - 4000K DAY WHITE 10235 - 6400K WHITE	VT-4225	Black	5W	550	160x26x24	100
10237 - 3000K WARM WHITE 10236 - 4000K DAY WHITE 10238 - 6400K WHITE	VT-4212	Black	12W	1100	273x26x24	50
10240 - 3000K WARM WHITE 10239 - 4000K DAY WHITE 10241 - 6400K WHITE	VT-4222	Black	22W	1900	501x26x24	50

MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE






- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10258 - 3000K WARM WHITE 10257 - 4000K DAY WHITE 10259 - 6400K WHITE	VT-4205	Black	5W	600	145x33x52	30
10261 - 3000K WARM WHITE 10260 - 4000K DAY WHITE 10262 - 6400K WHITE	VT-42012	Black	12W	1300	260x33x52	30

MAGNETIC LINEAR TRACK LIGHTS






- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating


03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10243 - 3000K WARM WHITE 10242 - 4000K DAY WHITE 10244 - 6400K WHITE	VT-4211	Black	14W	1500	278x26x24	50
10246 - 3000K WARM WHITE 10245 - 4000K DAY WHITE 10247 - 6400K WHITE	VT-4218	Black	18W	2000	385x26x24	50
10249 - 3000K WARM WHITE 10248 - 4000K DAY WHITE 10250 - 6400K WHITE	VT-42022	Black	22W	2500	615x26x24	50

MAGNETIC TACKLIGHT-L SHAPE






03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRi
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10267 - 3000K WARM WHITE 10266 - 4000K DAY WHITE 10268 - 6400K WHITE	VT-42025	25W	2850	280x255x24	20

MAGNETIC TACKLIGHT-PENDANT





03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 30° Beam Angle
- >80 CRi
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10264 - 3000K WARM WHITE 10263 - 4000K DAY WHITE 10265 - 6400K WHITE	VT-4214	14W	1600	40x128x1155	35

COB MAGNETIC TACKLIGHTS






03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRi
- Aluminium Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10252 - 3000K WARM WHITE 10251 - 4000K DAY WHITE 10253 - 6400K WHITE	VT-42010	11W	1300	46x128x176	30
10255 - 3000K WARM WHITE 10254 - 4000K DAY WHITE 10256 - 6400K WHITE	VT-4221	20W	2200	56x128x210	30

MAGNETIC LINEAR SPOTLIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7958 | 3000K WARM WHITE 7959 | 4000K DAY WHITE	VT-4141	1W	35	45x35x59mm	40

MAGNETIC LINEAR SPOTLIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7960 | 3000K WARM WHITE 7961 | 4000K DAY WHITE	VT-4143	3W	240	106x35x59mm	36

MAGNETIC LINEAR TRACK LIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7962 | 3000K WARM WHITE 7963 | 4000K DAY WHITE	VT-4210	10W	700	137x35x180mm	16

MAGNETIC LINEAR TRACK LIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7964 | 3000K WARM WHITE 7965 | 4000K DAY WHITE	VT-4220	20W	1200	270x35x180mm	8

MAGNETIC SPOTLIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 36° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7966 | 3000K WARM WHITE 7967 | 4000K DAY WHITE	VT-4215	15W	900	166x100x55mm	16

MAGNETIC PENDANT LIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

UGR <19

- DC:24V Input Voltage
- 36° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7968 | 3000K WARM WHITE 7969 | 4000K DAY WHITE	VT-4315	15W	1000	300x55mm	12

MAGNETIC LINEAR LIGHT






03 YEAR WARRANTY

CRI 90

DC 24V

- DC:24V Input Voltage
- 100° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7954 | 3000K WARM WHITE 7955 | 4000K DAY WHITE	VT-4121	20W	1600	652x35x59mm	12
7956 | 3000K WARM WHITE 7957 | 4000K DAY WHITE	VT-4131	30W	2700	970x35x59mm	12

Accessories for DC:48V



Drivers-100W - DC:48V

SKU	Box Qty
10272	50



Drivers-200W -DC:48V

SKU	Box Qty
10273	50



I Shape Straight Connector

SKU	Box Qty
10269	200




I Shape Right Angle Turn Connector

SKU	Box Qty
10270	200



L Shape Connector

SKU	Box Qty
10271	30



Ultra Thin Magnetic Track Rail-1M

SKU	Box Qty
10232	25

Accessories for DC:24V



Track Rail-0.5M

SKU	Box Qty
7950	9



Track Rail-1M

SKU	Box Qty
7951	9



Track Rail-1.5M

SKU	Box Qty
7953	6



Track Rail-2M

SKU	Box Qty
7952	6



Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75



Track Connector

SKU	Box Qty
7971	180



90'D Corner Connector

SKU	Box Qty
7972	27



Outer Corner Connector

SKU	Box Qty
7973	27



Cross Connector

SKU	Box Qty
7974	36



T Type Connector

SKU	Box Qty
7975	36



Pendant Track Rail Accessory

SKU	Box Qty
7977	150



Track Cover

SKU	Box Qty
7978	200



Live End Connector

SKU	Box Qty
7979	200



100W Transformer - DC:24V

SKU	Box Qty
11144	30



200W Transformer - DC:24V

SKU	Box Qty
11145	30

V-TAC

Meaningful Innovation.



COB Downlights

Swap out antiquated CFL Lights with high-quality for achieve long-lasting and energy-efficient lighting. Choose from a wide range of 3w to 40w variations.

Key Features

- Innumerable styles & elegant appearance
- flicker-free
- Premium quality power drivers with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance


COB DOWNLIGHT



AC:100-240V,50/60Hz
25° Beam Angle
>0.7 PF
>90 CRi
IP20 Rating

3-IN-1 COLOR CHANGING

CRI 90



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10578 - 3IN1	VT-2512-B	12W	785	Ø120x43	20
10580 - 3IN1	VT-2520-B	20W	1408	Ø165x50	20
10582 - 3IN1	VT-2532-B	28W	2500	Ø200x58	10


COB DOWNLIGHT



AC:100-240V,50/60Hz
25° Beam Angle
>0.7 PF
>90 CRi
IP20 Rating

3-IN-1 COLOR CHANGING

CRI 90



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10579 - 3IN1	VT-2512-W	12W	785	Ø120x43	20
10581 - 3IN1	VT-2520-W	20W	1408	Ø165x50	20
10583 - 3IN1	VT-2532-W	28W	2500	Ø200x58	10


COB DOWNLIGHT-SURFACE



- AC:100-240V,50/60Hz
- 90° Beam Angle
- >0.7 PF
- >90 CRi
- IP20 Rating

3-IN-1 COLOR CHANGING

CRI 90



SKU	Model	Watts	Lumens	Size(mm)
23156 - 3IN1	VT-2825-B	20W	1408	Ø148x75
23158 - 3IN1	VT-2833-B	28W	2500	Ø178x87


COB DOWNLIGHT-SURFACE



- AC:100-240V,50/60Hz
- 90° Beam Angle
- >0.7 PF
- >90 CRi
- IP20 Rating

3-IN-1 COLOR CHANGING

CRI 90



SKU	Model	Shape	Watts	Lumens	Size(mm)
23155 - 3IN1	VT-2825-W		20W	1408	Ø148x75
23157 - 3IN1	VT-2833-W		28W	2500	Ø178x87

LED DUAL WALL LIGHT





- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRi
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211489 - 3000K WARM WHITE	VT-2963-N	3+6W	180+500	140x30	30

LED DUAL WALL LIGHT





- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRi
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211488 - 3000K WARM WHITE	VT-2953-N	3+6W	180+500	300x50x35	30

LED WALL LIGHT





- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211485 - 3000K WARM WHITE	VT-2903-N	3W	150	80x80x25	40

LED WALL LIGHT





- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211486 - 3000K WARM WHITE	VT-2913-N	3W	180	90x60x30	40

LED WALL LIGHT WITH SWITCH & USB PORT





- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211487 - 3000K WARM WHITE	VT-2943-N	3W	150	120x120x45	20

HIGH LUMEN REFLECTOR COB DOWNLIGHTS



120 LUMEN/W

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- PKW Body
- 20,000 hr lifespan
- IP20 Rating



Cutting Size
Ø207mm

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
211277 - 4000K DAY WHITE 211278 - 6500K WHITE	VT-26301-N	30W	3100	Ø220x103	Ø207	12
211279 - 4000K DAY WHITE 211280 - 6400K WHITE	VT-26451-N	40W	4200	Ø220x103	Ø207	12

COB FIRE RATED DOWNLIGHT WITH WHITE BEZEL

3 BEZELS
INTERCHANGEABLE (OPTIONAL)






- AC:220-240V,50Hz
- 38° Beam Angle
- Aluminium Body
- 30,000 hr lifespan
- IP65 Rating

Quick CONNECTOR

Fire Rated 30-60-90 MIN

05 YEAR WARRANTY

IP65 RATING



SMART V-TAC
CCT AND DIMMING VIA SMART PHONE APP

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1424 - 3 IN 1	VT-7710	10W	850	Ø83x57	40
1426	1426	Brush Nickel Bezel			100
1427	1427	Chrome Bezel			100

V-TAC
Meaningful Innovation.



LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Key Features

- flicker-free
- No UV radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0–100% in 0.01 seconds
- Extreme weather toleration (-20°C to +45°C)

NEW LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23585 - 3IN1	VT-8559-W	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

NEW LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23586 - 3IN1	VT-8559-WG	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

NEW LED DOME LIGHT PLUM BLOSSOM COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23587 - 3IN1	VT-8561	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø400x70	5
23588 - 3IN1	VT-8562	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø500x85	5

NEW LED DOME LIGHT ELEGANT WHITE COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23589 - 3IN1	VT-8563	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø395x66	5
23590 - 3IN1	VT-8564	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x66	6

NEW LED DOME LIGHT VICTORY WHITE COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23591 - 3IN1	VT-8565	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø390x80	5
23592 - 3IN1	VT-8566	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x85	5

NEW LED DOME LIGHT PHANTOM COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23593 - 3IN1	VT-8567	3000K- 20W 4000K- 40W 6500K- 20W	4000	450x455x65	5
23594 - 3IN1	VT-8568	3000K- 30W 4000K- 60W 6500K- 30W	6000	550x65x538	5

NEW **LED** DOME LIGHT BEEHIVE COVER WITH REMOTE CONTROL



DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23595 - 3IN1	VT-8569	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø490x70	5

LED DOME LIGHTS -WHITE FRAME



IP44 RATING

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76151 - 3000K WARM WHITE 76161 - 4000K DAY WHITE 76171 - 6500K WHITE	VT-8618W-RD-N	Round	18W	1830	Ø250x63
76181 - 3000K WARM WHITE 76191 - 4000K DAY WHITE 76201 - 6500K WHITE	VT-8624W-RD-N	Round	24W	2500	Ø295x60
76211 - 3000K WARM WHITE 76221 - 4000K DAY WHITE 76231 - 6500K WHITE	VT-8630W-RD-N	Round	36W	3820	Ø350x61
76241 - 3000K WARM WHITE 76251 - 4000K DAY WHITE 76261 - 6500K WHITE	VT-8618W-SQ-N	Square	18W	1830	250x250x65
76271 - 3000K WARM WHITE 76281 - 4000K DAY WHITE 76291 - 6500K WHITE	VT-8624W-SQ-N	Square	24W	2500	295x295x65
76301 - 3000K WARM WHITE 76311 - 4000K DAY WHITE 76321 - 6500K WHITE	VT-8630W-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS - BLACK FRAME



IP44 RATING

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76331 - 3000K WARM WHITE 76341 - 4000K DAY WHITE 76351 - 6500K WHITE	VT-8618B-RD-N	Round	18W	1830	Ø250x63
76361 - 3000K WARM WHITE 76371 - 4000K DAY WHITE 76381 - 6500K WHITE	VT-8624B-RD-N	Round	24W	2500	Ø295x60
76391 - 3000K WARM WHITE 76401 - 4000K DAY WHITE 76411- 6500K WHITE	VT-8630B-RD-N	Round	36W	3820	Ø350x61
76421 - 3000K WARM WHITE 76431 - 4000K DAY WHITE 76441 - 6500K WHITE	VT-8618B-SQ-N	Square	18W	1830	250x250x65
76451 - 3000K WARM WHITE 76461 - 4000K DAY WHITE 76471 - 6500K WHITE	VT-8624B-SQ-N	Square	24W	2500	295x295x65
76481 - 3000K WARM WHITE 76491 - 4000K DAY WHITE 76501 - 6500K WHITE	VT-8630B-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



REMOTE CONTROL

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76591 - 3000K WARM WHITE 76601 - 4000K DAY WHITE 76611 - 6500K WHITE	VT-8618S-W-RD-N	Round	18W	1830	Ø295x60
76621 - 3000K WARM WHITE 76631 - 4000K DAY WHITE 76641 - 6500K WHITE	VT-8624S-W-RD-N	Round	24W	2500	Ø350x61
76651 - 4000K DAY WHITE	VT-8630S-W-RD-N	Round	36W	3820	Ø420x65
76661 - 4000K DAY WHITE	VT-8618SW-SQ-N	Square	18W	1830	295x295x65
76681 - 4000K DAY WHITE	VT-8630SW-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS WITH SENSOR - BLACK FRAME



REMOTE CONTROL

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76691 - 4000K DAY WHITE	VT-8618S-B-RD-N	Round	18W	1830	Ø295x60
76701 - 4000K DAY WHITE	VT-8624S-B-RD-N	Round	24W	2500	Ø350x61
76711 - 4000K DAY WHITE	VT-8630S-B-RD-N	Round	36W	3820	Ø420x65
76721 - 4000K DAY WHITE	VT-8618S-B-SQ-N	Square	18W	1830	295x295x65
76741 - 4000K DAY WHITE	VT-8630S-B-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS -WHITE FRAME



IP44 RATING

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7621 - 3000K WARM WHITE	VT-8630W-RD	Round	30W	3000	Ø420
7624 - 3000K WARM WHITE 7626 - 6500K WHITE	VT-8618W-SQ	Square	18W	1800	225x225
7629 - 6500K WHITE	VT-8624W-SQ	Square	24W	2400	295x295
7630 - 3000K WARM WHITE 7632 - 6500K WHITE	VT-8630W-SQ	Square	30W	3000	420x420

LED DOME LIGHTS - BLACK FRAME



IP44 RATING

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7643 - 4000K DAY WHITE	VT-8618B-SQ	Square	18W	1800	225x225
7647 - 6500K WHITE	VT-8624B-SQ	Square	24W	2400	295x295
7633 - 3000K WARM WHITE	VT-8618B-RD	Round	18W	1800	Ø225

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7659 - 3000K WARM WHITE	VT-8618S-W-RD	Round	18W	1800	Ø225
7665 - 4000K DAY WHITE	VT-8630S-W-RD	Round	30W	3000	Ø420
7667 - 4000K DAY WHITE	VT-8624S-W-SQ	Square	24W	2400	295x295

LED DOME LIGHTS WITH SENSOR - BLACK FRAME



IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7673 - 4000K DAY WHITE	VT-8624S-B-SQ	Square	24W	2400	295x295

LED DOME LIGHT STARRY COVER



3-IN-1 COLOR CHANGING

CCT EASY TOGGLE SWITCH

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217602 - 3IN1	VT-8412-S-N	12W	1200	Ø260x55	5
217604 - 3IN1	VT-8418-S-N	18W	1800	Ø310x55	5
217606 - 3IN1	VT-8424-S-N	24W	2600	Ø350x55	5
217608 - 3IN1	VT-8436-S-N	36W	3900	Ø500x80	5

LED DOME LIGHT MILKY COVER



3-IN-1 COLOR CHANGING

CCT EASY TOGGLE SWITCH

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217603 - 3IN1	VT-8412-M-N	12W	1200	Ø260x55	5
217605 - 3IN1	VT-8418-M-N	18W	1800	Ø310x55	5
217607 - 3IN1	VT-8424-M-N	24W	2600	Ø350x55	5
217609 - 3IN1	VT-8436-M-N	36W	3900	Ø500x80	5

LED DOME LIGHT WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- PMMA+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
76011 - 3IN1	VT-8473	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø480x75	6

LED DOME LIGHT STARRY COVER WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114741- 3IN1	VT-8401-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø465x75	10
2114551- 3IN1	VT-8555-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø565x75	5
2114951- 3IN1	VT-8472-N	3000K- 36W 4000K- 72W 6400K- 36W	7200	Ø670x80	5

LED DOME LIGHT DIAMOND COVER WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114931 - 3IN1	VT-8404-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø388.5x75	5
2114921- 3IN1	VT-8557-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114941- 3IN1	VT-8405-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø393x80	5
2114911 - 3IN1	VT-8556-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø493.9x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114761- 3IN1	VT-8402-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø410x75	10
2114751- 3IN1	VT-8502-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø510x80	6

LED DOME LIGHT WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114601- 3IN1	VT-8403-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø395x80	5
2114611- 3IN1	VT-8503-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x90	5

LED DOME LIGHT WITH REMOTE CONTROL



AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114621- 3IN1	VT-8504-N	3000K- 30W 4000K- 60W 6500K- 30W	3000K | 2100 4000K | 4200 6500K | 2100	Ø500x85	5

LED ROUND DOMELIGHTS-BULKHEAD



IP54 RATING

- AC:220-240V,50/60Hz
- 110° Beam Angle
- >0.7 PF
- >80 CRi
- 25,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10195 - 3000K WARM WHITE 10196 - 4000K DAY WHITE 10197 - 6500K WHITE	VT-8095	12W	1160	151x38	80
10198 - 3000K WARM WHITE 10199 - 4000K DAY WHITE 10200 - 6500K WHITE	VT-8096	18W	1820	195x38	40
23596 - 3000K WARM WHITE 23597 - 4000K DAY WHITE 23598 - 6500K WHITE	VT-80024	24W	2500	240x38	

LED OVAL DOME LIGHTS



IP54 RATING

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >70 CRi
- PC+PC Body
- 20,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1267 - 3000K WARM WHITE 1268 - 6400K WHITE	VT-8014-OV-B	8W	560	Ø126x76	10
1350 - 3000K WARM WHITE 4973 - 4000K DAY WHITE 1269 - 6400K WHITE	VT-8010-B	12W	840	Ø242x96	10
1264 - 3000K WARM WHITE 1263 - 4000K DAY WHITE 1265 - 6400K WHITE	VT-8014-OV-W	8W	560	Ø126x76	10

LED ROUND DOME LIGHTS



IP54 RATING

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >70 CRi
- PC+PC Body
- 20,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4999 - 3000K WARM WHITE 4997 - 6400K WHITE	VT-8014-RD-W	8W	560	Ø180x82	10
4998 - 3000K WARM WHITE 5050 - 4000K DAY WHITE	VT-8015-W	12W	840	Ø220x105	10
1261 - 3000K WARM WHITE 1262 - 6400K WHITE	VT-8014-RD-B	8W	560	Ø180x82	10
1349 - 3000K WARM WHITE 5052 - 4000K DAY WHITE	VT-8015-B	12W	840	Ø220x105	10

LED DOME LIGHTS WITH SENSOR



Detection Range:	180°/ 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Wall 5-15 Meters,Ceiling 2-8 Meters Adjustable
Ambient Light:	5lux,15lux,50lux,2000lux optional
Body Type:	PC
Dimension:	300x87
Time Delay:	10s,90s,3min,10min optional

IP66 RATING

MICROWAVE SENSOR

3-IN-1 COLOR CHANGING

SKU	Model	Shape	Watts	Lumens	Size(mm)
23160 - 3IN1	VT-8222	Round	20W	1850	300x87

V-TAC

Meaningful Innovation.



LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Key Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle on select models
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

NEW LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT





AC:220-260V, 50Hz

120° Beam Angle


>80 CRi

Steel+Acrylic Body

IP20 IP Rating

USB PORT

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
23405 - 3000K WARM WHITE	VT-10111	8W	900	Black	265x155x98mm

NEW LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT





AC:220-260V, 50Hz

120° Beam Angle


>80 CRi

Steel+Acrylic Body

IP20 IP Rating

USB PORT

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23406 - 3000K WARM WHITE	VT-10112	8W	900	Black	265x140x88mm	

LED ROTATABLE WALL LIGHTS







AC:220-240V,50/60Hz

350° Beam Angle


>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2934 - 3000K WARM WHITE 2935 - 4000K DAY WHITE	VT-11020-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2936 - 3000K WARM WHITE 2937 - 4000K DAY WHITE	VT-11020-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS-SENSOR







AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2938 - 3000K WARM WHITE 2939 - 4000K DAY WHITE	VT-11020S-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2940 - 3000K WARM WHITE 2941 - 4000K DAY WHITE	VT-11020S-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS





AC:220-240V,50/60Hz

350° Beam Angle


>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING


ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2942 - 3000K WARM WHITE 2943 - 4000K DAY WHITE	VT-11020-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2944 - 3000K WARM WHITE 2945 - 4000K DAY WHITE	VT-11020-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTATABLE WALL LIGHTS-SENSOR





AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2946 - 3000K WARM WHITE 2947 - 4000K DAY WHITE	VT-11020S-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2948 - 3000K WARM WHITE 2949 - 4000K DAY WHITE	VT-11020S-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12


LED ROTATABLE WALL LIGHTS





AC:220-240V,50/60Hz
350° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING
ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2950 - 3000K WARM WHITE 2951 - 4000K DAY WHITE	VT-11020-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2952 - 3000K WARM WHITE 2953 - 4000K DAY WHITE	VT-11020-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12


LED ROTATABLE WALL LIGHTS-SENSOR





AC:220-240V,50/60Hz
350° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING
ADJUSTABLE ANGLE
PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2954 - 3000K WARM WHITE 2955 - 4000K DAY WHITE	VT-11020S-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2956 - 3000K WARM WHITE 2957 - 4000K DAY WHITE	VT-11020S-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTATABLE WALL LIGHTS-SWITCH





AC:220-240V,50Hz

120° Beam Angle

>90 CRI


Aluminium Body

IP20 IP Rating









SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10447 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-W	5W	600	White	153x183x185	20
10448 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-B	5W	600	Black	153x183x185	20

LED ROTATABLE WALL LIGHTS-2WAY







AC:220-240V,50/60Hz


90° Beam Angle

Aluminium+Glass Body

IP44 IP Rating







SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10473 - 3000K WARM WHITE 23049 - 4000K DAY WHITE	VT-1186-B	6W	620	Black	172x105x253	4
10474 - 3000K WARM WHITE 23050 - 4000K DAY WHITE	VT-1186-W	6W	620	White	172x105x253	4


LED SINGLE HEAD ROTATABLE WALL LIGHTS





AC:220-240V,50/60Hz
350° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING
ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218286 - 3000K WARM WHITE 218287 - 4000K DAY WHITE	VT-816-W-N	6W	800	White	110x54x97	20
218288 - 3000K WARM WHITE 218289 - 4000K DAY WHITE	VT-816-B-N	6W	800	Black	110x54x97	20
218291 - 4000K DAY WHITE	VT-816-G-N	6W	800	Grey	110x54x97	20


LED DOUBLE HEAD ROTATABLE WALL LIGHTS





AC:110-240V,50/60Hz
350° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING
ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218292 - 3000K WARM WHITE	VT-814-W-N	12W	1444	White	230x54x97	20
8293 - 3000K WARM WHITE	VT-814-B	12W	1320	Black	230x54x97	20

LED UP-DOWN WALL LIGHTS







- AC:220-240V,50Hz
- 120° Beam Angle
- >0.45 PF
- >80 CRI
- Aluminium Body
- IP54 IP Rating

IP54 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218684 - 4000K DAY WHITE	VT-815-B-N	10W	1280	Black	200x130x100	20
218683 - 4000K DAY WHITE	VT-815-W-N	10W	1280	White	200x130x100	20

LED WALL LIGHTS





- AC:220-240V,50/60Hz
- 41° Beam Angle
- >0.4 PF
- >80 CRI
- Nylon Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218561 - 3000K WARM WHITE 218563 - 6500K WHITE	VT-844-B-N	4W	400	Black	83x123x30	10
218560 - 3000K WARM WHITE 218562 - 6500K WHITE	VT-844-W-N	4W	400	White	83x123x30	10


LED WALL LIGHTS





AC:220-240V,50/60Hz
128° Beam Angle
>0.6 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218609 - 3000K WARM WHITE	VT-831-CRD-N	7W	610	Round	Ø133x67	20
218610 - 3000K WARM WHITE	VT-831-CSQ-N	7W	670	Square	133x133x67	20
218537 - 3000K WARM WHITE 218538 - 4000K DAY WHITE	VT-827-RD-N	12W	1155	Round	Ø169x100	20
218539 - 3000K WARM WHITE 218540 - 4000K DAY WHITE	VT-827-SQ-N	12W	1160	Square	169x169x100	20


LED WALL LIGHTS





AC:220-240V,50/60Hz
128° Beam Angle
>0.6 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218612 - 3000K WARM WHITE	VT-831-SQ-N	7W	610	Square	133x133x67	20
8541 - 3000K WARM WHITE	VT-828-RD	12W	900	Round	Ø169x100	20
218543 - 3000K WARM WHITE 218544 - 4000K DAY WHITE	VT-828-SQ-N	12W	1250	Square	169x169x100	20


LED OUTDOOR BOLLARD LAMP





- AC:100-240V,50/60Hz
- 72° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
128317 - 4000K DAY WHITE 128318 - 6400K WHITE	VT-830-W-N	10W	1000	White	Ø148x250 mm	8
128319 - 3000K WARM WHITE 128320 - 4000K DAY WHITE 128321 - 6400K WHITE	VT-830-G-N	10W	1000	Grey	Ø148x250 mm	8
128322 - 3000K WARM WHITE 128324 - 6400K WHITE	VT-830-B-N	10W	1000	Black	Ø148x250 mm	8

LED OUTDOOR BOLLARD LAMP








- AC:220-240V,50Hz
- 110° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8327 - 6400K WHITE	VT-820-W	10W	450	White	Ø148x800 mm	4
128325 - 3000K WARM WHITE 128326 - 4000K DAY WHITE	VT-820-W-N	10W	1000	White	Ø148x800 mm	4
128333 - 6400K WHITE	VT-820-B-N	10W	1000	Black	Ø148x800 mm	4

LED OUTDOOR BOLLARD LAMP





AC:220-240V,50/60Hz

180° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218682 - 4000K DAY WHITE	VT-896-B-N	6W	810	Black	150x95x805	20
8681 - 4000K DAY WHITE	VT-896-G	7W	750	Grey	150x95x805	20
218681 - 4000K DAY WHITE	VT-896-G-N	6W	810	Grey	95x150x805	20

LED BOLLARD LIGHTS







AC:220-240V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRi

Die Cast Aluminium+PC Body

IP65 IP Rating



03 YEAR WARRANTY

IP65 RATING

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20116 | 3000K WARM WHITE 20117 | 4000K DAY WHITE 20118 | 6400K WHITE	VT-33-White	10W	900	White	163x57x800mm	5
20113 | 3000K WARM WHITE 20115 | 6400K WHITE	VT-33-Black	10W	650	Black	163x57x800mm	5
2120114 | 4000K DAY WHITE	VT-33-Black-N	10W	650	Black	163x57x800mm	5


LED UP-DOWN WALL LIGHTS





- AC:220-240V,50Hz
- Up150° / Down150° Beam Angle
- >0.6 PF
- >80 CRI
- Aluminium Body
- IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218615 - 3000K WARM WHITE 218616 - 4000K DAY WHITE	VT-846-B-N	5W	630	Black	170x40x80	20
218613 - 3000K WARM WHITE 218614 - 4000K DAY WHITE	VT-846-W-N	5W	630	White	170x40x80	20
218619 - 3000K WARM WHITE 218620 - 4000K DAY WHITE	VT-848-B-N	7W	3000K-870lm 4000K-940lm	Black	220x48x90	20
218617 - 3000K WARM WHITE 218618 - 4000K DAY WHITE	VT-848-W-N	7W	3000K-870lm 4000K-940lm	White	220x48x90	20


LED WALL LIGHTS





- AC:220-240V, 50Hz
- 167° Beam Angle
- >80 CRI
- PC Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10284 - 3000K WARM WHITE 10285 - 4000K DAY WHITE	VT-732-B	8W	750	Brown	120x120x92	20


LED WALL LIGHTS





AC:220-240V, 50Hz
167° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10282 - 3000K WARM WHITE 10283 - 4000K DAY WHITE	VT-708	8W	750	Brown	120x120x92	20


LED WALL LIGHTS





AC:100-240V,50/60Hz
170° Beam Angle
>0.5 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218334 - 3000K WARM WHITE 218335 - 4000K DAY WHITE	VT-822-W-N	12W	1250	White	130x108x160mm	20
8338 - 4000K DAY WHITE	VT-822-G	12W	750	Grey	130x108x160mm	20
218338 - 4200K DAY WHITE	VT-822-G-N	12W	1350	Grey	130x108x160mm	20
218341 - 4000K DAY WHITE	VT-822-B-N	12W	1350	Black	130x108x160mm	20

LED UP-DOWN WALL LIGHTS





AC:220-240V,50/60Hz

Adjustable 5°-120° Beam Angle


>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217079 - 3000K WARM WHITE 217088 - 4000K DAY WHITE	VT-759-W-N	5W	700	White	100x100x100	20
217078 - 3000K WARM WHITE 217087 - 4000K DAY WHITE	VT-759-B-N	5W	700	Black	100x100x100	20
217080 - 3000K WARM WHITE 217089 - 4000K DAY WHITE	VT-759-G-N	5W	700	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS





AC:200-240V, 50Hz


Adjustable 5°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6820 - 3000K WARM WHITE	VT-759-12-C	11W	1360	Corten	100x100x100	20
218527 - 3000K WARM WHITE 218528 - 4000K DAY WHITE	VT-759-12-W-N	11W	1360	White	100x100x100	20
218529 - 3000K WARM WHITE 218530 - 4000K DAY WHITE	VT-759-12-B-N	11W	1360	Black	100x100x100	20
218531 - 3000K WARM WHITE 218532 - 4000K DAY WHITE	VT-759-12-G-N	11W	1360	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS








- AC:200-240V, 50Hz
- 90° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating


IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10443 - 3000K WARM WHITE 10444 - 4000K DAY WHITE	VT-1179-W	5W	500	White	90x70x130	20
10445 - 3000K WARM WHITE 10446 - 4000K DAY WHITE	VT-1179-B	5W	500	Black	90x70x130	20
23007 - 3000K WARM WHITE	VT-7504-B	10W	950	Black	135x100	10
23008 - 3000K WARM WHITE	VT-7504-W	10W	950	White	135x100	10


LED 4 SIDES LIGHT WALL LIGHTS





- AC:220-240V,50/60Hz
- 4*60° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium+Acrylic Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218209 - 3000K WARM WHITE 218210 - 4000K DAY WHITE	VT-704-W-N	4W	428	White	150x150x50	20
218211 - 3000K WARM WHITE	VT-704-B-N	4W	428	Black	150x150x50	20

LED 4 SIDES LIGHT WALL LIGHTS





AC:220-240V,50/60Hz

4*60° Beam Angle


>0.5 PF

>80 CRI

Aluminium+Acrylic Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8213 - 3000K WARM WHITE 8214 - 4000K DAY WHITE	VT-706-W	4W	440	White	150x50	20
218215 - 3000K WARM WHITE	VT-706-B-N	4W	428	Black	150x50	20

LED 4 SIDES LIGHT WALL LIGHTS





AC:220-240V,50/60Hz

4*90° Beam Angle


>0.45 PF

>80 CRI

Aluminium Body


IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8551 - 3000K WARM WHITE 8552 - 4000K DAY WHITE	VT-834-W	4W	440	White	Ø112	20
218553 - 3000K WARM WHITE 218554 - 4000K DAY WHITE	VT-834-B-N	4W	428	Black	Ø112	20


LED WALL LIGHTS





AC:220-240V,50/60Hz
110° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8281 - 4000K DAY WHITE	VT-825-W	5W	550	White	170x170x75	20
218280 - 3000K WARM WHITE	VT-825-W-N	5W	568	White	170x170x75	20
218282 - 3000K WARM WHITE 218283 - 4000K DAY WHITE	VT-825-B-N	5W	568	Black	170x170x75	20
218284 - 3000K WARM WHITE 218285 - 4000K DAY WHITE	VT-825-G-N	5W	3000K-568lm 4000K-645lm	Grey	170x170x75	20


LED UP-DOWN WALL LIGHTS





AC:220-240V,50/60Hz
Up15°-Down120° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218295 - 3000K WARM WHITE	VT-826-W-N	6W	450	White	90x200x90	20
218297 - 3000K WARM WHITE 218298 - 4000K DAY WHITE	VT-826-B-N	6W	3000K-450lm 4000K-476lm	Black	90x200x90	20
218299 - 3000K WARM WHITE	VT-826-G-N	6W	450	Grey	90x200x90	20

LED UP-DOWN WALL LIGHTS





AC:220-240V,50/60Hz


Adjustable 0°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2975 - 3000K WARM WHITE 2976 - 4000K DAY WHITE	VT-8125-W	24W	2720	White	200x100x100	10
2977 - 3000K WARM WHITE 2978 - 4000K DAY WHITE	VT-8125-B	24W	2720	Black	200x100x100	10
2979 - 3000K WARM WHITE 2980 - 4000K DAY WHITE	VT-8125-G	24W	2720	Grey	200x100x100	10

LED UP-DOWN WALL LIGHTS





AC:220-240V,50/60Hz

Adjustable 5°-120° Beam Angle


>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217082 - 3000K WARM WHITE 217091 - 4000K DAY WHITE	VT-756-W-N	5W	700	White	140x115x100	20
217081 - 3000K WARM WHITE 217090 - 4000K DAY WHITE	VT-756-B-N	5W	700	Black	140x115x100	20
7083 - 3000K WARM WHITE	VT-756-G	6W	660	Grey	140x115x100	20
217092 - 4000K DAY WHITE	VT-756-G-N	5W	700	Grey	140x115x100	20


LED CEILING-BLADE LIGHTS





AC:220-240V,50/60Hz
360° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8218 - 4000K DAY WHITE	VT-707-W	7W	770	White	110x120x170	20
218217 - 3000K WARM WHITE	VT-707-W-N	6W	645	White	110x120x170	20
8219 - 3000K WARM WHITE 8220 - 4000K DAY WHITE	VT-707-B	7W	770	Black	110x120x170	20


LED UP-DOWN WALL LIGHTS





AC:220-240V,50/60Hz
Up-Down 90° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218301 - 3000K WARM WHITE 218302 - 4000K DAY WHITE	VT-836-W-N	4W	476	White	112x112x93	20
8303 - 3000K WARM WHITE 8304 - 4000K DAY WHITE	VT-836-B	6W	660	Black	112x112x93	20
218305 - 3000K WARM WHITE 218306 - 4000K DAY WHITE	VT-836-G-N	6W	476	Grey	112x112x93	20

COB UP-DOWN WALL LIGHTS





AC:100-265V,50/60Hz

60° Beam Angle


>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23028 - 3000K WARM WHITE 23030 - 4000K DAY WHITE	VT-2503-B	2W	200	Black	50x40x40	100
23029 - 3000K WARM WHITE 23031 - 4000K DAY WHITE	VT-2503-W	2W	200	White	50x40x40	100

COB UP-DOWN WALL LIGHTS





AC:100-265V,50/60Hz

60° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10584 - 3000K WARM WHITE 10586 - 4000K DAY WHITE	VT-2502-B	2W	200	Black	42x40	100
10585 - 3000K WARM WHITE 10587 - 4000K DAY WHITE	VT-2502-W	2W	200	White	42x40	100

COB 4 SIDES LIGHT WALL LIGHTS





AC:100-265V,50/60Hz

60° Beam Angle


>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10588 - 3000K WARM WHITE 10590 - 4000K DAY WHITE	VT-2544-B	4W	390	Black	50x50x30	100
10589 - 3000K WARM WHITE 10591 - 4000K DAY WHITE	VT-2544-W	4W	390	White	50x50x30	100


LED CEILING & WALL LIGHTS






AC:220-240V,50/60Hz
360° Beam Angle
>0.55 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7525 - 4000K DAY WHITE	VT-741	6W	660	White	Ø135	20
217524 - 3000K WARM WHITE	VT-741-N	5W	710	White	Ø135	20
217527 - 4000K DAY WHITE	VT-743-N	8W	1280	White	Ø180	20

LED CEILING & WALL LIGHTS






AC:220-240V,50Hz
105° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING

DIMMABLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7853 - 3IN1	VT-83012-B	12W	1200	Black	160x160x60	20
7854 - 3IN1	VT-83012-W	12W	1200	White	160x160x60	20


LED CEILING & WALL LIGHTS





AC:220-240V,50/60Hz
105° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6787 - 3000K WARM WHITE 6788 - 4000K DAY WHITE	VT-8612-B	12W	1200	Black	160x160x60	50
6785 - 3000K WARM WHITE 6786 - 4000K DAY WHITE	VT-8612-W	12W	1200	White	160x160x60	50

LED UP-DOWN WALL LIGHTS






AC:220-240V,50Hz

340° Beam Angle

>80 CRI

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10559 - 3000K WARM WHITE 10560 - 4000K DAY WHITE	VT-1189	12W	1250	Black	160x65x200	

LED UP-DOWN WALL LIGHTS






AC:200-240V,50Hz

100° Beam Angle

>80 CRI

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10564 - 3000K WARM WHITE 23027 - 4000K DAY WHITE	VT-1192	15W	1950	Black	160x165x164	

LED OUTDOOR WALL LIGHTS






AC:220-240V,50Hz

140° Beam Angle

>80 CRI

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10558 - 3000K WARM WHITE	VT-1188	20W	2300	Black	200x50x400	


LED OUTDOOR WALL LIGHTS





AC:200-240V,50Hz
350° Beam Angle
>80 CRI
IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10562 - 3000K WARM WHITE 10563 - 4000K DAY WHITE	VT-1191	15W	1650	Black	330x150x44	

LED LINEAR WALL LIGHTS






AC:220-240V,50Hz
150° Beam Angle
>90 CRI
Aluminium Body
IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10427 - 3000K WARM WHITE 10428 - 4000K DAY WHITE	VT-1173-B	10W	1250	Black	510x60x50	20
10429 - 3000K WARM WHITE 10430 - 4000K DAY WHITE	VT-1173-A	10W	1250	Anthracite	510x60x50	20
10431 - 3000K WARM WHITE 23022 - 4000K DAY WHITE	VT-1176-B	16W	2035	Black	1010x60x50	10
10434 - 3000K WARM WHITE 10435 - 4000K DAY WHITE	VT-1176-A	16W	2035	Anthracite	1010x60x50	10
10436 - 3000K WARM WHITE 10437 - 4000K DAY WHITE	VT-1178-B	23W	2875	Black	1410x60x50	10
10438 - 3000K WARM WHITE 10439 - 4000K DAY WHITE	VT-1178-A	23W	2875	Anthracite	1410x60x50	10

LED OUTDOOR WALL LIGHTS





AC:220-240V,50/60Hz


>90 CRI

Aluminium Body

IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6828 - 3000K WARM WHITE 6829 - 4000K DAY WHITE	VT-11117-C	17W	2160	Corten	85x54x625	10
6830 - 3000K WARM WHITE 6831 - 4000K DAY WHITE	VT-11117-B	17W	2160	Black	85x54x625	10

LED OUTDOOR WALL LIGHTS





AC:220-240V,50/60Hz

120° Beam Angle


>90 CRI

Aluminium Body

IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6832 - 3000K WARM WHITE 6833 - 4000K DAY WHITE	VT-11112-W	12W	1400	White	16x72x650	10
6834 - 3000K WARM WHITE 6835 - 4000K DAY WHITE	VT-11112-B	12W	1400	Black	16x72x650	10


LED OUTDOOR SOFT LIGHTS





AC:100-240V,50/60Hz
90° Beam Angle
>0.9 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218239 - 3000K WARM WHITE 218240 - 4200K DAY WHITE 218241 - 6500K WHITE	VT-8056-N	9W	850	Grey	173x81x46	20
218242 - 3000K WARM WHITE 218243 - 4200K DAY WHITE 218244 - 6500K WHITE	VT-8057-N	12W	1150	Grey	230x100x90	20


LED OUTDOOR SOFT LIGHTS





AC:100-240V,50/60Hz
130° Beam Angle
>0.9 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218245 - 3000K WARM WHITE 218246 - 4200K DAY WHITE 218247 - 6500K WHITE	VT-8058-N	12W	1160	Grey	230x110x76	20

LED OUTDOOR SOFT LIGHTS





AC:220-240V, 50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6807 - 3000K WARM WHITE 6808 - 4000K DAY WHITE 6809 - 6400K WHITE	**VT-8054-B**	12W	1250	Black	265x120x81	20
6813 - 3000K WARM WHITE 6814 - 4000K DAY WHITE 6815 - 6400K WHITE	**VT-8054-W**	12W	1250	White	265x120x81	20
8234 - 4000K DAY WHITE	**VT-8054**	12W	600	Grey	265x120x81	20
218233 - 3000K WARM WHITE 218234 - 4200K DAY WHITE 218235 - 6500K WHITE	**VT-8054-N**	12W	1150	Grey	265x120x81	20
6810 - 3000K WARM WHITE 6811 - 4000K DAY WHITE 6812 - 6400K WHITE	**VT-8055-B**	20W	2045	Black	319x170x114	20
6816 - 3000K WARM WHITE 6817 - 4000K DAY WHITE 6818 - 6400K WHITE	**VT-8055-W**	20W	2045	White	319x170x114	20
218236 - 3000K WARM WHITE 218237 - 4200K DAY WHITE 218238 - 6500K WHITE	**VT-8055-N**	20W	2050	Grey	319x170x114	20

LED ROTATABLE WALL LIGHT





AC:110-240V,50/60Hz
10-360° Beam Angle
>0.45 PF
>80 CRi
Aluminium Body
IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217093 - 4000K DAY WHITE	VT-757-N	5W	645	White	140x105x140	20

LED WALL LIGHTS





AC:110-240V, 50/60Hz
360° Beam Angle
>0.45 PF
>80 CRi
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218309 - 3000K WARM WHITE	VT-811-B-N	10W	1070	Black	300x215x60	20

LED WALL LIGHTS






AC:220-240V, 50Hz

>90 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6840 - 3000K WARM WHITE 6841 - 4000K DAY WHITE	VT-11120-C	20W	2400	Corten	420x60x290	5
6842 - 3000K WARM WHITE 6843 - 4000K DAY WHITE	VT-11120-B	20W	2400	Black	420x60x290	5

ADJUSTABLE LED WALL LIGHTS





AC:220-240V,50/60Hz


Adjustable 5°-90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP44 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218533 - 3000K WARM WHITE 218534 - 4000K DAY WHITE	VT-819-W-N	16W	2150	White	600x100x42	10

LED WALL LIGHTS





- AC:220-240V,50/60Hz
- 150° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218535 - 3000K WARM WHITE 218536 - 4000K DAY WHITE	VT-821-W-N	17W	2470	White	610x90x35	20


LED WALL LIGHT WITH SWITCH





- AC:220-240V, 50Hz
- 38° Beam Angle
- >80 CRi
- Aluminium Body
- IP20 IP Rating


With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10286 - 3000K WARM WHITE 10287 - 4000K DAY WHITE	VT-402-B	2W	150	Black	145x150x60	50
10288 - 3000K WARM WHITE 10289 - 4000K DAY WHITE	VT-402-W	2W	150	White	145x150x60	50

LED SINGLE HEAD WALL LIGHTS






AC:220-240V, 50Hz

38° Beam Angle

>80 CRi

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10290 - 3000K WARM WHITE 10291 - 4000K DAY WHITE	VT-412-B	2W	150	Black	140x60x60	50
10292 - 3000K WARM WHITE 10293 - 4000K DAY WHITE	VT-412-W	2W	150	White	140x60x60	50

LED WALL LIGHT WITH SWITCH







AC:220-240V,50/60Hz

100° Beam Angle

>0.5 PF


>80 CRi

Plastic+Metal Body

IP20 IP Rating



With Switch




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218675 - 3000K WARM WHITE	VT-805-N-W-N	4.5W	420	White	100x94x45	12
218676 - 3000K WARM WHITE	VT-805-N-B-N	4.5W	420	Black	100x94x45	12

LED SINGLE HEAD WALL LIGHTS





AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRi
Plastic+Metal Body
IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218262 - 3000K WARM WHITE 218264 - 4000K DAY WHITE	VT-805-W-N	4.5W	420	White	100x94x45	12
218263 - 3000K WARM WHITE 218265 - 4000K DAY WHITE	VT-805-B-N	4.5W	420	Black	100x94x45	12

LED DOUBLE HEAD WALL LIGHTS





AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218266 - 3000K WARM WHITE	VT-810-W-N	9W	820	White	400x100x94	12
8267 - 3000K WARM WHITE	VT-810-B	9W	720	Black	400x100x94	12
218269 - 4000K DAY WHITE	VT-810-B-N	9W	840	Black	400x100x94	12

LED TRIPLE HEAD WALL LIGHTS





- AC:220-240V,50/60Hz
- 100° Beam Angle
- >0.5 PF
- >80 CRI
- Plastic+Metal Body
- IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218270 - 3000K WARM WHITE 218272 - 4000K DAY WHITE	VT-813-W-N	13.5W	1260	White	600x100x94	12
218271 - 3000K WARM WHITE 218273 - 4000K DAY WHITE	VT-813-B-N	13.5W	1260	Black	600x100x94	12


LED SINGLE HEAD WALL LIGHTS







- AC:220-240V,50/60Hz
- 100° Beam Angle
- >0.5 PF
- >80 CRI
- Plastic+Metal Body
- IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218250 - 3000K WARM WHITE 218252 - 4000K DAY WHITE	VT-806-W-N	5W	580	White	100x93	24
218253 - 4000K DAY WHITE	VT-806-B-N	5W	580	Black	100x93	24

LED DOUBLE HEAD WALL LIGHTS






AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218254 - 3000K WARM WHITE 218256 - 4000K DAY WHITE	VT-812-W-N	10W	1160	White	405x100x93	12
218255 - 3000K WARM WHITE 218257 - 4000K DAY WHITE	VT-812-B-N	10W	1160	Black	405x100x93	12

LED TRIPLE HEAD WALL LIGHTS





AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218258 - 3000K WARM WHITE 218260 - 4000K DAY WHITE	VT-818-W-N	15W	1740	White	605x100x93	12
218259 - 3000K WARM WHITE 218261 - 4000K DAY WHITE	VT-818-B-N	15W	1740	Black	605x100x93	12

CABINET LIGHTS WITH SENSOR





DC:5V, 1A


270° Beam Angle

Aluminium Body

IP20 IP Rating

3M TAPE ADHESIVE


PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2961 - 3000K WARM WHITE 2958 - 4000K DAY WHITE	VT-8141-S	1.5W	110	Silver	300x40x9	50
2960 - 3000K WARM WHITE 2959 - 4000K DAY WHITE	VT-8141-B	1.5W	110	Black	300x40x9	50
2965 - 3000K WARM WHITE 2962 - 4000K DAY WHITE	VT-8142-S	2W	160	Silver	400x40x9	50
2964 - 3000K WARM WHITE 2963 - 4000K DAY WHITE	VT-8142-B	2W	160	Black	400x40x9	50
2969 - 3000K WARM WHITE 2966 - 4000K DAY WHITE	VT-8143-S	2.5W	260	Silver	600x40x9	30
2968 - 3000K WARM WHITE 2967 - 4000K DAY WHITE	VT-8143-B	2.5W	260	Black	600x40x9	30

LED STEP LIGHTS





AC:220-240V,50Hz


270° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10376 - 3000K WARM WHITE	VT-1128	3W	180	White	58x58x45	100

LED STEP LIGHTS






AC:220-240V,50Hz
270° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10377 - 3000K WARM WHITE	VT-1129	5W	380	White	84x84x50	50

LED STEP LIGHTS





AC:220-240V,50Hz
270° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10378 - 3000K WARM WHITE	VT-1130	3W	180	White	58x103x45	100

LED STEP LIGHTS





AC:85-265V,50/60Hz
83° Beam Angle
>0.5 PF
>80 CRi
Die Cast Aluminium Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
121284 - 4000K DAY WHITE	VT-1143-N	3W	110	White	84x84x43	100

LED STEP LIGHTS







AC:100-240V,50/60Hz


15° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211209 - 3000K WARM WHITE 211210 - 4000K DAY WHITE	VT-1109	3W	270	White	80x80x51	100
211207 - 3000K WARM WHITE 211208 - 4000K DAY WHITE	VT-1109RD	3W	270	White	Ø80x51	100

LED STEP LIGHTS





AC:100-240V,50/60Hz

55° Beam Angle


>0.5 PF

>80 CRi

PC Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211326 - 4000K DAY WHITE	VT-1162-W	3W	110	White	230x80x28	50
211329 - 3000K WARM WHITE 211328 - 4000K DAY WHITE	VT-1162-B	3W	110	Black	230x80x28	50
211331 - 3000K WARM WHITE 211330 - 4000K DAY WHITE	VT-1162-G	3W	110	Grey	230x80x28	50


LED STEP LIGHTS





AC:100-240V,50/60Hz
55° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211315 - 3000K WARM WHITE 211314 - 4000K DAY WHITE	VT-1142-W	3W	80	White	150x27	50
211317 - 3000K WARM WHITE 211316 - 4000K DAY WHITE	VT-1142-B	2W	80	Black	150x27	50
211319 - 3000K WARM WHITE	VT-1142-G	2W	80	Grey	150x27	50


LED STEP LIGHTS





AC:100-240V,50/60Hz
55° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211323 - 3000K WARM WHITE 211322 - 4000K DAY WHITE	VT-1152-B-N	2W	70	Black	124x124x27	50

LED STEP LIGHTS






AC:100-240V,50/60Hz
90° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1398 - 3000K WARM WHITE 1399 - 4000K DAY WHITE	VT-1172-B	3W	210	Black	151x72x154	20
1400 - 3000K WARM WHITE 1401 - 4000K DAY WHITE	VT-1172-G	3W	210	Grey	151x72x154	20
121402 - 3000K WARM WHITE 121403 - 4000K DAY WHITE	VT-1172-W-N	3W	70	White	151x72x154	20

LED STEP LIGHTS





AC:100-240V,50/60Hz
90° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1404 - 3000K WARM WHITE 1405 - 4000K DAY WHITE	VT-1182-B	3W	210	Black	Ø166x94	20
1406 - 3000K WARM WHITE 1407 - 4000K DAY WHITE	VT-1182-G	3W	210	Grey	Ø166x94	20

V-TAC
Meaningful Innovation.



LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Complete with easily readable legends, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset in many applications including but not limited to offices, hotels, hospitals and residential areas.

Key Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- Corrosion free mounting clamps
- High performance Ni-Cd batteries made for Longevity & low maintenance
- Reliable Emergency backup of 3 hours

SELF TEST LED EMERGENCY LIGHTS



24 hr CHARGING TIME | 04 YEAR WARRANTY | SELF TEST

SKU	Model	Watts	Lumens	Box Qty
7817 - 6500K WHITE	7817	4W	80	10
7818	Legend -Arrow Down			10
7819	Legend -Arrow Left			10
7820	Legend -Arrow Right			10

Input Voltage:	AC:220-240V
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	30M(EU) / 24M(AU)
Emergency Operation Time:	>3 Hours
Battery:	LiFePo4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	Arrow Up Sticker
Legends:	Arrow Up Legend
Mode Of Operation:	Maintained
Size:	330x30x186

SELF TEST LED EMERGENCY LIGHTS



IP65 RATING | 24 hr CHARGING TIME | SELF TEST

SKU	Model	Watts	Lumens	Box Qty
7687 - 6400K WHITE	VT-996	3W	130	20

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	LiFePO4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



IP65 RATING | 24 hr CHARGING TIME | SELF TEST

SKU	Model	Watts	Lumens	Box Qty
7688 - 6400K WHITE	VT-997	3W	120	20
11368	Remote Control for VT-997			

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-CD SC, 3.6V 1.2Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

4IN1 SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



4IN1 | CEILING, HANGING, SIDEWALL, WALL MOUNTING | SELF TEST

SKU	Model	Watts	Lumens	Box Qty
7675 - 6000K WHITE	VT-995	2.5W	100	20
11362	Remote Control for VT-995			

No. Of LED:	20 SMD LEDs
Input Voltage:	AC:200-240V,50/60Hz
Protection Rating:	IP20
Material :	PC+PMMA
Exit Lamp Type:	Ceiling, Hanging, Sidewall and Wall Mounting
Viewing Distance:	30 Meters From Both Sides
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd AA, 3.6V, 0.6Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350x29x195

LED EMERGENCY LIGHTS BULKHEAD



IP65 RATING

12 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
83111 - 6400K WHITE	VT-543	3W	140	12

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60

LED EMERGENCY LIGHTS BULKHEAD



IP65 RATING

24 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
8437 - 6400K WHITE	VT-533	3W	140	10
8027	Legend -Arrow Up			100

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	346x104x58

LED EMERGENCY LIGHTS DOWNLIGHT



SKU	Model	Watts	Lumens	Box Qty
8274 - 5500K WHITE	VT-503	3W	140	20

Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	Poly Carbonate & Aluminium
Exit Lamp Type:	Ceiling Recessed
Emergency Operation Time:	>3 Hours
Battery:	3.6V 1800mAh Ni-cd Battery
Charging Indicator:	Green Light Indicator Test
Mode Of Operation:	Non Maintained
Size:	38.5x22x25

V-TAC

Meaningful Innovation.



Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Key Feature

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

NEW REAL PRESENCE SENSOR

SKU	Model	Unit Color	Box Qty
23429	VT-81013	White	50



BATTERY RECHARGEABLE

05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max. 3m(radius)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP54
Dimension:	76x66.2mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max. 1200W/Max.600W(LED)

NEW REAL PRESENCE SENSOR

SKU	Model	Unit Color	Box Qty
23430	VT-81014	White	50



BATTERY RECHARGEABLE

05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max. 3m(radius)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP20
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max. 2000W/Max.1000W(LED)

NEW INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
23425	VT-81009	White	50



BATTERY RECHARGEABLE

05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Angle:	120°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP20
Dimension:	80x80x43.5mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 200W(LED)

NEW INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
23427	VT-81011	White	50



05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP20
Dimension:	102x24.9mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 400W(LED)

NEW COB INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
23426	VT-81010	White	50



IP54 RATING

05 YEAR WARRANTY


Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
Body Type:	
IP Rating:	IP20
Dimension:	76x49mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 600W(LED)

NEW INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
5090	VT-8029-W	White	50
23679	VT-8029-B	Black	50







Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
23161	VT-80300	White	50



IP20 RATING

05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP65
Dimension:	119.5x80x51.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 300W (LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
23162	VT-81000	White	50



IP20 RATING

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 30m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
IP Rating:	IP20
Dimension:	103x53.5mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 1000W(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23163	VT-81001	White	50



IP20 RATING

Sensor Type:	Microwave
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) adjustable
Ambient Light:	<3-2000LUX (adjustable)
IP Rating:	IP20
Dimension:	115x24.3mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max 1000W(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23164	VT-80301	White	50



IP20 RATING

Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-12m(radius) adjustable
Ambient Light:	<3-2000LUX (adjustable)
IP Rating:	IP20
Dimension:	119.5x80x51.5mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max 300W(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23165	VT-80360	White	50



IP65 RATING


Sensor Type:	Microwave
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) adjustable
Ambient Light:	<3-2000LUX (adjustable)
IP Rating:	IP20
Dimension:	80x66.6mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max 300W(LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6606	VT-8091-W	White	100
6607	VT-8091-B	Black	100








Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Rated Load:	Max.200W /100W (LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6608	VT-8092-W	White	100
6609	VT-8092-B	Black	100






Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50x62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 400W (LED)

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6611	VT-8093-W	White	50
6610	VT-8093-B	Black	50





Sensor Type:	Infrared
Detection Angle:	180°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	76x92x62.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6613	VT-8094-W	White	50
6612	VT-8094-B	Black	50





Sensor Type:	Infrared
Detection Angle:	240°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.10m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	125.2x71.4x72.7mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 600W (LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
5086	VT-8027-W	White	50
5087	VT-8027-B	Black	50
23677	VT-8027-B-N	Black	50





Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 8m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	115x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 1000W(LED)

INFRARED SENSOR-MOVING HEAD-IP44





IP65 RATING



SKU	Model	Unit Color	Box Qty
5088	VT-8028-W	White	50
5089	VT-8028-B	Black	50
23678	VT-8028-B-N	Black	50

Sensor Type:	Infrared
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 400W(LED)

INFRARED SENSOR-IP44








SKU	Model	Unit Color	Box Qty
4967	VT-8003-W	White	50
5077	VT-8003-B	Black	50

Sensor Type:	Infrared
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR








SKU	Model	Unit Color	Box Qty
15011	VT-8083-B	Black	50
15001	VT-8083-W	White	50

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.20m(<24°C)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	86.5x172.5x56mm
Time Delay:	Min.10sec±3sec, Max. 30min±2min
Rated Load:	1000w(LED)

MICROWAVE SENSOR







SKU	Model	Unit Color	Box Qty
15031	VT-8084-B	Black	50
15021	VT-8084-W	White	50

Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-15m
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC+Glass
IP Rating:	IP20
Dimension:	95x50x95mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	300w(LED)

MICROWAVE SENSOR-IP65

SKU	Model	Unit Color	Box Qty
5571	VT-8036-W	White	100
5572	VT-8036-B	Black	100




IP65 RATING




Sensor Type: Microwave
Detection Angle: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 5m/10m
Ambient Light: <25-2000LUX
Body Type: Plastic
IP Rating: IP65
Dimension: 115x35x25mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 200W(LED)

INFRARED SENSOR-MOVING HEAD

SKU	Model	Unit Color	Box Qty
5091	VT-8030	White	50



IP65 RATING



Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 8m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 98x73x82mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
4968	VT-8004	White	50



IP65 RATING



Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø88x55mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 300W(LED)

INFRARED SENSOR-E27

SKU	Model	Unit Color	Box Qty
4982	VT-8005	White	50





Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:110-240V,50/60Hz
Detection Distance: Max. 6m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: Plastic
IP Rating: IP20
Dimension: 55.5x116.5mm
Time Delay: Min. 10sec±3sec, Max. 5min±1min
Rated Load: Max 60W(LED)

INFRARED SENSOR-IP44

SKU	Model	Unit Color	Box Qty
1354	VT-8048	White	50





Sensor Type:	Infrared
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x86.4x60.4mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)X20

INFRARED SENSOR



SKU	Model	Box Qty
1355	VT-8049	50




Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
1356	VT-8051	50



Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

DAY LIGHT SENSOR - 1-10V



SKU	Model	Box Qty
1369	VT-8059	100


Sensor Type:	Day Light
Detection Angle:	360°
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20

Daylight Sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1–10V Power source and using with LED dimmable driver.
The illumination level of lamps will get darker when ambient light gets brighter.
When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient, then gradually back to 100% level when it is getting darker.

INFRARED-HAND GESTURE DETECTION



SKU	Model	Box Qty
5084	VT-8025	100




Sensor Type:	Infrared
Detection Angle:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Rated Load:	Max 200W(LED)

INFRARED-DOOR DETECTION



SKU	Model	Box Qty
5085	VT-8026	100




Sensor Type:	Infrared
Detection Angle:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Rated Load:	Max 200W(LED)

MICROWAVE SENSOR



SKU	Model	Box Qty
5078	VT-8018	100




Sensor Type:	Microwave
Detection Angle:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) adjustable
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Rated Load:	Max 300W(LED)

PHOTOCELL SENSOR-IP44



SKU	Model	Box Qty
5081	VT-8019	100




Sensor Type:	Photocell
Detection Angle:	360°
Voltage:	AC:220-240V,50Hz
Ambient Light:	<5-15LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Rated Load:	Max 500W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
5082	VT-8022	100



ON/OFF MOVING HAND


Sensor Type:	Infrared
Detection Angle:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	3/6m(<24°C)
Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Rated Load:	Max 400W(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
1446	VT-8077	White	100







Sensor Type:	Microwave
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) Adjustable
Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Rated Load:	Max 300W(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
5083	VT-8023	White	100





Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m-15m(adjustable)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Rated Load:	Max 300W(LED)

NEW PHOTOCELL SENSOR-IP65

SKU	Model	Unit Color	Box Qty
23423	VT-81007	White	50



Sensor Type:	Photocell
Voltage:	AC:220-240V,50/60Hz
Ambient Light:	<3-500LUX(adjustable)
IP Rating:	IP65
Dimension:	70x108.8mm

NEW INFRARED-DOOR DETECTION

SKU	Model	Unit Color	Box Qty
23428	VT-81012	White	100



IP65 RATING

Sensor Type:	Infrared
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-6 Meters
IP Rating:	IP20
Dimension:	90x40.2x16.8mm
Rated Load:	Max 200W(LED)

V-TAC

Meaningful Innovation.



Outdoor Lights & Fittings

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Key Feature

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

NEW RECHARGEABLE FLAME WORK CAMPING LIGHT



Battery Type	3.7V 2000mAh
Charging Time	2.5 hr
Working Time	6-8 hr

BATTERY RECHARGEABLE

IP44 RATING

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23337 - 2700K+6500K WARM WHITE+WHITE	VT-9903D	3W LED+2W Flame Light	230	147x100x207mm	20

NEW RECHARGEABLE TORCH LIGHT



Battery Type	3.7V 2000mAh
Charging Time	4.5 hr

BATTERY RECHARGEABLE

IP54 RATING

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23338	VT-9910	10W	1000	35x175x195mm	24

NEW RECHARGEABLE HEADLIGHT WITH BELT



Battery Type	3.7V 750mAh
Charging Time	2.5 hr
Working Time	4-27 hr

BATTERY RECHARGEABLE

IP43 RATING

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23339	VT-9902	3W	190	68x31x45mm	100

NEW RECHARGEABLE SMD+COB SILICON HEADLIGHT WITH BELT



Battery Type	3.7V 550mAh
Charging Time	2.5 hr
Working Time	2-5 hr

BATTERY RECHARGEABLE

IP43 RATING


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23340	VT-9901	3W SMD+5W COB	470	605x46x27mm	80



UNDERGROUND LIGHT- OBLIQUE ANGLE

IP67 RATING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	20°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
218621 - 4000K DAY WHITE	VT-7679-N	8W	350	Ø150X153mm	12



UNDERGROUND LIGHT

IP67 RATING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	40°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
218622 - 4000K DAY WHITE	VT-7681-N	10W	850	Ø150X153mm	12




UNDERGROUND LIGHT

IP67 RATING

12V

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211463 - 3000K WARM WHITE	VT-1141-N	0.5W	5	Ø26X82mm	50




UNDERGROUND LIGHT

IP67 RATING

12V

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2879 - 3000K WARM WHITE	VT-1151	1W	50	Ø48X82mm	50
211464 - 6500K WHITE	VT-1151-N	1W	50	Ø48X82mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING


12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE 211467 - 6500K WHITE	VT-1161-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING


12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1W	10	Ø60X93mm	50
211466 - 3000K WARM WHITE	VT-1161-B-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING


12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1W	10	Ø60X93mm	50
211469 - 3000K WARM WHITE	VT-1171-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING

12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211470 - 3000K WARM WHITE 211472 - 6500K WHITE	VT-1171-B-N	1W	50	Ø60X93mm	50


POOL LIGHTS-PAR56



IP68 RATING

110 LUMEN/W

Voltage/Frequency	AC/DC:12V
Beam Angle	120°
PF	
CRI	




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8024 - 6500K WHITE	VT-12118	18W	2000	178x110mm	18
8025 - 6500K WHITE	VT-12125	25W	2850	178x110mm	18
8026 - 6500K WHITE	VT-12135	35W	4100	178x110mm	18

POOL LIGHTS-PAR56



IP68 RATING

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
PF	
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7556 - 3000K WARM WHITE 7557 - BLUE 7555 - 6400K WHITE	VT-1258	8W	800	178x114mm	12
7560 - 3000K WARM WHITE 7561 - BLUE 7559 - 6500K WHITE	VT-1262	12W	1200	178x114mm	12

POOL LIGHTS-PAR56-RGB



IP68 RATING

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
PF	
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7558 - RGB	VT-1268	8W	800	178x114mm	12
7562 - RGB	VT-1263	12W	1200	178x114mm	12

WALL FITTINGS-E27



SKU	Model	Box Qty
93573	VT-967	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130x100x228mm

IP44 RATING
03 YEAR WARRANTY

WALL FITTINGS-E27



SKU	Model	Box Qty
93574	VT-968	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150x91x228mm

IP44 RATING
03 YEAR WARRANTY

UP-DOWN WALL FITTING



SKU	Model	Box Qty
2970	VT-11015-W	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

UP-DOWN WALL FITTING



SKU	Model	Box Qty
2971	VT-11015-B	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

UP-DOWN WALL FITTING



SKU	Model	Box Qty
6819	VT-11015-C	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

WALL FITTING



SKU	Model	Box Qty
7502	VT-7621PIR	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x67x163mm

PIR MOTION SENSOR

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7503	VT-7622PIR	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x67x220mm

UP & DOWN LIGHTS
PIR MOTION SENSOR

WALL FITTING



SKU	Model	Box Qty
7501	VT-7621	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93x85x118mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7500	VT-7622	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7505	VT-7631	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x60x125mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7504	VT-7632	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x60x178mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7506	VT-7641	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105x76x118mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7507	VT-7642	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 105x76x207mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7508	VT-7651RD	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7509	VT-7652RD	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7510	VT-7651SQ	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7511	VT-7652SQ	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7512	VT-7662	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7569	VT-7622-B	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7539	VT-7651SQ-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

WALL FITTING



SKU	Model	Box Qty
7540	VT-7651RD-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7541	VT-7652SQ-W	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7542	VT-7652RD-W	16

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 92x68x80mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7543	VT-7662-W	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7570	VT-7622-W	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING



SKU	Model	Box Qty
7553	VT-7611	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100x66x92mm

WALL FITTING



SKU	Model	Box Qty
7554	VT-7612	6

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 1170x50mm

WALL FITTING



SKU	Model	Box Qty
8626	VT-841	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x120mm

03 YEAR WARRANTY

UP-DOWN WALL FITTING



SKU	Model	Box Qty
8627	VT-842	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x170mm

UP & DOWN LIGHTS
03 YEAR WARRANTY

SENSOR UP-DOWN WALL FITTING



SKU	Model	Box Qty
5157	VT-7632S	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x110x215mm

UP & DOWN LIGHTS
03 YEAR WARRANTY

UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8567	VT-7678-1	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING
03 YEAR WARRANTY

UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8568	VT-7678-2	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING
03 YEAR WARRANTY

UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING
03 YEAR WARRANTY

UNDERGROUND FITTINGS



SKU	Model
10374	VT-1127RD

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x102mm

IP67 RATING
03 YEAR WARRANTY

UNDERGROUND FITTINGS



SKU	Model
10375	VT-1127SQ

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x80x102mm

IP67 RATING
03 YEAR WARRANTY

UNDERGROUND FITTINGS



SKU	Model	Box Qty
7515	VT-7677RD	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: Ø110x120mm

IP65 RATING

UNDERGROUND FITTINGS



SKU	Model	Box Qty
7516	VT-7677SQ	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm

IP65 RATING

GARDEN SPIKE-SINGLE HEAD



SKU	Model	Box Qty
7044	VT-728	12

Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450x27mm

GARDEN SPIKE-DOUBLE HEAD



SKU	Model	Box Qty
7045	VT-729	12

Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450x205mm

GARDEN SPIKE



SKU	Model	Box Qty
7517	VT-769	12

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95x95x335mm

GARDEN SPIKE BLACK-IP65



SKU	Model
10372	VT-1119

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x88x245mm

IP65 RATING
03 YEAR WARRANTY

GARDEN SPIKE BLACK-IP65



SKU	Model
10373	VT-1126

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x106x245mm

IP65 RATING
03 YEAR WARRANTY

GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7571	VT-7701	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x92x270mm

IP65 RATING
03 YEAR WARRANTY

GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7572	VT-7704	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x130x270mm

IP65 RATING
03 YEAR WARRANTY



V-TAC

Meaningful Innovation.



LED Garden Lights and Fittings

V-TAC presents an elegant series of garden lighting, makes your garden glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors, and ceilings with our modern designs.

Key Feature

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

2IN1 BOLLARD LAMPS





Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	24°
PF	>0.5
CRI	>90

IP65 RATING

CRI 90

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6836 - 3000K WARM WHITE 6837 - 4000K DAY WHITE	VT-11107-W	6W	520	White	120x180x1025mm	10
6838 - 3000K WARM WHITE 6839 - 4000K DAY WHITE	VT-11107-B	6W	520	Black	120x180x1025mm	10

BOLLARD LAMPS-ADJUSTABLE HEAD





Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	90°
PF	>0.5
CRI	>80

IP44 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10475 - 3000K WARM WHITE 23051 - 4000K DAY WHITE	VT-1187-B	4W	390	Black	129x159x1000mm	4
10476 - 3000K WARM WHITE 23052 - 4000K DAY WHITE	VT-1187-W	4W	390	White	129x159x1000mm	4

GARDEN LIGHT 2IN1 (LAMP POST + SPIKE)



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80

03 YEAR WARRANTY | IP65 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20316 | 3000K WARM WHITE 20317 | 4000K DAY WHITE 20318 | 6400K WHITE	VT-907	7W	420	Black	200x714mm	20

2IN1 BOLLARD LAMPS







Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	180°
CRI	>90

IP65 RATING | CRI 90

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23021 - 3000K WARM WHITE 10426 - 4000K DAY WHITE	VT-1160	12W	1265	Anthracite	150x800mm	10

GARDEN SPIKE LIGHT



Voltage/Frequency	AC:100-240V,50/60Hz
Beam Angle	30°
PF	>0.6
CRI	>80

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7546 - GREEN	VT-857-B	12W	720	Black	73x255mm	50
217544 - 3000K WARM WHITE 217545 - 4000K DAY WHITE	VT-857-B-N	12W	3000K - 880lm 4000K - 875lm	Black	73x255mm	50
7549 - GREEN	VT-857-W	12W	720	White	73x255mm	50
217547 - 3000K WARM WHITE 217548 - 4000K DAY WHITE	VT-857-W-N	12W	3000K - 920lm 4000K - 970lm	White	73x255mm	50
7552 - GREEN	VT-857-G	12W	720	Grey	73x255mm	50
217550 - 3000K WARM WHITE 217551 - 4000K DAY WHITE	VT-857-G-N	12W	3000K - 875lm 4000K - 930lm	Grey	73x255mm	50

BOLLARD LAMPS



Voltage/Frequency	AC:100-240V 50/60Hz
Beam Angle	350°
PF	>0.9
CRI	>80

IP54 RATING

IK08 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
5155 - 4000K DAY WHITE	VT-909	9W	500	Dark Grey	200x80x300mm	8

NEW GARDEN LIGHT ROUND IP65



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23053 - 4000K DAY WHITE	VT-10121	120W	9800	Black	380x380x120mm	1

GARDEN SPIKE



SKU	Model	Box Qty
7518	VT-770	8

Material: Stainless Steel
Max.Watts: 35w
Holder: GU10
IP Rating: IP44
Dimension: 60x60x420mm

WALL FITTINGS-E27




SKU	Model	Box Qty
10470	VT-1183	6

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 400x76mm

IP44 RATING

WALL FITTINGS-E27






SKU	Model	Box Qty
8623	VT-832	12

Material: Stainless Steel+PC
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x375mm

03 YEAR WARRANTY

WALL FITTINGS-E27





SKU	Model	Box Qty
8624	VT-833	12

Material: Stainless Steel+PC
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x140x335mm

BOLLARD LAMPS



SKU	Model	Box Qty
10471	VT-1184	4

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 76x119x450mm

IP44 RATING

BOLLARD LAMPS



SKU	Model	Box Qty
10472	VT-1185	4

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 76x119x1000mm

IP44 RATING

BOLLARD LAMPS






SKU	Model	Box Qty
8958	VT-838-S45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

03 YEAR WARRANTY

BOLLARD LAMP





SKU	Model	Box Qty
8625	VT-838-S80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: Ø110x800mmxØ76

03 YEAR WARRANTY

BOLLARD LAMPS





SKU	Model	Box Qty
8962	VT-838-S110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

03 YEAR WARRANTY

BOLLARD LAMPS



SKU	Model
23061	VT-1195

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP65
Dimension: 155x155x790mm

IP65 RATING

BOLLARD LAMPS






SKU	Model	Box Qty
8593	VT-838-B45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMPS





SKU	Model	Box Qty
8978	VT-838-B80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: Ø110x800mmxØ76

BOLLARD LAMPS





SKU	Model	Box Qty
8594	VT-838-B110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

BOLLARD LAMPS





SKU	Model	Box Qty
8959	VT-838-G45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMPS





SKU	Model	Box Qty
8961	VT-838-G80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

BOLLARD LAMPS





SKU	Model	Box Qty
8963	VT-838-G110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

WALL FITTINGS GU10





SKU	Model	Box Qty
7563	VT-7613	6

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm

IP54 RATING

BOLLARD LAMPS GU10






SKU	Model	Box Qty
7564	VT-7614	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x500mm

IP54 RATING

BOLLARD LAMPS GU10





SKU	Model	Box Qty
7565	VT-7615	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x800mm

IP54 RATING

WALL FITTINGS GU10





SKU	Model	Box Qty
7566	VT-7616	6

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm

IP54 RATING

BOLLARD LAMPS GU10






SKU	Model	Box Qty
7567	VT-7617	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x500mm

IP54 RATING

BOLLARD LAMPS GU10





SKU	Model	Box Qty
7568	VT-7618	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x800mm

IP54 RATING

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8985	VT-838-BS45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8984	VT-838-BS80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8983	VT-838-BS110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8964	VT-838-SE45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8960	VT-838-SS80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8967	VT-838-SE110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8965	VT-838-GS45	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x450mm

03 YEAR WARRANTY

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8966	VT-838-GS80	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x800mm

03 YEAR WARRANTY

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR





SKU v	Model	Box Qty
8968	VT-838-GS110	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x1100mm

03 YEAR WARRANTY

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR AND SOCKET





SKU v	Model	Box Qty
8979	VT-838-BSS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60w
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

2 EU PLUG SOCKETS

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR AND SOCKET





SKU v	Model	Box Qty
8976	VT-838-GS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

2 EU PLUG SOCKETS

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR AND SOCKET





SKU v	Model	Box Qty
8977	VT-838-SS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

2 EU PLUG SOCKETS

PIR MOTION SENSOR

WALL LAMPS E14



SKU	Model
10561	VT-1190

Material:	Iron
Max.Watts:	30W
Holder:	E14
IP Rating:	IP65
Dimension:	200x168x350mm


IP65 RATING

WALL LAMP



SKU	Model	Box Qty
8517	VT-837-B	10

Material:	Aluminium+Clear Glass
Max.Watts:	60W
Holder:	E27
IP Rating:	IP44
Dimension:	113x236x113mm




03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
7513	VT-7670	12

Material: Stainless Steel+PC
Max.Watts: 14W
Holder: E27
IP Rating: IP44
Dimension: 250x90x100mm




WALL LAMP



SKU	Model	Box Qty
7077	VT-754-MW	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x180x93mm




03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
8628	VT-835	6

Material: Stainless Steel+PC
Max.Watts: 40w
Holder: E27
IP Rating: IP44
Dimension: 148x165x245mm



03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
10422	VT-1158	20

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x305x340mm


03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
7519	VT-760-B	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm




WALL LAMP



SKU	Model	Box Qty
7520	VT-760-W	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm



WALL LAMP



SKU	Model	Box Qty
10420	VT-1150	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x280x260mm

03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
11823	VT-1223	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x325x250mm

03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
11824	VT-1224	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x240x365mm


03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
7521	VT-761-B	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm




WALL LAMP



SKU	Model	Box Qty
7522	VT-761-W	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm



WALL LAMP



SKU	Model
23060	VT-1194

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP54
Dimension: 170x220x215mm

IP54 RATING

WALL LAMP



SKU	Model	Box Qty
10417	VT-1149-B	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
23020	VT-1149-W	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
8686	VT-843	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 235x225mm




03 YEAR WARRANTY

WALL LAMP



SKU	Model	Box Qty
7068	VT-750-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 208x360x170mm



CEILING LAMP



SKU	Model	Box Qty
11825	VT-1226	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x870mm


03 YEAR WARRANTY

CEILING LAMP



SKU	Model	Box Qty
7072	VT-752-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




CEILING LAMP



SKU	Model	Box Qty
7073	VT-752-W	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




CEILING LAMP



SKU	Model	Box Qty
7058	VT-735	10

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x740mm




STAND LAMP



SKU	Model	Box Qty
7059	VT-736	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x600mm




CEILING LAMP



SKU	Model	Box Qty
7529	VT-850	8

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x890mm



03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
8629	VT-839	6

Material: Stainless Steel+PC
Max.Watts: 40w
Holder: E27
IP Rating: IP44
Dimension: Ø148X800mm



03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
10421	VT-1157	1

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x360x1050mm

03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
10423	VT-1159	8

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x975mm

03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
11827	VT-1231	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x970mm

03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
7530	VT-851	1

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x1110mm



03 YEAR WARRANTY

STAND LAMP



SKU	Model	Box Qty
11826	VT-1230	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x330mm

03 YEAR WARRANTY

NEW

STAND LAMP



SKU	Model	Box Qty
23353	VT-7657	1


Material: Iron
Max.Watts: 60W
Holder: E27
IP Rating: IP65
Dimension: 230x230x365mm

STAND LAMP



SKU	Model	Box Qty
7057	VT-734	10

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x290mm




POLE LAMP



SKU	Model	Box Qty
8687	VT-845	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 175x950mm




03 YEAR WARRANTY

POLE LAMP



SKU	Model	Box Qty
8688	VT-847	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 522x2320mm



03 YEAR WARRANTY

STAND LAMP



SKU	Model	Box Qty
11828	VT-1232	1

Material: Aluminium+Plastic
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 515x1990mm

03 YEAR WARRANTY

STAND LAMP



SKU	Model	Box Qty
7061	VT-738	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 480x1410mm



STAND LAMP



SKU	Model	Box Qty
7062	VT-739	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm



STAND LAMP



SKU	Model	Box Qty
7063	VT-740	1


Material: Aluminium+Glass
Max.Watts: 60Wx3
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm





V-TAC

Meaningful Innovation.



Decorative Lights

Offering cutting edge designs as per your mood. From warm to bright task lighting, Our selection of mirror lights, LED pendant lights, and chandeliers will light up any decor.

Key Feature

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

LED PENDANTS





AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7992 - 3000K WARM WHITE	VT-7794-G	8.5W	850	100x1620	Light Grey	10
7993 - 3000K WARM WHITE	VT-7794-W	8.5W	850	100x1620	White	10
7994 - 3000K WARM WHITE	VT-7794-B	8.5W	850	100x1620	Brown	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF





AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7995 - 3000K WARM WHITE	VT-7795-G	8.5W	850	100x1600	Light Grey	10
7996 - 3000K WARM WHITE	VT-7795-W	8.5W	850	100x1600	White	10
7997 - 3000K WARM WHITE	VT-7795-B	8.5W	850	100x1600	Brown	10

LED PENDANTS





AC:220-240V,50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7998 - 3000K WARM WHITE	VT-7796-B	8.5W	850	120x1620	Black	10
7999 - 3000K WARM WHITE	VT-7796-W	8.5W	850	120x1620	White	10
8000 - 3000K WARM WHITE	VT-7796-CG	8.5W	850	120x1620	Champagne Gold	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF





AC:220-240V,50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

TOUCH ON/OFF

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8001 - 3000K WARM WHITE	VT-7797-B	8.5W	850	120x1600	Black	10
8002 - 3000K WARM WHITE	VT-7797-W	8.5W	850	120x1600	White	10
8003 - 3000K WARM WHITE	VT-7797-CG	8.5W	850	120x1600	Champagne Gold	10

LED PENDANTS







AC:220-240V,50/60Hz
120° Beam Angle
>80 CRI
Metal Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10084 - 3000K WARM WHITE 10083 - 4000K DAY WHITE	VT-7832-B	9W	1000	300x1400	Black
10085 - 3000K WARM WHITE 10086 - 4000K DAY WHITE	VT-7832-BG	9W	1000	300x1400	Black+Gold

LED PENDANTS-ADJUSTABLE UP DOWN FUNCTION









AC:220-240V,50/60Hz
120° Beam Angle
>80 CRI
Metal Body
20,000 hr lifespan
IP20 Rating

TOUCH ON/OFF

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23101 - 3000K WARM WHITE	VT-7832M-WB	9W	1000	300x1370	White+Black
23102 - 3000K WARM WHITE	VT-7832M-W	9W	1000	300x1370	White
23103 - 3000K WARM WHITE	VT-7832M-WG	9W	1000	300x1370	White+Grey

LED PENDANTS







AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10078 - 3000K WARM WHITE 10077 - 4000K DAY WHITE	VT-7830-B	9W	1000	100x1230	Black
10080 - 3000K WARM WHITE 10079 - 4000K DAY WHITE	VT-7830-W	9W	1000	100x1230	White

DESIGNER SOFT LIGHTS







AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10046 - 3000K WARM WHITE 10045 - 4000K DAY WHITE	VT-7821-B	24W	3000	800x200x1040	Black
10048 - 3000K WARM WHITE 10047 - 4000K DAY WHITE	VT-7821-W	24W	3000	800x200x1040	White

DESIGNER SOFT LIGHTS







AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10074 - 3000K WARM WHITE 10091 - 4000K DAY WHITE	VT-7829-W	13W	1500	100x70x1530	White
10076 - 3000K WARM WHITE 10075 - 4000K DAY WHITE	VT-7829-B	13W	1500	100x70x1530	Black

DESIGNER SOFT LIGHTS







AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14998 - 3000K WARM WHITE 14999 - 4000K DAY WHITE	VT-7917-B	12W	1300	280x1960	Black	1
15000 - 3000K WARM WHITE 15338 - 4000K DAY WHITE	VT-7917-W	12W	1300	280x1960	White	1

NEW DESIGNER SOFT LIGHTS





AC:220-240V,50/60Hz
360° Beam Angle
>80 CRI
Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23381 - 3000K WARM WHITE	VT-7991	5W	600	55x1390mm	White	8

NEW DESIGNER SOFT LIGHTS





AC:220-240V,50/60Hz
360° Beam Angle
>80 CRI
Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23382 - 3000K WARM WHITE	VT-7992	10W	1300	1000x1400mm	White	8

NEW LED PENDANTS





AC:220-240V,50/60Hz
180° Beam Angle
>80 CRI
Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23378 - 3000K WARM WHITE	VT-7988	6W	750	330x1350mm	Amber	6

NEW LED PENDANTS





- AC:220-240V,50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal+Glass Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23379 - 3000K WARM WHITE	VT-7989	6W	750	230x1440mm	Amber	6

NEW LED PENDANTS





- AC:220-240V,50/60Hz
- 360° Beam Angle
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23409 - 3000K WARM WHITE	VT-10114	5W	450	200x1950mm	Clear Glass	4

LED PENDANTS





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3936 - 3000K WARM WHITE	VT-7444-G	7W	400	Ø250xH190mm	Gold	8

LED PENDANTS





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3937 - 3000K WARM WHITE 3931 - 4000K DAY WHITE	VT-7444-WH	7W	400	Ø250xH190mm	White	8

LED PENDANTS





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3938 - 3000K WARM WHITE 3932 - 4000K DAY WHITE	VT-7666-G	7W	400	Ø340xH190mm	Gold	4

LED PENDANTS





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3939 - 3000K WARM WHITE 3933 - 4000K DAY WHITE	VT-7666-WH	7W	400	Ø340xH190mm	White	4

LED PENDANTS





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3934 - 3000K WARM WHITE 3928 - 4000K DAY WHITE	VT-7333-G	7W	400	Ø120xH190mm	Gold	12

LED PENDANTS





- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10082 - 3000K WARM WHITE 10081 - 4000K DAY WHITE	VT-7831	9W	1000	200x1300	Black

LED PENDANTS-TRIAC DIMMABLE





- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40101 - 3000K WARM WHITE	VT-7910	105W	6300	910x2000mm	White	1

LED PENDANTS-TRIAC DIMMABLE





- AC:220-240V, 50/60Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6903 - 3000K WARM WHITE 6904 - 4000K DAY WHITE	VT-7755	48W	5000	485x1030	White	5

LED PENDANTS-TRIAC DIMMABLE





- AC:220-240V, 50/60Hz
- >80 CRI
- Steel+PS Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6962 - 4000K DAY WHITE	VT-7793-W	90W	11000	1000x1000	White	1

LED PENDANTS

TRIAC DIMMABLE





- AC:220-240V, 50Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6931 - 4000K DAY WHITE	VT-7765	12W	1280	240x500	Black	5

NEW LED PENDANTS





- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal+Wood Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23363 - 3000K WARM WHITE	VT-7973	18W	2100	400x1400mm	Wood+White	5

NEW LED PENDANTS

TRIAC DIMMABLE





- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal+Wood Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23364 - 3000K WARM WHITE	VT-7974	25W	2800	500x1400mm	Wood+White	5

NEW LED PENDANTS

TRIAC DIMMABLE





- AC:220-240V, 50Hz
- 120° Beam Angle
- >80 CRI
- Metal+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23431 - 3000K WARM WHITE 23432 - 4000K DAY WHITE	VT-10126	45W	5500	620x1200mm	Brush Gold	1

LED PENDANTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23099 - 3000K WARM WHITE	VT-7581	25W	3000	500x1220	White

LED PENDANTS





- AC:100-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Steel+PC Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3874 - 3000K WARM WHITE	VT-40-1	40W	2800	400X210X1000mm	1

LED PENDANTS-COLOR CHANGING






COLOR CHANGING WITH REMOTE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213959 -3IN1	VT-7605-N	36W	3900	600x2000mm	White	1
3960 -3IN1	VT-7750	82W	7300	750x2000mm	White	1

LED PENDANTS-COLOR CHANGING





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3963 -3IN1	VT-7607	42W	3400	600x600x2000mm	White	1

LED PENDANTS-TRIAC DIMMABLE





- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40011 - 3000K WARM WHITE	VT-7390	72W	6500	ø390x2000mm	White	1

NEW DESIGNER SOFT LIGHTS






- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23372 - 3000K WARM WHITE	VT-7982	65W	7000	600x1070mm	Champagne Grey	10

NEW DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23368 - 3000K WARM WHITE	VT-7978	15W	1600	1200x120x1150mm	Wood+Black	6

NEW DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >80 CRI
- Metal+Wood Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23369 - 3000K WARM WHITE	VT-7979	10W	1300	600x1310mm	Wood	5

NEW DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23370 - 3000K WARM WHITE	VT-7980	30W	3350	560x1200mm	Gold+Black	1

NEW DESIGNER SOFT LIGHTS CCT 3IN1





- AC:220-240V, 50/60Hz
- 270° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23373 - 3IN1	VT-7983	40W	4800	600x1220mm	Black	5

NEW DESIGNER SOFT LIGHTS CCT 3IN1





- AC:220-240V, 50/60Hz
- 270° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23374 - 3IN1	VT-7984	40W	4800	600x1160mm	Black	6

NEW DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23434 - 3000K WARM WHITE 23435 - 4000K DAY WHITE	VT-10124	12W	1440	400x160x1650mm	Black	1
23436 - 3000K WARM WHITE 23437 - 4000K DAY WHITE	VT-10125	16W	1920	500x160x1700mm	Black	1

LED PENDANTS-TRIAC DIMMABLE





- AC:220-240V, 50/60Hz
- >80 CRI
- Steel+PS Body
- 20,000 hr lifespan
- IP20 Rating

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6957 - 4000K DAY WHITE	VT-7760-B	50W	6100	600x1000	Black	5
6958 - 4000K DAY WHITE	VT-7760-W	50W	6100	600x1000	White	5
6959 - 4000K DAY WHITE	VT-7760-C	50W	6100	600x1000	Corten	5

LED PENDANTS-TRIAC DIMMABLE





- AC:180-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- Iron+Acrylic Body
- 30,000 hr lifespan
- IP20 Rating

TRIAC DIMMABLE

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3992 -3000K WARM WHITE	VT-25-1-W	20W	1500	450mm	White	1
3993 -3000K WARM WHITE	VT-25-1-B	20W	1500	450mm	Black	1
3994 -3000K WARM WHITE	VT-25-1-C	20W	1500	450mm	Coffee	1

LED PENDANTS-TRIAC DIMMABLE





AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body

25,000 hr lifespan

IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3995 -3000K WARM WHITE	VT-32-1-W	30W	2250	600mm	White	1
3996 -3000K WARM WHITE	VT-32-1-B	30W	2250	600mm	Black	1
3997 -3000K WARM WHITE	VT-32-1-C	30W	2250	600mm	Coffee	1

LED PENDANTS







AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23098 - 3000K WARM WHITE	VT-7580	20W	2400	425x1100	Coffee
23097 - 3000K WARM WHITE	VT-7579	30W	3600	625x1100	Coffee

DESIGNER SOFT LIGHTS

DIMMABLE





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10044 - 3000K WARM WHITE 10043 - 4000K DAY WHITE	VT-7820	38W	4560	974x260x1100	Black

DESIGNER SOFT LIGHTS

DIMMABLE





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10052 - 3000K WARM WHITE 10051 - 4000K DAY WHITE	VT-7823	19W	2160	400x1080	Black

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10054 - 3000K WARM WHITE 10053 - 4000K DAY WHITE	VT-7824	57W	6840	1510x910x1080	Black

DESIGNER SOFT LIGHTS





AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3986 - 3000K WARM WHITE	VT-101-2-W	115W	8050	600/400	White	1
213986 - 3000K WARM WHITE	VT-101-2-W-N	113W	6300	600x1200mm	White	1
213987 - 3000K WARM WHITE	VT-101-2-B-N	113W	6300	600x1200mm	Black	1
213988 - 3000K WARM WHITE	VT-101-2-C-N	113W	6300	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS





AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan

IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213989 - 3000K WARM WHITE	VT-82-3-W-N	86W	4550	600x1200mm	White	1
213990 - 3000K WARM WHITE	VT-82-3-B-N	86W	4550	600x1200mm	Black	1
213991 - 3000K WARM WHITE	VT-82-3-C-N	86W	4550	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS





3-IN-1 COLOR CHANGING

- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15345 - 3000K WARM WHITE	VT-7924	46W	4900	800x1660	Black	1

DESIGNER SOFT LIGHTS





3-IN-1 COLOR CHANGING

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23096 - 3000K WARM WHITE	VT-7578	50W	5850	625x1100	Coffee

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE





- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14986 - 3000K WARM WHITE 14987 - 4000K DAY WHITE	VT-7908	48W	5150	840x1200	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE





AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14988 - 3000K WARM WHITE 14989 - 4000K DAY WHITE	VT-7909	48W	5150	600x1230	White	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE





AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14992 - 3000K WARM WHITE 14993 - 4000K DAY WHITE	VT-7914	48W	5150	1160x1180	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE





AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14996 - 3000K WARM WHITE 14997 - 4000K DAY WHITE	VT-7916	48W	5150	900x1200	White	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15340 - 3000K WARM WHITE	VT-7919	49W	5220	700x1200	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8012 - 3000K WARM WHITE	VT-7799-B	20W	2540	500x1000	Black	5
8013 - 3000K WARM WHITE	VT-7799-W	20W	2540	500x1000	White	5
8014 - 3000K WARM WHITE	VT-7799-PG	20W	2540	500x1000	Paint Gold	5

DESIGNER SOFT LIGHTS







AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8010 - 3000K WARM WHITE	VT-7798-B	24W	3240	720x300	Black	1
8011 - 3000K WARM WHITE	VT-7798-CG	24W	3240	720x300	Champagne Gold	1

DESIGNER SOFT LIGHTS







AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
8020 - 3000K WARM WHITE	VT-7817-B	18W	2260	700x1000	Black
8021 - 3000K WARM WHITE	VT-7817-PG	18W	2260	700x1000	Paint Gold

DESIGNER SOFT LIGHTS







- AC:220-240V, 50/60Hz
- 270° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8022 - 3000K WARM WHITE	VT-7818-B	16W	1820	860x300	Black	5
8023 - 3000K WARM WHITE	VT-7818-PG	16W	1820	860x300	Paint Gold	5

DESIGNER SOFT LIGHTS









- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8017 - 3000K WARM WHITE	VT-7816-B	32W	3880	600x1000	Black	5
8018 - 3000K WARM WHITE	VT-7816-W	32W	3880	600x1000	White	5
8019 - 3000K WARM WHITE	VT-7816-PG	32W	3880	600x1000	Paint Gold	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE





AC:220-240V, 50Hz

>80 CRI

Steel+Aluminum+PC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6906 - 3000K WARM WHITE	VT-7756	45W	4470	1140x160x1580	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone

Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6933 - 4000K DAY WHITE	VT-7766	30W	3200	890x250	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50/60Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6935 - 4000K DAY WHITE	VT-7767	15W	1500	915x215	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6937 - 4000K DAY WHITE	VT-7768	12W	1280	915x1000	Black	1

DESIGNER SOFT LIGHTS

TRIAC DIMMABLE





AC:220-240V, 50/60Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6939 - 4000K DAY WHITE	VT-7769	12W	1200	905x1000	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6941 - 4000K DAY WHITE	VT-7770	24W	2500	1525x1000	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6943 - 4000K DAY WHITE	VT-7771	23W	2130	1230x1100	Black	1

DESIGNER SOFT LIGHTS





AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Wood+PVC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23100 - 4000K DAY WHITE	VT-7532	12W	1440	800x1100	Wood

NEW DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Wood Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23365 - 3000K WARM WHITE	VT-7975	10W	1250	900x1200mm	Wood	10

DESIGNER BEND GLASS HANGING PENDANT





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+Glass Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3898 - 4000K DAY WHITE	VT-7020	18W	1350	985x55x800mm	Chrome+Glass	6

DESIGNER SLEEK PENDANT CHROME





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3892 - 4000K DAY WHITE	VT-7036	36W	2700	1820x55x800mm	Chrome	12

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10088 - 3000K WARM WHITE 10060 - 4000K DAY WHITE	VT-7827	19W	2160	800x1150	Black

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10050 - 3000K WARM WHITE 10049 - 4000K DAY WHITE	VT-7822	30W	3450	1200x120x1150	White

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10056 - 3000K WARM WHITE 10055 - 4000K DAY WHITE	VT-7825	24W	2760	790x200x1080	White

NEW DESIGNER SOFT LIGHTS






- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23375 - 3000K WARM WHITE	VT-7985	12W	1440	1660x120x120mm	Brown	10

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10087 - 3000K WARM WHITE 10057 - 4000K DAY WHITE	VT-7826	20W	2500	1000x600x475	Black+Brass

DESIGNER SOFT LIGHTS





- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10090 - 3000K WARM WHITE 10089 - 4000K DAY WHITE	VT-7828	32W	4000	430x370x1120	White+Wood

DESIGNER SOFT LIGHTS






- AC:220-240V, 50Hz
- >80 CRI
- Steel Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15339 - 3000K WARM WHITE	VT-7918	28W	2700	1020x1210	Gold	1

DESIGNER SOFT LIGHTS





- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15341 - 3000K WARM WHITE	VT-7920	46W	4900	500x1500	Gold	1

DESIGNER SOFT LIGHTS






- AC:220-240V, 50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15343 - 3000K WARM WHITE	VT-7922	42W	4480	970x840	Gold	1

DESIGNER SOFT LIGHTS





- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15344 - 3000K WARM WHITE	VT-7923	45W	4800	1200x1580	Black	1

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15346 - 3000K WARM WHITE	VT-7925	49W	5220	600x105	Black	1

LED CEILING LIGHTS





- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40051 - 3000K WARM WHITE	VT-7352	25W	2100	ø350x168mm	White	1
40061 - 3000K WARM WHITE	VT-7503	40W	3100	ø500x215mm	White	1

DESIGNER SERIES COLOR CHANGING





AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating

REMOTE CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213970 -3IN1	VT-7309-N	25W	2500	300x300x80mm	White	1
213971 -3IN1	VT-7463-N	40W	4000	460x460x95mm	White	1
3973 -3IN1	VT-7753	80W	6600	750x750x125mm	White	1

DESIGNER SERIES COLOR CHANGING





AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating

REMOTE CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213966 -3IN1	VT-7308-N	20W	2150	300x85mm	White	1
3967 -3IN1	VT-7462	32W	3100	460x100mm	White	1
213969 -3IN1	VT-7752-N	78W	8500	750x130mm	White	1

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6986 - 4000K DAY WHITE	VT-7779B-RD	18W	1280	350x62	Black	5
6988 - 4000K DAY WHITE	VT-7780B-RD	24W	2500	400x62	Black	5
6908 - 4000K DAY WHITE	VT-7757B-RD	38W	4050	450x62	Black	5
6911 - 4000K DAY WHITE	VT-7758B-RD	42W TRIAC Dimmable	4400	500x62	Black	5

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6990 - 4000K DAY WHITE	VT-7781B-SQ	18W	1490	350x350x62	Black	3
6992 - 4000K DAY WHITE	VT-7782B-SQ	24W	2450	400x400x62	Black	5
6914 - 4000K DAY WHITE	VT-7757B-SQ	38W	4000	450x450x62	Black	5
6917 - 4000K DAY WHITE	VT-7758B-SQ	48W TRIAC Dimmable	4480	500x500x62	Black	5

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6987 - 4000K DAY WHITE	VT-7779W-RD	18W	1280	350x62	White	5
6989 - 4000K DAY WHITE	VT-7780W-RD	24W	2500	400x62	White	5
6909 - 4000K DAY WHITE	VT-7757W-RD	38W	4050	450x62	White	5
6912 - 4000K DAY WHITE	VT-7758W-RD	42W TRIAC Dimmable	4400	500x62	White	5

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6991 - 4000K DAY WHITE	VT-7781W-SQ	18W	1490	350x350x62	White	3
6993 - 4000K DAY WHITE	VT-7782W-SQ	24W	2450	400x400x62	White	5
6915 - 4000K DAY WHITE	VT-7757W-SQ	38W	4000	450x450x62	White	5
6918 - 4000K DAY WHITE	VT-7758W-SQ	48W TRIAC Dimmable	4480	500x500x62	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

3-IN-1 COLOR CHANGING
SMART APP CONTROL





- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15358 - 3IN1	VT-7960	95W	9900	520x500	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

3-IN-1 COLOR CHANGING
SMART APP CONTROL





- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15357 - 3IN1	VT-7959	120W	12800	500x500	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

3-IN-1 COLOR CHANGING
SMART APP CONTROL





- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15359 - 3IN1	VT-7961	125W	13100	500x500	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

TRIAC DIMMABLE | 3-IN-1 COLOR CHANGING | SMART APP CONTROL






- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15360 - 3IN1	VT-7962	130W	13600	620x620	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

REMOTE CONTROL | 3-IN-1 COLOR CHANGING | SMART APP CONTROL





- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15356 - 3IN1	VT-7958	150W	15500	510x510	White	5

NEW **DESIGNER** SERIES SURFACE LIGHT-REMOTE CONTROL

REMOTE CONTROL | 3-IN-1 COLOR CHANGING






- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23394 - 3IN1	VT-7717	45W	3900	600x400x100mm	White	4

NEW DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL

REMOTE CONTROL
3-IN-1 COLOR CHANGING






- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23395 - 3IN1	VT-7718	70W	6000	585x390x120mm	White	4

NEW DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL

REMOTE CONTROL
3-IN-1 COLOR CHANGING





- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23397 - 3IN1	VT-7734	75W	6500	495x495x55mm	White	4

NEW DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL

REMOTE CONTROL
3-IN-1 COLOR CHANGING





- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23396 - 3IN1	VT-7719	77W	6700	495x495x55mm	White	4

NEW **DESIGNER** SERIES SURFACE LIGHT





- AC:220-240V,50/60Hz
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23371 - 3000K WARM WHITE	VT-7981	36W	4150	840x600x290mm	Gold+Black	1

DESIGNER SERIES SURFACE LIGHT

COLOR CHANGING WITH REMOTE





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6994 - 4000K DAY WHITE	VT-7783B	24W	2560	310x60	Black	5
6920 - 4000K DAY WHITE	VT-7761B	38W	4050	465x60	Black	5

DESIGNER SERIES SURFACE LIGHT

TOUCH DIMMING





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6995 - 4000K DAY WHITE	VT-7783W	24W	2560	310x60	White	5
6921 - 4000K DAY WHITE	VT-7761W	38W	4050	465x60	White	5

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6996 - 4000K DAY WHITE	VT-7784B	24W	2560	250x160	Black	5
6923 - 4000K DAY WHITE	VT-7762B	54W TRIAC Dimmable	5330	530x200	Black	4

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6997 - 4000K DAY WHITE	VT-7784W	24W	2560	250x160	White	5
6924 - 4000K DAY WHITE	VT-7762W	54W TRIAC Dimmable	5330	530x200	White	4

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6926 - 4000K DAY WHITE	VT-7763B	20W	2130	250x130	Black	5

DESIGNER SERIES SURFACE LIGHT

TRIAC DIMMABLE





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6927 - 4000K DAY WHITE	VT-7763W	20W	2130	250x130	White	5
6998 - 4000K DAY WHITE	VT-7785W	24W	2560	310x115	White	5
6929 - 4000K DAY WHITE	VT-7764W	43W	4580	520x165	White	1

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7000 - 3000K WARM WHITE	VT-7787	20W	2130	450x300x105	Black	5

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7001 - 3000K WARM WHITE	VT-7788	12W	1280	945x60	Black	5

DESIGNER SERIES SURFACE LIGHT






AC:220-240V,50Hz
>80 CRI
Aluminum+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7002 - 3000K WARM WHITE	VT-7789	24W	2560	525x185x80	Black	5

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50/60Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7003 - 3000K WARM WHITE	VT-7790	24W	2500	125x445	Black	4

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7004 - 3000K WARM WHITE	VT-7791	24W	2560	610x120x360	Black	4

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7005 - 3000K WARM WHITE	VT-7792	20W	2130	460x410x125	Black	4

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14990 - 3000K WARM WHITE 14991 - 4000K DAY WHITE	VT-7911	48W TRIAC Dimmable	5150	620x100	Black	1

DESIGNER SERIES SURFACE LIGHT





AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14994 - 3000K WARM WHITE 14995 - 4000K DAY WHITE	VT-7915	38W	4100	880x105	Black	1

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15342 - 3000K WARM WHITE	VT-7921	46W	4900	645x550x420	Black	1

DESIGNER SERIES SURFACE LIGHT





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15347 - 3000K WARM WHITE	VT-7926	47W	5010	905x670x100	Black	1

DESIGNER SERIES SURFACE LIGHT

TRIAC DIMMABLE





- AC:220-240V,50Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14984 - 3000K WARM WHITE 14985 - 4000K DAY WHITE	VT-7907	37W	4000	495	White	1

DESIGNER SERIES SURFACE LIGHT-TWO FRAME





- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7006 - 3000K WARM WHITE	VT-7786	14W	1490	340x95x160	Satin Nickel	5

NEW **CEILING** CRYSTAL LAMP FITTING-E14





- AC:220-240V,50/60Hz
- Crystal Body
- IP20 Rating
- 2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23359	VT-7969	5xE14	400x240mm	Chrome	1

NEW **CEILING** CRYSTAL LAMP FITTING-E14





- AC:220-240V,50/60Hz
- Crystal Body
- IP20 Rating
- 2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23360	VT-7970	9xE14	600x290mm	Chrome	1

STEEL CANOPY-SURFACE-3 HOLES-RED COPPER



SKU: 15349
Material: Steel
Unit Color: Red Copper
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: 15350
Material: Steel
Unit Color: Matt White
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-RED COPPER



SKU: 15351
Material: Steel
Unit Color: Red Copper
Dimension: Ø300x25
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-MATT WHITE



SKU: 15352
Material: Steel
Unit Color: Matt White
Dimension: Ø300x25
Box Qty: 10

MAGNETISM CANOPY-SURFACE-8 HOLES-MATT WHITE



SKU: 15355
Material: Steel
Unit Color: Matt White
Dimension: Ø150x36
Box Qty: 20

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: 15353
Material: Steel
Unit Color: Matt White
Dimension: 800x70x43
Box Qty: 10

STEEL CANOPY-SURFACE-9 HOLES-MATT WHITE



SKU: 15354
Material: Steel
Unit Color: Matt White
Dimension: 800x600x20
Box Qty: 2

MIRROR LIGHTS



AC:200-240V,50/60Hz

17W=120°/35-42W=110° Beam Angle

>80 CRI

IP44 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40441 - 6400K WHITE	VT-8505	17W	600	H:500xW:390xT:35mm	1
2140451 - 6400K WHITE	VT-8700-N	35W	95	H:700xW:500xT:35mm	1
2140471 - 6400K WHITE	VT-8800-N	42W	100	H:800xW:600xT:35mm	1

MIRROR LIGHTS TOUCH SWITCH



AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating


ANTI-FOG WITH DEMISTER PAD

3-IN-1 COLOR CHANGING

TOUCH CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2140491 - 3IN1	VT-8602-N	25W	85	D:600x35mm	1

DESIGNER WALL LIGHTS





AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

ANTI-FOG WITH DEMISTER PAD

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15348 - 3000K WARM WHITE	VT-7927	37W	3940	340x460	Gold	1

DESIGNER WALL LIGHTS







AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

ANTI-FOG WITH DEMISTER PAD

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14981 - 3000K WARM WHITE 14980 - 4000K DAY WHITE	VT-7906-B	14W	1500	250x180	Black	1
14983 - 3000K WARM WHITE 14982 - 4000K DAY WHITE	VT-7906-W	14W	1500	250x180	White	1

LED MIRROR LIGHTS







AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Aluminium Body

20,000 hr lifespan

IP65 Rating

ANTI-FOG WITH DEMISTER PAD

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
405811 - 3000K WARM WHITE 405821 - 4000K DAY WHITE	VT-7022-W	10W	1530	610x100x75	White	10
405831 - 3000K WARM WHITE 405841 - 4000K DAY WHITE	VT-7022-B	10W	1530	610x100x75	Black	10

LED PICTURE/MIRROR LAMP






- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213985 - 3000K WARM WHITE 213894 - 4000K DAY WHITE	VT-7008-N	9W	3000K-550 4000K-580	500x55x185mm	Chrome	12
213982 - 3000K WARM WHITE 213895 - 4000K DAY WHITE	VT-7012-N	13W	3000K-850 4000K-910	640x55x185mm	Chrome	12

LED PICTURE/MIRROR LAMP







- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Aluminium+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213984 - 3000K WARM WHITE 213900 - 4000K DAY WHITE	VT-7009CH-N	9W	3000K-380 4000K-420	455x45x190mm	Chrome	11

LED PICTURE/MIRROR LAMP





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3893 - 4000K DAY WHITE	VT-7037	36W	2700	940x120x60mm	Chrome	6

DESIGNER BEND SERIES CHROME






- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+Glass Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3899 - 4000K DAY WHITE	VT-7038	36W	2700	985x120x75mm	Chrome	6

DESIGNER SERIES TRIAC DIMMABLE

TRIAC DIMMABLE

03 YEAR WARRANTY





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3978 -3000K WARM WHITE	VT-7049	32W	2100	890x125x2000mm	White	1
3979 -3000K WARM WHITE	VT-7072	52W	3400	1310x125x2000mm	White	1

DESIGNER SERIES TRIAC DIMMABLE

TRIAC DIMMABLE

03 YEAR WARRANTY





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3980 -3000K WARM WHITE	VT-7027	18W	1200	ø125x2500mm	White	1
3981 -3000K WARM WHITE	VT-7050	32W	2100	ø125x2900mm	White	1

WALL LAMP TRIAC DIMMABLE

TRIAC DIMMABLE

03 YEAR WARRANTY





- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- PC+Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3974 - 3000K WARM WHITE	VT-7025	18W	1200	ø125x530mm	White	1

TABLE LAMP TOUCH DIMMABLE

TOUCH DIMMING

03 YEAR WARRANTY





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3975 3000K WARM WHITE	VT-7026	18W	1200	130x480mm	White	1

FLOOR LAMP TOUCH DIMMING

TOUCH DIMMING
03 YEAR WARRANTY





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3976 3000K WARM WHITE	VT-7048	32W	2100	200x900mm	White	1

FLOOR LAMP

TRIAC DIMMABLE
03 YEAR WARRANTY





- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3977 3000K WARM WHITE	VT-7096	65W	4300	420x1790mm	White	1

DESIGNER WALL LAMP





- AC:220-240V,50Hz
- 1.5m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40431	VT-7402	E27	610x220x330mm	Chrome	6

DESIGNER TABLE LAMP





- AC:220-240V,50Hz
- 1.5m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40331	VT-7412	E27	150x420mm	Red+Bronze	4

DESIGNER TABLE LAMP







- AC:220-240V,50Hz
- 1.5m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40381	VT-7712	E27	320x200x570mm	Ivory+Black-Square	1
40391	VT-7713	E27	300x180x550mm	Ivory+Black-Round	1

DESIGNER FLOOR LAMPS







- AC:220-240V,50Hz
- 1.8m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40401	VT-7912	E27	450x300x1630mm	Ivory+Black-Square	1
40411	VT-7913	E27	450x285x1620mm	Ivory+Black-Round	1

FLOOR LAMPS






- AC:220-240V,50Hz
- 1.8m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40421	VT-7702	E27	140x200x1540mm	Black+Chrome	4

BALL LIGHT






- Lithium Battery 1000mAh
- AC:100-240V,50Hz
- LLDPE Body
- 50,000 hr lifespan
- IP67 Rating
- 200x200x140mm Size
- White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40141 - RGB	VT-7801	1W	18	8

STONE LIGHT





- Lithium Battery 1000mAh
- AC:100-240V,50Hz
- LLDPE Body
- 50,000 hr lifespan
- IP67 Rating
- 280x210x170mm Size
- White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40151 - RGB	VT-7802	1W	18	8

BALL LIGHT




Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
300x300x290mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40161 - RGB	VT-7803	1W	18	1

STONE LIGHT




Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
320x250x170mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40171 - RGB	VT-7804	1W	18	1

POT LIGHT




Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
280x280x290mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40181 - RGB	VT-7805	1W	18	1

POT LIGHT




Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
355x355x325mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40211 - RGB	VT-7808	1.5W	54	1

ICE BUCKET LIGHT





Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
290x330x350mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40191 - RGB	VT-7806	1.5W	54	1

BALL LIGHT




Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x390mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40201 - RGB	VT-7807	3W	54	1

BALL LIGHT




Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
500x500x260mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40221 - RGB	VT-7809	6W	108	1

STOOL LIGHT




Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x360mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40231 - RGB	VT-7810	3W	54	1

CUBE LIGHT




Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x400mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40241 - RGB	VT-7811	3W	108	1

TABLE LIGHT





Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
720x720x580mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40251 - RGB	VT-7812	6W	108	1

TABLE LIGHT




Lithium Battery 5200mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
600x600x1100mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | REMOTE CONTROL | IP54 RATING

SKU	Model	Watts	Lumens	Box Qty
40261 - RGB	VT-7813	5W	100	1



V-TAC

Meaningful Innovation.




LED Table & Floor Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring you an exclusive range of LED table lamps. Elegantly designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Key Features

- energy-efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color-changing, and more
- With USB charging functionality on selected models
- Sleek and modern design



RECHARGEABLE & ADJUSTABLE FLOOR LAMP -TOUCH CONTROL

TOUCH CONTROL DIMMING + ON/OFF

BATTERY RECHARGEABLE



Watts:	4W
Lumens:	300
Beam Angle:	180°
Material:	Aluminium
Dimension:	140x1300
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	6 Hours
Box Qty:	4



SKU	Model	Unit Color
7007 - 3000K WARM WHITE	VT-7544-W	White
7008 - 3000K WARM WHITE	VT-7544-C	Corten
7009 - 3000K WARM WHITE	VT-7544-B	Black





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

RECHARGEABLE DESK LAMPS

Watts:	3W
Lumens:	70
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

SKU	Model	Unit Color
10187 - 3000K WARM WHITE 10188 - 4000K DAY WHITE	VT-7703-RB-G	Grey
10189 - 3000K WARM WHITE 10190 - 4000K DAY WHITE	VT-7703-RB-GD	Gold
10191 - 3000K WARM WHITE 10192 - 4000K DAY WHITE	VT-7703-RB-W	White
10193 - 3000K WARM WHITE 10194 - 4000K DAY WHITE	VT-7703-RB-B	Black





wireless CHARGING

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø78.5x386
IP Rating:	IP54
Battery:	4400mA
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
7651 - 3000K WARM WHITE	VT-7522-W	White
7652 - 3000K WARM WHITE	VT-7522-B	Black
7653 - 3000K WARM WHITE	VT-7522-G	Grey
7654 - 3000K WARM WHITE	VT-7522-C	Corten

NEW





wireless CHARGING

TOUCH CONTROL DIMMING + ON/OFF

Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	70x275mm
IP Rating:	IP54
Battery:	1900mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3 Hours
Working Time:	8-10 Hours
Box Qty:	20

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
23445 - 3000K WARM WHITE	VT-7997-W	White
23446 - 3000K WARM WHITE	VT-7997-C	Corten
23447 - 3000K WARM WHITE	VT-7997-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x325
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7689 - 3000K WARM WHITE	VT-7562-W	White
6821 - 3000K WARM WHITE	VT-7562-C	Corten
7690 - 3000K WARM WHITE	VT-7562-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL





BATTERY RECHARGEABLE


TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x366
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7691 - 3000K WARM WHITE	VT-7563-W	Black

NEW

2IN1 SOLAR AND USB CHARGING MAGNETIC TABLE LAMPS CCT





TOUCH DIMMING

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	5W
Lumens:	400
Beam Angle:	60°
Material:	Metal+ABS+PC
Dimension:	352x120
IP Rating:	IP65
Battery:	3600mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23412 - 3IN1	VT-10116-W	White
23413 - 3IN1	VT-10116-B	Black

NEW







Watts:	1W
Lumens:	120
Material:	Metal
Dimension:	420x305
IP Rating:	IP44
Battery:	Lin-ion 18650, 3.7V, 4000mAh
Charing Time:	8-10 Hours
Working Time:	12 Hours
Box Qty:	1 Pc

SOLAR DESIGNER TABLE LAMP-CCT

SKU	Model	Unit Color
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	Black
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	Grey

NEW





Watts:	0.5W
Lumens:	21
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	Lin-ion 18650, 3.7V, 1200mAh
Charing Time:	6-8 Hours
Working Time:	10 Hours
Box Qty:	20 Pc

SOLAR DESIGNER TABLE LAMP WITH HANDLE

SKU	Model	Unit Color
23385 - 3000K WARM WHITE	VT-7994	Black

NEW

MAGNETIC UP/DOWN TABLE LAMP-RECHARGEABLE-TOUCH CONTROL





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	300
Beam Angle:	45°
Material:	Metal+ABS+PC
Dimension:	353x110mm
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	4-15 Hours
Box Qty:	20

SKU	Model	Unit Color
23410 - 3IN1	VT-10115-W	White
23411 - 3IN1	VT-10115-B	Black

MAGNETIC TABLE LAMP-RECHARGEABLE





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	300
Beam Angle:	120°
Material:	ABS+PC+Metal
Dimension:	130x350
IP Rating:	IP20
Battery:	1500mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	2-3 Hours
Box Qty:	

SKU	Model	Unit Color
23041 - 4000K DAY WHITE	VT-7413-W	White
23043 - 4000K DAY WHITE	VT-7413-R	Red
23042 - 4000K DAY WHITE	VT-7413-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	100
Beam Angle:	180°
Material:	Metal
Dimension:	120x360
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours

SKU	Model	Unit Color
23092 - 3000K WARM WHITE	VT-7574-W	White
23093 - 3000K WARM WHITE	VT-7574-B	Black





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	1W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	150x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

SKU	Model	Unit Color
7940 - 3000K WARM WHITE	VT-1049-B	Black
7941 - 3000K WARM WHITE	VT-1049-W	White
7942 - 3000K WARM WHITE	VT-1049-V	Violet
7943 - 3000K WARM WHITE	VT-1049-CG	Champagne Gold
7944 - 3000K WARM WHITE	VT-1049-G	Grey
7945 - 3000K WARM WHITE	VT-1049-SB	Sand Brown



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Glass
Dimension:	140x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7988 - 3IN1	VT-1056-BT	Black+Transparent

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	2.7W
Lumens:	110
Beam Angle:	180°
Material:	Iron
Dimension:	105x340
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	3-4 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23354 - 3IN1	VT-7967-BR	Brown
23355 - 3IN1	VT-7967-W	White
23356 - 3IN1	VT-7967-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø130x372
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10324 - 3IN1	VT-1034-W	White
10330 - 3IN1	VT-1034-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø115x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10326 - 3IN1	VT-1028-W	White
10325 - 3IN1	VT-1028-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.6W
Lumens:	130
Beam Angle:	120°
Material:	Metal
Dimension:	105x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3.5-4.5 Hours
Working Time:	6-8 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
10329 - 3IN1	VT-1073-W	White
10328 - 3IN1	VT-1073-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	40
Beam Angle:	180°
Material:	Metal
Dimension:	95x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10569 - 3IN1	VT-7566-W	White
10568 - 3IN1	VT-7566-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	210
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	120x255
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
10571 - 3IN1	VT-7567-W	White+Transparent
10570 - 3IN1	VT-7567-B	Black+Transparent

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	120°
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
7895 - 3IN1	VT-1041-B	Black
7896 - 3IN1	VT-1041-W	White
7897 - 3IN1	VT-1041-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	150x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7898 - 3IN1	VT-1047-B	Black
7899 - 3IN1	VT-1047-W	White
7937 - 3IN1	VT-1047-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	135x265
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7938 - 3IN1	VT-1048-FG	French Gold
7939 - 3IN1	VT-1048-CH	Chrome

NEW





3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	240
Beam Angle:	100°
Material:	Leather Cloak+Metal
Dimension:	200x330mm
IP Rating:	IP20
Battery:	4000mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	6

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
23414 - 3IN1	VT-10117-BL	Blue
23415 - 3IN1	VT-10117-Y	Yellow
23416 - 3IN1	VT-10117-BR	Brown
23417 - 3IN1	VT-10117-B	Black





3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
7947 - 3IN1	VT-1051-B	Black
7948 - 3IN1	VT-1051-W	White
7949 - 3IN1	VT-1051-G	Grey



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	115x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7985 - 3IN1	VT-1052-B	Black
7986 - 3IN1	VT-1052-W	White
7987 - 3IN1	VT-1052-G	Grey



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	86x210
IP Rating:	IP54
Battery:	2200mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
10449 - 3IN1	VT-1181-W	White
10450 - 3IN1	VT-1181-B	Black



DESIGNER TABLE LAMP WITH TOUCH DIMMABLE



TOUCH DIMMING

Beam Angle:	120°
Material:	PC + Iron
Dimension:	ø200x335mm
IP Rating:	IP20

SKU	Model	Watts	Size(mm)	Box Qty
40071 - 3000K WARM WHITE	VT-7204	12w	ø200x335mm	6
40081 - 3000K WARM WHITE	VT-7353	25w	ø350x365mm	1

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7946 - 3IN1	VT-1050-GB	Painted Gold+Black

TABLE LAMP WITH WOOD HANDLE-FABRIC





BATTERY RECHARGEABLE

Watts:	1.5W
Lumens:	100
Material:	Fabric+Wood
Dimension:	160x320
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23091 - 3000K WARM WHITE	VT-7570	Wood

TABLE LAMP-FABRIC





BATTERY RECHARGEABLE

Watts:	3W
Lumens:	110
Material:	Fabric+Wood
Dimension:	120x175
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23090 - 3000K WARM WHITE	VT-7569	Wood

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	40
Beam Angle:	180°
Material:	Iron+Cloth Cover
Dimension:	140x280
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	8-9 Hours
Box Qty:	10

SKU	Model	Unit Color
23357 - 3IN1	VT-7968-CG	Chrome+Green
23358 - 3IN1	VT-7968-CB	Chrome+Brown

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	2.4W
Lumens:	210
Beam Angle:	120°
Material:	Acrylic+Metal
Dimension:	130x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	18

SKU	Model	Unit Color
10327 - 3IN1	VT-1033-NS	Sand Nickel

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	50
Beam Angle:	180°
Material:	PS
Dimension:	160x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7894 - 3IN1	VT-1040-T	Transparent



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	310
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	106x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	3-4 Hours

SKU	Model	Unit Color
23094 - 3000K WARM WHITE	VT-7576-B	Black
23095 - 3000K WARM WHITE	VT-7576-W	White




TABLE LAMPS



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	150x445
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
10345 - 3000K WARM WHITE	VT-7506-B	Black
10346 - 3000K WARM WHITE	VT-7506-W	White



HANGING LAMP



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	100x2000
IP Rating:	IP20
Box Qty:	10

SKU	Model	Unit Color
10341 - 3000K WARM WHITE	VT-7508-B	Black
10342 - 3000K WARM WHITE	VT-7508-W	White

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1





BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	120x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7989 - 3IN1	VT-1057-FG	French Gold
7990 - 3IN1	VT-1057-CH	Chrome
7991 - 3IN1	VT-1057-AB	Antique Bronze

CANDLE TABLE LAMP WITH TOUCH CONTROL





BATTERY RECHARGEABLE

Watts:	1W
Lumens:	40
Material:	Metal
Dimension:	85x130
IP Rating:	IP20
Battery:	2400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10566 - 3000K WARM WHITE	VT-7564-CA	Champagne Gold+Amber Glass
10567 - 3000K WARM WHITE	VT-7564-BS	Black Lamp+Smoky Glass

TABLE TOP FLAMELESS CANDLE LAMP



SKU	Model	Size
10572 - 2700K WARM WHITE	VT-7568-110	53x110
10573 - 2700K WARM WHITE	VT-7568-125	53x125
10574 - 2700K WARM WHITE	VT-7568-150	53x150
10575 - 2700K WARM WHITE	VT-7568-175	53x175
10576 - 2700K WARM WHITE	VT-7568-200	53x200

- 2xAA Battery Included
- On/Off Switch
- No Smoke/No Wax Spills
- IP20
- 2 Years Warranty

AA BATTERIES

NEW



DESIGNER AMBER TABLE LAMP



Watts:	7W
Lumens:	700
Beam Angle:	180°
Material:	Metal+Glass
Dimension:	180x475
IP Rating:	IP20
Box Qty:	6

SKU	Model	Unit Color
23380 - 3000K WARM WHITE	VT-7990	Amber

FLOOR LAMP-TOUCH DIMMING






Watts:	80W
Lumens:	UP:4200/Down:3800
Beam Angle:	110°/90°
Material:	Aluminium Alloy+PC
Dimension:	310x52x1950
Voltage:	AC:100-240V,50/60Hz
PF:	>0.9
CRI:	>80
Box Qty:	1 Pc

UP & DOWN LIGHTS

TOUCH DIMMING

SKU	Model	Unit Color
8522 4000K DAY WHITE	VT-8400D-W	Silver



Watts:	16W
Lumens:	1000
Material:	ABS+Aluminium
Dimension:	240x396x180
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	12

LED TABLE LAMP WITH WIRELESS CHARGER

TOUCH DIMMING

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A
- 2s to reach full brightness
- 270 Degree Rotatable Head

SKU	Model	Unit Color
218519 - 3 IN 1	VT-1027-N	White



Watts:	20W
Lumens:	1840
Material:	Silicone+Aluminium
Dimension:	210x350
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	20

LED TABLE LAMP WITH EU PLUG CORD+SWITCH

SKU	Model	Unit Color
2140311 - 3000K WARM WHITE	VT-7312-B-N	Black
2140321 - 3000K WARM WHITE	VT-7312-W-N	White

TABLE LAMPS-SLIM





TOUCH DIMMING

BATTERY RECHARGEABLE

Watts:	6.5W
Lumens:	110
Material:	PC-Rubber Finish
Voltage:	DC:12V,1A
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8520 31 N 1	VT-1037	White

TABLE MIRROR LIGHTS





3X MAGNIFYING


AA BATTERIES

CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	135x205x325mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6629	VT-7572	Chrome

WALL MIRROR LIGHTS





3X MAGNIFYING
AA BATTERIES
CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	175x435x280mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6628	VT-7571	Nickel

SUCTION MIRROR LIGHTS





10X MAGNIFYING
AA BATTERIES
CORDLESS

Watts:	3.2w
Lumens:	30
Material:	Plastic
Dimension:	162x80x192mm
Voltage:	DC:4.5V
CRI:	>80
Box Qty:	36

SKU	Model	Unit Color
6630	VT-7573	Black

HANGING LAMP





Watts:	7W
Lumens:	360
Material:	PC+Metal
Dimension:	Ø150x151x1241
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	9

SKU	Model	Unit Color
8504 - 4000K DAY WHITE	VT-1036-P	Purple
8505 - 4000K DAY WHITE	VT-1036-W	White
8506 - 4000K DAY WHITE	VT-1036-B	Blue

TABLE LAMPS+SPEAKER





SMART DEVICE

HAND FREE CALLS

Watts:	2*3W
Dimension:	Ø92x218
Voltage:	DC:5V
Box Qty:	12

SKU	Model	Unit Color
8570	VT-6211	Black
8571	VT-6211-R	Red
8569	VT-6211-B	Blue

TABLE LAMPS-BANKER BAKELITE-E27





Material:	Glass+Metal
Dimension:	260x180x360
Box Qty:	6

SKU	Model	Unit Color
3912	VT-7151-GR	Green
3913	VT-7151-B	Blue
3914	VT-7151-GD	Yellow

FLOOR LAMP-E27





Material:	Marble+Metal
Dimension:	380x280x275
Voltage:	AC: 220-240V,50/60Hz
Box Qty:	1 Pc

SKU	Model	Unit Color
8565	VT-7451	Ivory
8564	VT-7451-B	Black

V-TAC

Meaningful Innovation.



Decorative Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).


Key Feature

- Stylish pendant lamps are available in various shapes, materials, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

STRING LIGHTS

EU PLUG
IP65 RATING






SKU	Model	Box Qty
8974	VT-717S	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Lampshade: Black ø250mm (Galvanized Iron)
Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
L/S Wireguard: Black ø256mm (Galvanized Iron)
Catenary Length: 3M Total Length (6 Luminiares at 50cm spacing)

STRING LIGHTS

EU PLUG
IP65 RATING






SKU	Model	Box Qty
8975	VT-717BS	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Lampshade: Natural ø250mm (Galvanized Iron)
Bulb Holder: Rose Gold ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
L/S Wireguard: Rose Gold ø256mm (Galvanized Iron)
Catenary Length: 3M Total Length (6 Luminiares at 50cm pacing)

STRING LIGHTS

EU PLUG
IP65 RATING






SKU	Model	Box Qty
8971	VT-720S	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Globe: Clear ø150mm (PMMA)
Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
Catenary Length: 3M Total Length (6 Luminiares at 50cm spacing)

WALL LAMP

EU PLUG
IP65 RATING






SKU	Model	Box Qty
8970	VT-720BW	8

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Globe:	Clear Ø150mm (PMMA)
Bulb Holder:	Brushed Brown Bronze Ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black Ø14mm (Galvanized Iron)
Wall Mount:	Black Ø130mm (Galvanized Iron)

WALL LAMP

EU PLUG
IP65 RATING






SKU	Model	Box Qty
8972	VT-720B	4

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Lampshade:	Black Ø250mm (Galvanized Iron)
Bulb Holder:	Brushed Brown Bronze (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black Ø14mm (Galvanized Iron)
Wall Mount:	Black Ø130mm (Galvanized Iron)
L/S Wire Guard:	Black Ø256mm (Galvanized Iron)

WALL LAMP

EU PLUG
IP65 RATING





SKU	Model	Box Qty
8973	VT-720R	4


IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Lampshade:	Natural Ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold Ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Natural Ø14mm (Galvanized Iron)
Wall Mount:	Rose Gold Ø130mm (Galvanized Iron)
L/S Wire Guard:	Rose Gold Ø256mm (Galvanized Iron)

DESIGNER PENDANT-HEMP ROPE

NEW

02 YEAR WARRANTY





SKU	Model
23361	VT-7971


Material: Hem Rope
Holder: E27
Dimension: Ø600x1525mm
Box Qty: 5

WOODEN PENDANT

NEW

02 YEAR WARRANTY





SKU	Model
23367	VT-7977


Material: Wood
Holder: E27
Dimension: 260x260x1200mm
Box Qty: 1

DESIGNER PENDANT-HEMP ROPE

NEW

02 YEAR WARRANTY






SKU	Model
23362	VT-7972

Material: Hem Rope
Holder: E27
Dimension: Ø800x1535mm
Box Qty: 4

RATTAN FLOOR LAMP





SKU	Model
40561	VT-4150


Material: Rattan Finish
Holder: E27
Dimension: Ø400xH1500mm
Box Qty: 1

WOODEN PENDANT

NEW

02 YEAR WARRANTY






SKU	Model
23366	VT-7976

Material: Wood
Holder: E27
Dimension: 300x300mm
Box Qty: 3

RATTAN FLOOR LAMP





SKU	Model
40571	VT-3100

Material: Rattan Finish
Holder: E27
Dimension: Ø300xH940mm
Box Qty: 1

WOODEN PENDANT



SKU	Model
40501	VT-3450

Material: Wooden
Holder: E27
Dimension: Ø350xH450mm
Box Qty: 1

WOODEN PENDANT



SKU	Model
40551	VT-4453

Material: Wooden
Holder: E27
Dimension: Ø450xH450mm
Box Qty: 1


WOODEN PENDANT



SKU	Model
40531	VT-3200

Material: Wooden
Holder: E27
Dimension: Ø330xH220mm
Box Qty: 8

DIAMOND CUT GLASS BLACK



SKU	Model
3880	VT-7350-HB

Material: Glass+Metal
Holder: E27
Dimension: Ø330x260x1000mm
Box Qty: 8


WOODEN PENDANT



SKU	Model
40541	VT-4280

Material: Wooden
Holder: E27
Dimension: Ø440xH280mm
Box Qty: 1

DESIGNER GLASS TRANSPARENT



SKU	Model
3882	VT-7254

Material: Glass+Metal
Holder: E27
Dimension: Ø250x230x1000mm
Box Qty: 8

DESIGNER GLASS TRANSPARENT






SKU	Model
3881	VT-7305

Material: Glass
Holder: E27
Dimension: Ø270x1280mm
Box Qty: 4

MODERN WHITE GLASS PENDANT






SKU	Model
3884	VT-7281-WG

Material: Glass+Metal
Holder: E27
Dimension: Ø285x440x1000mm
Box Qty: 4

TRANSPARENT GLASS METAL SERIES






SKU	Model
3865	VT-7302

Material: Glass+Metal
Holder: E27
Dimension: Ø300x280x1000mm
Box Qty: 8

MODERN BLACK GLASS PENDANT






SKU	Model
3885	VT-7281-BG

Material: Glass+Metal
Holder: E27
Dimension: Ø285x440x1000mm
Box Qty: 4

TRANSPARENT GLASS METAL SERIES






SKU	Model
3867	VT-7229

Material: Glass+Metal
Holder: E27
Dimension: Ø265x190x1000mm
Box Qty: 8

GLASS METAL SERIES





SKU	Model
3730	VT-7210

Material: Glass+Metal
Holder: E27
Dimension: Ø245x230x1100mm
Box Qty: 8

TRANSPARENT GLASS METAL SERIES






SKU	Model
3735	VT-7140-T

Material: Glass+Metal
Holder: E27
Dimension: Ø140x240x1130mm
Box Qty: 8

TRANSPARENT GLASS PENDANT






SKU	Model
3727	VT-7220-T

Material: Glass+Metal
Holder: E27
Dimension: Ø220x280x1150mm
Box Qty: 8

TRANSPARENT GLASS METAL SERIES






SKU	Model
3738	VT-7185

Material: Glass+Metal
Holder: E27
Dimension: Ø180x230x1110mm
Box Qty: 12

3D GLASS BLACK CANOPY






SKU	Model
40111	VT-7152

Material: Glass
Holder: E27
Dimension: Ø150x100x1020mm
Box Qty: 8

AMBER GLASS METAL SERIES






SKU	Model
3732	VT-7150-AG

Material: Glass+Metal
Holder: E27
Dimension: Ø145x160x1050mm
Box Qty: 12

3D GLASS BLACK CANOPY






SKU	Model
40121	VT-7206

Material: Glass
Holder: E27
Dimension: Ø200x100x1070mm
Box Qty: 8

3D GLASS BLACK CANOPY






SKU	Model
40131	VT-7256

Material: Glass
Holder: E27
Dimension: Ø250x100x1110mm
Box Qty: 8

MESH METAL GOLD






SKU	Model
3821	VT-7200-CG

Material: Metal
Holder: E27
Dimension: Ø200x270x1300mm
Box Qty: 8

ALUMINIUM SHADE WHITE






SKU	Model
3729	VT-7422-WH

Material: Aluminium
Holder: E27
Dimension: Ø230x310x1150mm
Box Qty: 8

CAN SHAPE BLACK PENDANT






SKU	Model
3825	VT-7131-MB

Material: Metal
Holder: E27
Dimension: Ø130x250x1300mm
Box Qty: 10

MESH METAL GREY






SKU	Model
3822	VT-7200-MG

Material: Metal
Holder: E27
Dimension: Ø200x270x1300mm
Box Qty: 8

CAN SHAPE WHITEPENDANT






SKU	Model
3829	VT-7132-MW

Material: Metal
Holder: E27
Dimension: Ø130x220x1300mm
Box Qty: 10

MESH METAL GLOBE





SKU	Model
3859	VT-7332

Material: Metal
Holder: E27
Dimension: Ø290x1000x1340mm
Box Qty: 8

COPPER SERIES ROSE GOLD



SKU	Model
3714	VT-8170

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø170mm
Box Qty: 8

COPPER SERIES ROSE GOLD



SKU	Model
3710	VT-8300

Material: Iron+ copper paint
Holder: E27
Dimension: Ø300
Box Qty: 4

COPPER SERIES ROSE GOLD



SKU	Model
3715	VT-8230

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø230mm
Box Qty: 4

COPPER SERIES ROSE GOLD




SKU	Model
3711	VT-8220

Material: Iron+ copper paint
Holder: E27
Dimension: Ø220
Box Qty: 4

MARBLE SERIES-G9

NEW






SKU	Model
23376	VT-7986

Material: Marble
Holder: G9
Dimension: Ø100x1200mm
Box Qty: 1

MARBLE SERIES-G9

NEW






SKU	Model
23377	VT-7987

Material: Marble
Holder: G9
Dimension: Ø100x1200mm
Box Qty: 1

CONCRETE TABLE LAMP






SKU	Model
3852	VT-7171

Material: Concrete
Holder: E27
Dimension: 180x130x2000mm
Box Qty: 8

CONCRETE LAMPSHADE






SKU	Model
3853	VT-7202

Material: Concrete
Holder: E27
Dimension: Ø180x160x1100mm
Box Qty: 4

GEOMETRIC SERIES GOLD CANOPY



SKU	Model
3837	VT-7321-CG

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10


CONCRETE TABLE LAMP



SKU	Model
3851	VT-7160

Material: Concrete
Holder: E27
Dimension: 160x150x2000mm
Box Qty: 4

GEOMETRIC SERIES BLACK CANOPY




SKU	Model
3838	VT-7321-MB

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10

MODERN WOODEN TOP WHITE






SKU	Model
3756	VT-7425-WH

Material: Aluminium+Wood
Holder: E27
Dimension: Ø250x200x1100mm
Box Qty: 8

WOODEN TOP IRON WHITE






SKU	Model
3763	VT-7535-W

Material: Iron+Wooden Top
Holder: E27
Dimension: Ø350x300x1100mm
Box Qty: 8

MODERN WOODEN TOP BLACK






SKU	Model
3757	VT-7425-B

Material: Aluminium+Wood
Holder: E27
Dimension: Ø250x200x1100mm
Box Qty: 8

WOODEN TOP IRON BLACK






SKU	Model
3764	VT-7535-B

Material: Iron+Wooden Top
Holder: E27
Dimension: Ø350x300x1100mm
Box Qty: 8

WOODEN TOP IRON WHITE






SKU	Model
3761	VT-7525-WH

Material: Iron+Wooden Top
Holder: E27
Dimension: Ø250x400x1200mm
Box Qty: 8

WOODEN TOP IRON WHITE






SKU	Model
3765	VT-7545-WH

Material: Iron+Wooden Top
Holder: E27
Dimension: Ø350x300x1100mm
Box Qty: 8

WOODEN TOP IRON BLACK






SKU	Model
3766	VT-7545-B

Material: Iron+Wooden Top
Holder: E27
Dimension: Ø350x300x1100mm
Box Qty: 8

PENDANT ALUMINIUM SHADE GREY






SKU	Model
3922	VT-7100-G

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE WHITE






SKU	Model
3920	VT-7100-WH

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE PINK






SKU	Model
3923	VT-7100-P

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE BLACK






SKU	Model
3921	VT-7100-B

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE RED






SKU	Model
3924	VT-7100-R

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE BLUE





SKU	Model
3925	VT-7100-BL

Material: Plastic+Aluminium
Holder: E14
Dimension: Ø180x100x1200mm
Box Qty: 12

PRISM YELLOW PENDANT






SKU	Model
3947	VT-7310-Y

Material: Metal
Holder: E27
Dimension: 310x180mm
Box Qty: 4

METAL PLATE ROSE GOLD





SKU	Model
3751	VT-7777-RG

Material: Metal
Holder: E27
Dimension: Ø300x90x1000mm
Box Qty: 20

PRISM WHITE PENDANT





SKU	Model
3948	VT-7310-W

Material: Metal
Holder: E27
Dimension: 310x180mm
Box Qty: 4

PRISM BLUE PENDANT





SKU	Model
3946	VT-7310-B

Material: Metal
Holder: E27
Dimension: 310x180mm
Box Qty: 4

PRISM WOODEN YELLOW





SKU	Model
3950	VT-7323-Y

Material: Metal
Holder: E27
Dimension: 320x270mm
Box Qty: 4

CONE PRISM WHITE





SKU	Model
3952	VT-7255-W

Material: Metal
Holder: E27
Dimension: Ø250x255mm
Box Qty: 4

CONE PRISM BLUE






SKU	Model
3953	VT-7255-B

Material: Metal
Holder: E27
Dimension: Ø250x255mm
Box Qty: 4

TRANSPARENT PENDANT HOLDER BOTTLE






SKU	Model
3771	VT-7558-T

Material: Glass
Holder: E14
Dimension: Ø72x280x1150mm
Box Qty: 25

ROSE PENDANT HOLDER BOTTLE






SKU	Model
3774	VT-7558-RO

Material: Glass
Holder: E14
Dimension: Ø72x280x1150mm
Box Qty: 25

GREY PENDANT HOLDER BOTTLE





SKU	Model
3775	VT-7558-GY

Material: Glass
Holder: E14
Dimension: Ø72x280x1150mm
Box Qty: 25



Model: VT-7778-BL
SKU: 3722
Material: Wooden
Dimension: 73x102x1000mm
Color: Blue Wire
Box Qty: 50



Model: VT-7778-R
SKU: 3723
Material: Wooden
Dimension: 73x102x1000mm
Color: Red Wire
Box Qty: 50



Model: VT-799-GN
SKU: 3797
Material: Porcelain
Dimension: Ø47x64mm
Color: Green
Box Qty: 100



Model: VT-799-BL
SKU: 3798
Material: Porcelain
Dimension: Ø47x64mm
Color: Blue
Box Qty: 100



Model: VT-7778-PR
SKU: 3724
Material: Wooden
Dimension: 73x102x1000mm
Color: Purple Wire
Box Qty: 50



Model: VT-7778-GN
SKU: 3725
Material: Wooden
Dimension: 73x102x1000mm
Color: Green Wire
Box Qty: 50



Model: VT-799-R
SKU: 3799
Material: Porcelain
Dimension: Ø47x64mm
Color: Red
Box Qty: 100



Model: VT-799-GY
SKU: 3800
Material: Porcelain
Dimension: Ø47x64mm
Color: Grey
Box Qty: 100



Model: VT-7998-GN
SKU: 3805
Material: Porcelain
Dimension: Ø105x750mm
Color: Green
Box Qty: 60



Model: VT-7998-BL
SKU: 3806
Material: Porcelain
Dimension: Ø105x750mm
Color: Blue
Box Qty: 60



Model: VT-799-Y
SKU: 3801
Material: Porcelain
Dimension: Ø47x64mm
Color: Yellow
Box Qty: 100



Model: VT-799-BR
SKU: 3802
Material: Porcelain
Dimension: Ø47x64mm
Color: Brown
Box Qty: 100



Model: VT-7998-R
SKU: 3807
Material: Porcelain
Dimension: Ø105x750mm
Color: Red
Box Qty: 60



Model: VT-7998-GY
SKU: 3808
Material: Porcelain
Dimension: Ø105x750mm
Color: Grey
Box Qty: 60



Model: VT-7668-GN
SKU: 3742
Material: Concrete
Dimension: 50x95x1050mm
Color: Green
Box Qty: 40



Model: VT-7668-R
SKU: 3743
Material: Concrete
Dimension: 50x95x1050mm
Color: Red
Box Qty: 40



Model: VT-7998Y
SKU: 3809
Material: Porcelain
Dimension: Ø105x750mm
Color: Yellow
Box Qty: 60



Model: VT-7998-BR
SKU: 3810
Material: Porcelain
Dimension: Ø105x750mm
Color: Brown
Box Qty: 60



Model: VT-7668-BL
SKU: 3744
Material: Concrete
Dimension: 50x95x1050mm
Color: Blue
Box Qty: 40



Model: VT-7668-Y
SKU: 3745
Material: Concrete
Dimension: 50x95x1050mm
Color: Yellow
Box Qty: 40



Model: VT-7668-BR
SKU: 3749
Material: Concrete
Dimension: 50x95x1050mm
Color: Brown
Box Qty: 40



Model: VT-7668-BE
SKU: 3750
Material: Concrete
Dimension: 50x95x1050mm
Color: Beige
Box Qty: 40



Model: VT-7338-PE
SKU: 3790
Material: Chrome
Dimension: Ø39x1000mm
Color: Purple Wire
Box Qty: 40



Model: VT-7338-R
SKU: 3791
Material: Chrome
Dimension: Ø39x1000mm
Color: Red Wire
Box Qty: 40



Model: VT-7448
SKU: 3777
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Gold Set
Box Qty: 40



Model: VT-7338-W
SKU: 3755
Material: Chrome
Dimension: Ø39x1000mm
Color: White Wire
Box Qty: 40



Model: VT-7338-RR
SKU: 3792
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Red Wire
Box Qty: 40



Model: VT-7338-Y
SKU: 3793
Material: Chrome
Dimension: Ø39x1000mm
Color: Yellow Wire
Box Qty: 40



Model: VT-7338-BL
SKU: 3783
Material: Chrome
Dimension: Ø39x1000mm
Color: Blue Wire
Box Qty: 40



Model: VT-7338-BN
SKU: 3784
Material: Chrome
Dimension: Ø39x1000mm
Color: Brown Wire
Box Qty: 40



Model: VT-7338-BE
SKU: 3794
Material: Chrome
Dimension: Ø39x1000mm
Color: Beige Wire
Box Qty: 40



Model: VT-7228-PN
SKU: 3479
Material: Silicone
Dimension: Ø40x1000mm
Color: Pink
Box Qty: 100



Model: VT-7338-GN
SKU: 3785
Material: Chrome
Dimension: Ø39x1000mm
Color: Green Wire
Box Qty: 40



Model: VT-7338-LB
SKU: 3787
Material: Chrome
Dimension: Ø39x1000mm
Color: Light Blue Wire
Box Qty: 40



Model: VT-7228-LB
SKU: 3482
Material: Silicone
Dimension: Ø40x1000mm
Color: Light Blue
Box Qty: 100



Model: VT-7228-PE
SKU: 3483
Material: Silicone
Dimension: Ø40x1000mm
Color: Purple
Box Qty: 100



Model: VT-7338-O
SKU: 3788
Material: Chrome
Dimension: Ø39x1000mm
Color: Orange Wire
Box Qty: 40



Model: VT-7338-PK
SKU: 3789
Material: Chrome
Dimension: Ø39x1000mm
Color: Pink Wire
Box Qty: 1




Model: VT-7228-O
SKU: 3484
Material: Silicone
Dimension: Ø40x1000mm
Color: Orange
Box Qty: 100



Model: VT-7228-Y
SKU: 3485
Material: Silicone
Dimension: Ø40x1000mm
Color: Yellow
Box Qty: 100

V-TAC

Meaningful Innovation.



LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. O ering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.


Key Feature

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

P3 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11109	6






Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°c
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display
Module port	HUB75-B		card, Linsn control system
Module working voltage	5VDC	Mean free error time	>5000-hour
Power	30W	hour lifespan	100000-hour
Viewing angle	120 Degrees	Steel box weight	40 Kg/M2
Option distance	3-45M	Steel box size	L576Xh768x80mm
Driving device	5020		
Every square meter module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		

P4 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11079	6





Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness)	15KM
IP(Front)	100000hrs
Control System	IP40
	PCTV nonlinearity card, DVI
	display card Linsn control system

LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine


LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W

- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

P5 INDOOR LED FINISHED CABINET

SKU	Box Qty
11077	6



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs
	IP20

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch	5mm
Led Specification	SMD3528
Led Configuration	SMD 3 in 1
Module Size	320*160mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106

OUTDOOR DISPLAY SCREEN

SKU	Box Qty
11078	6





Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106

COM700-MEDIA PLAYER



SKU
11088

LED Display Player with Industrial PC
One TS802 sending card inside
Dual Display - Supports Max 1280*800
Supports SD Memory Card/USB/HDMI Out/Internet
USB and SD Card Memory Playing
Compact and Easy to Install
7" Touch Screen with windows 10 Inside
Size - 320*180*50mm
Input - AC:120-260V
1 x Audio In
1 x Audio Out
1 x DVI In
1 x HDMI Out
4 USB Interface

Windows 10

DUAL DISPLAY TOUCH SCREEN

SENDING BOX



SKU	Box Qty
500082	20

SENDING CARD



SKU	Box Qty
500081	20

V-TAC

Meaningful Innovation.



Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras – fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. These cameras o er detection alerts via email — all available in standard UK & EU plugs for compatibility.

Key Features

- Standard wireless frequencies for Wi-Fi transmission
- High definition, high resolution videos at standard frames per second
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission





SMART WIFI HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11617	VT-11024-Black	6
11618	VT-11024-White	6



- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera WiFi with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens

V-TAC

Meaningful Innovation.



Smart Switches

Introducing the next generation self-powered wireless switches, functions using an RF receiver, making their use a hassle free experience. Offering a push-touch button and remote features.

Smart Switch is made of Advanced PC Material, High Strength, Impact, and High-Temperature Resistance, Non-toxic and Eco Friendly, Easy to Clean and Color Fadeless.

No-Screw Design On Panel Surface, Big Button Design With Indicator, Easy ON/OFF operation With Good Sense Of Touch, Low Sound of pressing



NEW

MINI 1 LINE SWITCH 1 GANG

SKU	Model	Box Qty
23604	VT-5101	500

- Max Load-10A
- Switch Type-1 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



NEW

MINI 1 LINE SWITCH 2 GANG

SKU	Model	Box Qty
23605	VT-5102	500

- Max Load-5A & 5A
- Switch Type-2 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



SMART SENSOR SWITCHES

SKU	Model	Box Qty
8460	VT-5131-1Gang 1Way	144
8461	VT-5132-2Gang 1Way	144
8462	VT-5133-3Gang 1Way	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86x86x11mm
Remote Distance: Outdoor >600m | Indoor >40m



REMOTE THREE GANG

SKU	Model	Box Qty
8463	VT-5143	364

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: ABS
Dimensions: 62x30x12mm
Remote Distance: Outdoor >160m | Indoor >20m



RECEIVER

SKU	Model	Box Qty
8458	VT-5129	364

Input Power: AC:180-240V
Body Type: PC
Dimensions: 39x23x22 mm
Remote Distance: Outdoor >600m | Indoor >40m



WI-FI RECEIVER

SKU	Model	Box Qty
8459	VT-5130	196

Input Power: AC:85-265V
Body Type: PC
Dimensions: 75x28x28.5 mm
Remote Distance: Outdoor >500m | Indoor >40m



SOCKET EU 2 WAY

SKU	Model	Box Qty
8401	VT-5811-B	60
8402	VT-5811-W	60

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish
Dimensions: 158x86mm



SOCKET EU GLASS PANEL

SKU	Model	Box Qty
8399	VT-5711-B	80
8379	VT-5711-W	80

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish
Dimensions: 86x86mm

V-TAC

Meaningful Innovation.



Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian, European sockets and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

Key Features

- 3/4/5/6/8-way sockets – sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types



20W CHARGING ADAPTER 1 PD+1 QC PORT WHITE

SKU	Box Qty
23580	360

NEW



- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: White

PD POWER DELIVERY

20W CHARGING ADAPTER WITH 1 PD+1 QC PORT-BLACK

SKU	Box Qty
6677	320



- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output: 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: Black

PD POWER DELIVERY

20W CHARGING ADAPTER 1 PD+1 QC PORT BLACK

SKU	Box Qty
23581	360

NEW



- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: Black

PD POWER DELIVERY

20W CHARGING ADAPTER WITH 1 PD+1 QC PORT-WHITE

SKU	Box Qty
6678	320



- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output: 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: White

PD POWER DELIVERY

USB TRAVEL ADAPTOR

SKU	Box Qty
8791	48





Input Current: 0.25A
Output Current: 2A
Rated Load: 10W

Input Power: AC:100-230V,50/60Hz
Body Type: ABS
Dimension: 27x47x70mm

USB TRAVEL ADAPTOR

SKU	Box Qty
8792	48



Input Current: 0.25A
Output Current: 2A
Rated Load: 10W
Input Power: AC:100-230V,50/60Hz
Body Type: ABS
Dimension: 27x47x70mm

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU	Box Qty
8704	48



Universal Adapter

Input Current: 10A
Output Current: 10A
Rated Load: 2500W
Input Power: AC:110-250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x50x40mm

USB QC3.0 TRAVEL ADAPTOR

SKU	Box Qty
8793	48



3.0A FAST CHARGING

Input Current: 0.2A
Output Current: 3.0A
Rated Load: 18W
Input Power: AC:100-240V,50/60Hz
Body Type: PC
Dimension: 42x57x24mm

UNIVERSAL ADAPTOR

SKU	Box Qty
8705	100



Universal Adapter

Input Current: 10A
Output Current: 10A
Rated Load: 2500W
Input Power: AC:110-250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x50x40mm

USB QC3.0 TRAVEL ADAPTOR

SKU	Box Qty
8794	48



3.0A FAST CHARGING

Input Current: 0.2A
Output Current: 3.0A
Rated Load: 18W
Input Power: AC:100-240V,50/60Hz
Body Type: PC
Dimension: 42x57x24mm

ADAPTER WITH EARTHING CONTACT & CHARGING

SKU	Box Qty
8795	60



2 USB PORT

Input Current: 16A
Output Current: 16A+2.1A
Rated Load: 3680W
Input Power: AC:110-230V,50/60Hz
Body Type: ABS
Dimension: 107x54.2x74.2mm

ADAPTER WITH EARTHING CONTACT & CHARGING



SKU	Box Qty
8796	60

2 USB PORT

Input Current: 16A
Output Current: 16A+2.1A
Rated Load: 3680W
Input Power: AC:110-230V,50/60Hz
Body Type: ABS
Dimension: 107x54.2x74.2mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire



SKU	Box Qty
8770	40

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M Wire



SKU	Box Qty
8800	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:230V
Body Type: PC
Dimension: 77X77X82.8mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire



SKU	Box Qty
8771	40

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M

1.4M Wire



SKU	Box Qty
8799	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:230V
Body Type: PC
Dimension: 130X138.30x42mm

8 HOLES SOCKET WITH SWITCH

1.5M Wire



SKU	Box Qty
8772	40

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 186x45x40mm

8 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8773	40

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 186x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8776	40

2 USB PORT



Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8774	40

2 USB PORT



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8777	20

2 USB PORT



Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8775	20

2 USB PORT



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8754	40



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 170x45x40mm

3 WAYS SOCKET

3M Wire

SKU	Box Qty
8755	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 170x45x40mm

5 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8758	40



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

4 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8756	40



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

5 WAYS SOCKET

3M Wire

SKU	Box Qty
8759	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

4 WAYS SOCKET

3M Wire

SKU	Box Qty
8757	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

6 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8760	40



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

6 WAYS SOCKET

3M Wire

SKU	Box Qty
8761	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

4WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8764	40

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8762	40

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

4WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8765	20

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8763	20

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

5WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8766	40

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

5WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8767	20



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M Wire

SKU	Box Qty
8817	20



SURGE PROTECTION

LIGHT-UP SWITCH

2 USB PORT

Input Current: 3x16A
Rated Load: 3500W
Color: Black
Input Power: AC:230V
Body Type: PC,PVC, COPPER
Dimension: 225x65x73mm

6WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8768	40



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 186x45x40mm

4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M Wire

SKU	Box Qty
8808	20



LIGHT-UP SWITCH

2 USB PORT

Input Current: 4x16A
Rated Load: 3680W
Color: White
Input Power: AC:200-240V,50Hz
Body Type: PC,PVC, COPPER
Dimension: 307x46x42mm

6WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8769	20



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 186x45x40mm

5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

3M Wire

SKU	Box Qty
8807	20



LIGHT-UP SWITCH

2 USB PORT

Input Current: 5x16A
Rated Load: 3680W
Color: White
Input Power: AC:200-240V,50Hz
Body Type: PP,PVC, COPPER
Dimension: 365x53x44mm

5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

1.4M Wire

SKU	Box Qty
8818	20

LIGHT-UP SWITCH



Input Current: 5x16A
Rated Load: 3680W
Color: White
Input Power: AC:230V
Body Type: PP,PVC, COPPER
Dimension: 330x55x41mm

4 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8785	100



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 91.2x49x78.1mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8783	100



Input Current: 16A
Rated Load: 2300W
Rated Load: 2300W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 98x46x74.6mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8786	100



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 87.5x45.8x99.5mm

ADAPTER WITH 3 EURO-SOCKET

SKU	Box Qty
8784	100



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 93.1x48x75.3mm

3 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8787	100



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 92.8x72.4x86.1mm

3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH



SKU	Box Qty
8788	100

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 93.1x69.7x76.5mm

2 OUTLET ADAPTER 2.5A



SKU	Box Qty
8801	200

Input Current: 16A
Rated Load: 1100W
Rated Load: 1100W
Input Power: AC:230V
Body Type: PP
Dimension: 44X39X61mm

3 OUTLET POWER ADAPTER WITH EARTH CONTACT



SKU	Box Qty
8789	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 133.6x49.5x76.9mm

3 OUTLET ADAPTER 2.5A



SKU	Box Qty
8802	200

Input Current: 16A
Rated Load: 1700W
Rated Load: 1700W
Input Power: AC:230V
Body Type: PP
Dimension: 65x47x72mm

3 OUTLET POWER ADAPTER



SKU	Box Qty
8790	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 87.5x84.98x59.4mm

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT 16A



SKU	Box Qty
8804	200

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W
Input Power: AC:230V
Body Type: PP
Dimension: 92x47.5x75mm

2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A

SKU	Box Qty
8805	200



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:230V
Body Type: PP
Dimension: 92x50x75mm

1 WAY ADAPTER-16A

SKU	Box Qty
8809	100

SURGE PROTECTION



Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:200-240V,50Hz
Body Type: PP COPPER
Dimension: 80x55x72mm

4 OUTLET ADAPTER 2.5A

SKU	Box Qty
8803	200



Input Current: 16A
Rated Load: 2300W
Rated Load: 2300W
Input Power: AC:230V
Body Type: PP
Dimension: 83x47x72mm

ADAPTER WITH 2 POLE SWITCH

SKU	Box Qty
8841	100

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W
Input Power: AC:250V
Body Type: PP Body
Dimension:

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH SWITCH & EARTHING CONTACT16A

SKU	Box Qty
8806	200



Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W
Input Power: AC:230V
Body Type: PP
Dimension: 95x70x74mm

CABLE REEL WITH 4 SOCKET

10M Wire

SKU	Box Qty
8781	5



Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 20X27X6.5mm

CABLE REEL WITH 4 SOCKET

25M Wire

SKU	Box Qty
8782	1



Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 24X13X33mm

Extension Cord

10M Wire

SKU	Box Qty
8780	15



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x110x40mm

Extension Cord

3M Wire

SKU	Box Qty
8778	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 250x200x150mm



Extension Cord

5M Wire

SKU	Box Qty
8779	30



Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200X160X90mm

2 WAYS ADAPTER-16A-IP44

SKU	Box Qty
8812	100



Input Current: 2x16A
Rated Load: 3680W
Color: Green
Input Power: AC:200-240V,50Hz
Body Type: PP COPPER
Dimension: 105x66x106mm

2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

3M Wire

SKU	Box Qty
8811	8



Input Current: 2x16A
Rated Load: 3500W
Color: Green
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

4 WAYS SOCKET-IP44

3M Wire

SKU	Box Qty
8814	10



Input Current: 4x16A
Rated Load: 3680W
Color: Black+Yellow
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 230x71x94mm

4 WAYS GARDEN SPIKE SOCKET-IP44

3M Wire

SKU	Box Qty
8810	8



Input Current: 4x16A
Rated Load: 3500W
Color: Green
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

5 WAYS SOCKET WITH LIGHTED SWITCH-IP44

3M Wire

SKU	Box Qty
8813	10

LIGHT-UP SWITCH



Input Current: 5x16A
Rated Load: 3680W
Color: Black+Yellow
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x73x49.5mm

WATERPROOF SAFE BOX-IP44

SKU	Box Qty
8819	40



Input Current: 16A
Rated Load: NA
Rated Load: NA
Input Power: AC:230V
Body Type: PP
Dimension: 212x82x72mm

EXTENSION CORD-1 WAY-16A-IP44

15M Wire

SKU	Box Qty
8816	8



Input Current: 16A
Rated Load: 3500W
Color: Orange+Black
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 357x130x130mm

EXTENSION CORD-1 WAY-16A-IP44

30M Wire

SKU	Box Qty
8815	4



Input Current: 16A
Rated Load: 3500W
Color: Orange+Black
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 473x128x150mm

2 WAYS GARDEN SOCKET IP44

2 Way Socket

SKU	Box Qty
8820	6



Input Current: 16A
Rated Load: 3680W
Color: Dark Grey
Input Power: AC:220-240V,50Hz
Body Type: Stainless Steel
Dimension: 127x300mm

2 WAYS BOLLARD GARDEN SOCKET IP44

2 Way Socket

NEW

SKU	Box Qty
23402	8



Input Current: 16A
Rated Load: 3600W
Color: Black
Input Power: AC:220-240V,50Hz
Body Type: Stainless Steel
Dimension: 70x70x230mm

4 WAYS GARDEN SOCKET IP44

4 Way Socket

SKU	Box Qty
8821	4



Input Current: 16A
Rated Load: 3680W
Color: Dark Grey
Input Power: AC:220-240V,50Hz
Body Type: Stainless Steel
Dimension: 157x395mm

2 WAYS BOLLARD GARDEN SOCKET IP44 WITH G9 HOLDER

2 Way Socket

NEW

SKU	Box Qty
23403	8



Input Current: 16A
Rated Load: 3600W (11W Max for G9)
Color: Black
Input Power: AC:220-240V,50Hz
Body Type: Stainless Steel
Dimension: 70x70x300mm

2 WAYS GARDEN SOCKET WITH LAMP IP44

2 Way Socket

SKU	Box Qty
8822	4



Input Current: 16A
Rated Load: 3680W
Color: Dark Grey
Input Power: AC:220-240V,50Hz
Body Type: Stainless Steel+PC
Dimension: 127x455mm



Multipresa,4prese 2P+T 10/16A bipasso +2prese 10/16A bipasso/schuko Con interruttore luminoso 250V~Max:3500W H05VV-F 3G1.0mm2*1.5M Spins 16A 2P+T

1.5M Wire

NEW



SKU	Box Qty
87341	25

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 152.5x48x43.7mm

Multipresa,8prese 2P+T 10/16A bipasso +4 prese 10/16A bipasso/schuko,con interruttore luminoso,black,3x1.0mm2x1.5m,con spina 16A 2P+T

1.5M Wire

NEW



SKU	Box Qty
87361	30

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 239.5x48x43.8mm

6 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 2P+T

1.5M Wire

NEW



SKU	Box Qty
87131	30

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 326x55mm

Multipresa,6prese 2P+T 10/16A bipasso + 3 prese 10/16A bipasso/schuko,con interruttore luminoso,black,3x1.0mm2x1.5m,con spina 16A 2P+T

1.5M Wire

NEW



SKU	Box Qty
87351	25

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 196x48x43.8mm

5 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 3P+T

1.5M Wire

NEW



SKU	Box Qty
87121	30

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 283.9x55mm

4 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 4P+T

1.5M Wire

NEW



SKU	Box Qty
87111	40

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 247x55mm

Multipresa, 3 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8706	50



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 115x47x22mm

6 pos. 10/16A bipasso/Schuko 250V~ Con protezione sovratensioni e interruttore generale luminoso e 6 interruttori indipendenti Cavo H05W-F 3G1.0mm2x1.5m

1.5M Wire

NEW



SKU	Box Qty
87391	30

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 308.5x73x40mm

Multipresa, 4 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8707	50



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 135x47x22mm

4 pos. 10/16A bipasso/Schuko 250V~ Con protezione sovratensioni e interruttore generale luminoso e 4 interruttori indipendenti Cavo H05W-F 3G1.0mm2x1.5m

1.5M Wire

NEW



SKU	Box Qty
87371	30

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power:
Body Type:
Dimension: 224.5x73x40mm

Multipresa, 5 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8708	40



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 155x47x22mm

Multipresa, 6 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8709	40



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 170x47x22mm

5 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8712	30



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 280x55x45mm

3 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8710	50



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x55x45mm

6 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8713	30



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 325x55x45mm

4 POS. CON INTERRUTTORE LUMINOSO 10/16A BIPASSO/SCHUKO

1.5M Wire

SKU	Box Qty
8711	40



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 245x55x45mm

7 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8714	30



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 370x55x45mm

5pos. con interruttore luminoso 10/16A Bipasso/schuko + con 2 connessioni USB

1.5M Wire

SKU	Box Qty
8715	30



LIGHT-UP SWITCH

2 USB PORT

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 335x55x45mm

2 prese 2p+t 10/16A Bipasso 1 prese Bipasso/Schuko

3M Wire

SKU	Box Qty
8733	50



Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 100x47x52mm

4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

1.5M Wire

SKU	Box Qty
8748	40



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 160x100x45mm

4 prese 2p+t 10/16A Bipasso 2 prese 10/16A Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8734	25



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 150x47x45mm

6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

1.5M Wire

SKU	Box Qty
8749	30



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x100x45mm

6 prese 2p+t 10/16A Bipasso 3 prese 10/16A Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8735	25



LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 195x47x45mm

8 prese 2p+T10/16A Bipasso 4 prese Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8736	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 240x47x45mm

6 pos. 10/16A Bipasso/Schuko Con protezione sovratensionni e interruttori generale luminoso e 6 interruttore indipendenti

1.5M Wire

SKU	Box Qty
8739	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 305x70x35mm

4 pos. 10/16A Bipasso/Schuko Con protezione sovratensionni e interruttore generale luminoso e 4 interruttori indipendenti

1.5M Wire

SKU	Box Qty
8737	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 225x72x40mm

2 presa 2p+T10/16A Bipasso + 1 presa Bipasso/schuko con protezione sovraccarco / con 2USB

1.5M Wire

SKU	Box Qty
8745	40

LIGHT-UP SWITCH

2 USB PORT



Input Current: 10A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 145x50x40mm

5 pos. 10/16A Bipasso/Schuko Con protezione sovratensionni e interruttore generale luminoso e 5 interruttori indipendenti

1.5M Wire

SKU	Box Qty
8738	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 260x72x40mm

4 pos. Con interruttore luminoso10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8740	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 160x50x30mm

5 pos. Con interruttore luminoso 10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8741	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 180x47x30mm

2 prese 2P+T 10/16A Bipasso Con protezione termica ripristinabile

5M Wire

SKU	Box Qty
8700	10



Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 200x160x90mm

6 pos. Con interruttore luminoso 10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8742	30

LIGHT-UP SWITCH



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x50x30mm

4 prese Bipasso/Schuko Con protezione termica ripristinabile

10M Wire

SKU	Box Qty
8701	6



Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 250x200x150mm



4 prese Bipasso/Schuko Con protezione termica ripristinabile

15M Wire

SKU	Box Qty
8702	6



Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 240x190x160mm

4 prese Bipasso/Schuko Con protezione termica ripristinabile

25M Wire

SKU	Box Qty
8703	4



Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 300x240x190mm

Prolunga lineare spina 10A,2p+T prese 10A

3M Wire

SKU	Box Qty
8729	30



Input Current: 10A
Rated Load: 2300W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 200x110x40mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 15m, con spina italiana 16A, con telaio portacavi

15M Wire

SKU	Box Qty
8834	8



Input Current: 10/16A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 357x130x130mm

Prolunga lineare spina 10A,2p+T prese 10A

5M Wire

SKU	Box Qty
8730	30



Input Current: 10A
Rated Load: 2300W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 230x110x60mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 30m, con spina italiana 16A, con telaio portacavi

30M Wire

SKU	Box Qty
8833	4



Input Current: 10/16A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 473x128x150mm

Prolunga lineare spina 16A,2p+T prese 10/16Aa

3M Wire

SKU	Box Qty
8731	50



Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 200x110x40mm

Prolunga lineare spina 16A,2p+T prese 10/16Aa

5M Wire



SKU	Box Qty
8732	30

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 230x110x60mm

Adattatore rotante,Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico



SKU	Box Qty
8744	60

LIGHT-UP SWITCH

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 80x75x48mm



Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico



SKU	Box Qty
8746	200

LIGHT-UP SWITCH

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x70x70mm

Adattatore spina 16A 2 prese 2P+T 10/16A + 1 presa/Schuko con interruttore



SKU	Box Qty
8716	200

LIGHT-UP SWITCH

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 85x75x50mm

Adattatore Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico



SKU	Box Qty
8743	200

LIGHT-UP SWITCH

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x50x40mm

UNIVERSAL ADAPTOR 10A 250V~



SKU	Box Qty
8747	200

Universal Adapter

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x55x50mm

Adattatore presa Italiana 1 via 10 / 16A, con protezione contro le sovratensioni, con spina Italiana da 16A



SKU	Box Qty
8832	100

Input Current: 10/16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:200-240V,50Hz
Body Type: PC PP COPPER
Dimension: 80x55x72mm

Adattatore 2 vie 10 / 16A presa Italiana e 1 via 10 / 16A presa Italiano / Schuko con interruttore due porte di ricarica USB 2.1A spina italiana 16A



SKU	Box Qty
8830	100

LIGHT-UP SWITCH

2 USB PORT

Input Current: 10/16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:200-240V,50Hz
Body Type: PC COPPER
Dimension: 120x84x54mm



Adattatore 3 vie 10 / 16A presa Italiana con interruttore, con spina Italiana 16A



SKU	Box Qty
8831	100

LIGHT-UP SWITCH

Input Current: 10/16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:200-240V,50Hz
Body Type: PC COPPER
Dimension: 70x64x54mm

Spina 2p+t 10A



SKU	Box Qty
8717	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x32x15mm

Spina 2p+t 16A



SKU	Box Qty
8718	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x43x20mm

Spina 2p+t 10A



SKU	Box Qty
8719	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x40x40mm

Adattatore spina 16A presa 2p+T 10A schuko



SKU	Box Qty
8720	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x40x40mm

10A adattatore spina 10 A 3 prese10 A



SKU	Box Qty
8721	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 60x50x48mm

Adattatore spina 16A 3 presa 10A /16A Bipasso



SKU	Box Qty
8722	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 60x47x40mm

Adattatore spina 10A 2presa 10/ 10A schuko



SKU	Box Qty
8723	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x50x40mm

Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso/schuko



SKU	Box Qty
8724	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x50x40mm

Adattatore spina 10A
4 prese 10A



SKU	Box Qty
8725	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x60x45mm

Spina 2p+t 16A



SKU	Box Qty
8726	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x60x45mm

Spina 2p+t 10A



SKU	Box Qty
8727	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x35x25mm

Prese 10A /16A Bipasso
2p+T



SKU	Box Qty
8728	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x43x25mm

STAINLESS STEEL CABLE TIE



- Secure loose wires and components easily with no slipping
- Features locking mechanism
- Stainless steel cable tie of 304 Grade - Non-Rustable
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11188	60 Kgs	4.6x200mm	50
11189	60 Kgs	4.6x250mm	50
11190	60 Kgs	4.6x300mm	50
11191	60 Kgs	4.6x350mm	50

NYLON CABLE TIE BLACK



UV ULTRAVIOLET PROTECTION

- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11160	8 Kgs	2.5x100mm	500
11162	8 Kgs	2.5x150mm	400
11164	8 Kgs	2.5x200mm	300
11166	18 Kgs	3.5x150mm	250
11168	18 Kgs	3.5x200mm	200
11169	18 Kgs	3.5x250mm	150
11170	18 Kgs	3.5x300mm	150
11172	22 Kgs	4.5x150mm	200
11174	22 Kgs	4.5x300mm	100
11176	22 Kgs	4.5x350mm	100
11177	22 Kgs	4.8x200mm	150
11178	23 Kgs	7.6x300mm	60

NYLON CABLE TIE WHITE



- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11159	8 Kgs	2.5x100mm	500
11161	8 Kgs	2.5x150mm	400
11163	8 Kgs	2.5x200mm	300
11165	18 Kgs	3.5x150mm	250
11167	18 Kgs	3.5x200mm	200
11171	22 Kgs	4.5x150mm	200
11175	22 Kgs	4.5x350mm	100
11173	22 Kgs	4.5x300mm	100

V-TAC

Meaningful Innovation.



Decorative Ceiling Fans

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans o er quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior decor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

Key Features

- Both AC and DC motor variations available
- Available in a range of sizes and finishes
- Remote Control and Pull-chain for speed control and On/Off
- Forward and reverse function for cool or warm airflow

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
2866	65W	VT-6552-3-W	1



3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model
2867	65W	VT-6552-3-BR



3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
2868	65W	VT-6552-3-BL	1



3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7914	50W	VT-6042-4	1



4 MDF BLADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 42” (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Motor Power AC:220V,50Hz,50W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7921	55W	VT-6056-4	1



4 GLASS SHADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 × 11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Motor Power AC:220V,50HZ,55W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7917	60W	VT-6054-4-1	1



LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7915	60W	VT-6043-4	1



LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 42” (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7916	60W	VT-6053-5	1



LIGHT KIT | 5 MDF BLADES | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7913	60W	VT-6052-5	1



LIGHT KIT | 5 MDF BLADES DOUBLE COLOR | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7918	35W	VT-6054-4	1

LIGHT KIT | 4 MDF BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- Reversable Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7919	35W	VT-6055-3-1	1

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7920	35W	VT-6055-3	1

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

STAND FAN CROSS BASE

SKU	Watts	Model	Box Qty
7922	40W	VT-4016-3	1



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm

STAND FAN ROUND BASE

SKU	Watts	Model	Box Qty
7923	55W	VT-5016-5	1



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm

DESK FANS

SKU	Watts	Model	Box Qty
7924-12"	40W	VT-4012-3	1
7925-16"	40W	VT-4017-3	1



Oscillation
LOW | MEDIUM | HIGH

- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- 12" Size: 340 × 260 × 480mm
- 16"Size: 410 × 260 × 510mm
- Box Qty: 1pc

CEILING FAN DC MOTOR



LIGHT KIT | 3 PC PLASTIC BLADES | DC -POWER MOTOR

SKU	Watts	Model	Box Qty
7929	35W	VT-3042-3	1

- 42” (107CM) Decorative ceiling fan
- With forward and reverse function
- 3 PC Plastic blades
- DC powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- LED 30W 3IN1 CCT - 3000 Lumens
- Motor Power DC:220V,50HZ,35W (motor)
- G.W.: 9.8KG / N.W.: 9.1KG

MIST FAN WITH WHEELS



Oscillation
LOW | MEDIUM | HIGH

SKU	Watts	Model	Box Qty
7936	80W	VT-8217-3	1

- 16” (40.6CM) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m³/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- BLUE RING



LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

SKU	Watts	Model	Box Qty
217934	45W	VT-5022-B-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- GREY RING




LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

SKU	Watts	Model	Box Qty
217935	45W	VT-5022-G-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

TOWER FAN




Oscillation
LOW | MEDIUM | HIGH

SKU	Watts	Model	Box Qty
7926	45W	VT-4538	1

- Voltage/Freq: AC:220-240V,50/60Hz
- Size(inches): 31
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Function: Oscillation Function
- Timer: 1hr(Max)
- Plug Type: EU
- IP Rating: IP20

TOWER FAN



3 Wind Mode
NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7900	55W	VT-5536	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

TOWER FAN




3 Wind Mode
NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7901	55W	VT-5546	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20

TOWER FAN



3 Wind Mode
NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7902	55W	VT-5547	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

V-TAC
Meaningful Innovation.



Wireless Speakers

Bring the music anywhere you want to — these speakers are perfect for beach parties, your garden, or any indoor or outdoor event. Achieve full sound clarity even without a full sound system — enjoy the convenience of our quality, perfect for music and movies. Bring the sound of the holiday to birthdays, special occasions and occasional parties. Powerful bass enables your party people to enjoy stronger music throughout the venue.
This multifunctional microphone can be used for various activities, including voice speech, karaoke and instrument use

Key Features

- Rechargeable
- RGB LED lights with On/Off switch.
- FM Radio function & Mic input.
- Includes one wired microphone, remote control & USB rechargeable cable.

TROLLEY SPEAKER

SOUNDOR 8x2 Wireless Party Speaker



SKU	Model	Box Qty
7677	VT-6000W	1 pc

600W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 600W
- Output: 15Wx2
- Frequency: 60HZ---20KHZ
- 2x8Inch Speaker with Tweeter
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 260x240x605mm
- Includes USB cable,User manual,Remote control,One wired mic
- Function:BT/USB/TF/FM /AUX/three knob /Karaoke/
- Running LED light/Display/TWS/3knobs

TROLLEY SPEAKER

SOUNDOR 6x2 Wireless Party Speaker



SKU	Model	Box Qty
7676	VT-4000W	1 pc

400W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 400W
- 2x8Inch Speaker
- Output:10Wx2
- Frequency: 100HZ---20KHZ
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 230x210x485mm
- Includes USB cable,User manual,Remote control & One wired mic
- Function: BT/USB/TF/FM /AUX/Three knob/Karaoke/
- Running LED light/Display/TWS/3knobs

TROLLEY SPEAKER

SOUNDOR 5 Wireless Party Speaker



SKU	Model	Box Qty
6663	VT-6204-2	12

150W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3x177x410.5mm
- Includes one USB cable.

TROLLEY SPEAKER

SOUNDOR 5 Wireless Party Speaker



SKU	Model	Box Qty
6664	VT-6203-2	20

150W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7x143.7x341.5mm
- Includes one USB cable.

V-TAC

Meaningful Innovation.



Power Banks

In the ever-evolving landscape of portable charging solutions, magnetic wireless power banks have emerged as a game-changer. These innovative devices combine the convenience of wireless charging with the reliability of a power bank, offering a seamless and efficient way to keep your devices charged on the go.

Solar power banks are equipped with solar panels that convert sunlight into electricity, which is stored in the built-in battery. This stored energy can then be used to charge your devices, offering a greener way to stay connected while on the go. These power banks are especially valuable in outdoor settings, where access to conventional power sources may be limited.

MagSafe power banks come in various capacities, including 10,000mAh and 5,000mAh, catering to different usage scenarios. They feature a magnetic array that aligns with the magnets in your iPhone, ensuring a secure attachment and optimal charging efficiency.

ULTRA THIN MAGSAFE POWER BANK

SKU	Watts	Color	Box Qty
7849	20W	SPACE GREY	40



- Wirelesss Charging Power Bank with Magnetic Suction Charging
- 20W Power Delivery with lightning input
- Type C Input & Output with Digital Display & Magnetic Wireless Charger
- 10000mAh capacity with Lightning Input: 5V/2A
- Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- Type C Output: 5V/3A, 9V/2.22A, 12V/1.66A(20W Max)
- Wireless Output Upto 15W with 10000mAh Capacity
- Type C: Universal for most digital devices smartphones, pads, PSP, MP3/4 and others
- Compatible with wireless charging enabled devices
- Magnetic function compatible only with iPhone 12 and above

10000 mAh | wireless CHARGING | PD POWER DELIVERY

ULTRA THIN MAGSAFE POWER BANK

SKU	Watts	Color	Box Qty
7850	20W	SPACE GREY	50
7851	20W	PURPLE	50



- Wirelesss Charging Power Bank with Magnetic Suction Charging
- 20W Power Delivery with lightning input
- Type C Input & Output with Digital Display & Magnetic Wireless Charger
- 10000mAh capacity with Lightning Input: 5V/2A
- Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- Type C Output: 5V/3A, 9V/2.22A, 12V/1.66A(20W Max)
- Wireless Output Upto 15W with 5000mAh Capacity
- Type C: Universal for most digital devices smartphones, pads, PSP, MP3/4 and others
- Compatible with wireless charging enabled devices
- Magnetic function compatible only with iPhone 12 and above

5000 mAh | wireless CHARGING | PD POWER DELIVERY

MAGNETIC WIRELESS POWER BANK



SKU	Model	Watts	Color	Box Qty
23038	VT-3529-B	20W	BLACK	24
23039	VT-3529-W	20W	WHITE	24
23040	VT-3529-G	20W	GREY	24

- Magnetic Wireless Powerbank with Metal Ring
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 1 USB Output, 1 Type C Input/Output
- Type C Input: DC 5V/3A 9V/2A 12V/1.5A
- Type C Output: DC 5V/3A 9V/2A 12V/1.67A
- USB A Output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.67A
- Wireless Output: 15W
- Easy charge for all smart phones ,tablets, etc.

10000 mAh

wireless CHARGING

FAST CHARGER POWER BANK



SKU	Model	Watts	Color	Box Qty
7831	VT-10000-B	22.5W	BLACK	40
7832	VT-10000-W	22.5W	WHITE	40

- Fast Charging Power Bank with 22.5W Power Delivery
- 2 USB Output, Type C Input & Output & Micro Input
- Micro Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Output: DC:5V/3A, 9V/2.22A, 12V/1.67A
- USB Output: 5V/3A, 9V/2A, 12V/1.5A
- 10000mAh Battery with elegant Black colour finish
- Universal for most digital devices smartphones, pads, PSP, MP3/4 and others

10000 mAh

PD POWER DELIVERY

FAST CHARGER POWER BANK



SKU	Model	Watts	Color	Box Qty
7833	VT-10005-B	22.5W	BLACK	40
7834	VT-10005-W	22.5W	WHITE	40

- Fast Charging Power Bank with 22.5W Power Delivery
- 2 USB Output, Type C Input & Output & Micro Input
- Micro Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Output: DC:5V/3A, 9V/2.22A, 12V/1.67A
- USB Output: 5V/3A, 9V/2A, 12V/1.5A
- 10000mAh Battery with elegant White colour finish
- Universal for most digital devices smartphones, pads, PSP, MP3/4 and others

10000 mAh

PD POWER DELIVERY

SLIM POWER BANK



SKU	Model	Watts	Color	Box Qty
23035	VT-3527-S	10W	SILVER	50
23036	VT-3527-B	10W	BLACK	50
23037	VT-3527-G	10W	GREY	50

- Super-slim Powerbank
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 2 USB Output, 1 Type C Input
- Type C Input: 5V/2.0A
- USB Output: 5V/2.4A
- Easy charge for all smart phones ,tablets, etc.

10000 mAh

SOLAR WIRELESS CHARGER POWER BANK

SKU	Model	Watts	Color	Box Qty
7835	VT-11111	20W	BLACK	20



- Solar Wireless Charging Power Bank with 5W wireless charging
- 2 USB Output with Type C & Micro Input
- Li-pol 10000mAh Battery
- Input 1: DC:5V/2A(Type C), Input 2: DC:5V/2A(Micro-B), Input 3: 1W(Solar Board)
- Output 1: DC:5V/2A(USB), Output 2: 5W(Wireless)
- Compatible with iPhone, iPod, Tablet, most mobile phone, handheld video games and digital products

10000 mAh

wireless CHARGING

SOLAR WIRELESS CHARGER POWER BANK

SKU	Model	Watts	Color	Box Qty
7836	VT-33333	20W	BLACK	10



- Solar Wireless Charging Power Bank with 15W wireless charging & 20W Power delivery
- 2 USB Output, Type C Input & Output & Micro & Lightning Input
- 30000mAh Battery and LED Lights
- Input 1: DC 5V/2A 9V/2A(Type-C), Input 2: DC 5V/2A 9V/2A(Micro-B)
- Input 3: DC 5V/2A(Lightning), Input 4: 2W(Solar board)
- Output 1: DC 5V/3A 9V/2.22A 12V/1.67A(Type-C)
- Output 2: DC 5V/3A 9V/2.22A 12V/1.67A(USB), Output 3: 5W/7.5W/10W(Wireless)
- Compatible with iPhone, iPod, Tablet, most mobile phone, handheld video games and digital products

30000 mAh

wireless CHARGING

10" LED RING LIGHT WITH 1 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23048 - 3IN1	VT-45010	7W	550	20

- >90 CRi
- 125° Beam Angle
- 255x265x27mm
- DC:5V
- IP20

3-IN-1 COLOR CHANGING | DIMMABLE | CRI 90

18" LED RING LIGHT WITH 3 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23047 - 3IN1	VT-45055	55W	6000	4

- >90 CRi
- 125° Beam Angle
- 540x440x70mm
- AC:220-240V, 50Hz
- IP20

3-IN-1 COLOR CHANGING | DIMMABLE | CRI 90

V-TAC

Meaningful Innovation.



Insect Killer & Robot Vacuum Cleaner

At V-TAC, we believe in utilizing existing technology and resources to continuously improve our way of living. This new category comprises our latest tech innovations for a safe, modern, and comfortable space.

Key Features

- Includes Insect Killer andthe Robot Vacuum Cleaner
- Made with high-quality materials for long-lasting performance
- Easy to install and operate
- Designed for residential & commercial use







NEW **ROBOTIC** WINDOW CLEANER

Built-in Optocoupler Sensor Anti-falling and Smart Frameless detecting make window cleaning be more safe.


With anti-fall function, when the robot cleans window which may have one side without frame, the sensors detects frameless edge and withdraw timely to avoid falling down

Large Suction Power, firmly attach to the glass
Easily clean stubborn stains without damaging glass. with anti-fall function and 2200–3200 Pa suction power

SKU	Model	Box Qty
23332	VT-5558	4

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- Large capacity dual water tanks total in 100ML
- 2500-3000Pa strong suction power
- Wireless remote control
- Automatic water spray to left/ right/ down
- UPS power-failure protection for more than 20mins
- Powerful steady-climbing system & industry-leading anti-slip driving system
- Multi-tier all-round safety protections
- Intelligent path planning
- Automatically return to the original position when the work is finished
- New noise reduction technology 62dB







NEW ROBOTIC WINDOW CLEANER

Intelligent Window Cleaning Robot

Strong Cleaning Power More safer & More cleaner

70ML Water Tank I Twist & Wipe via Double Vacuum Suckers I Frame Detection I Path Planning I Ultra-thin Design

Double adsorption with two vacuum suckers, cooperate with multiple safety protection measures to ensure the safety of the robot

SKU	Model	Box Qty
23333	VT-5559	4

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- 2800Pa strong suction power
- Wireless remote control
- Dual nozzel,Automatic water spray
- Cleaning speed: 4mins/m^2
- UPS power-failur e protection for more than 20mins
- Sustainable time in full charge: 20-30minsning
- 4m Safety Rope
- Smart edge detection sensor
- Automatically return to the original position when the work is finished
- New noise reduction technology 65dB

ELECTRONIC INSECT KILLER



- Lamp life time up to 8000-hour
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, Aluminium, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220—240V 50/60Hz




SKU	Model	Watts	Coverage Area	Size	Box Qty
11179	VT-3216	16W	50m2	280x354x93.5mm	6
11180	VT-3220	20W	80m2	280x397x93.5mm	6
11181	VT-3230	30W	100m2	280x502x93.5mm	6
11182	VT-3240	40W	150m2	280x655x93.5mm	4

INSECT KILLER TUBES



SKU	Watts	Base/Base	Size	Box Qty
11215	8W	T5/G5	Ø15x305mm	100
11216	10W	T8/G13	Ø25x345mm	100
11217	15W	T8/G13	Ø25x505mm	50
11218	20W	T8/G13	Ø25x605mm	50

ROBOTIC VACUUM CLEANER



- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Smart, Self-Programmed Cleaning Path Navigation
- Dustbin Capacity 430ml
- Construction Material: ABS Housing
- Preset Multi-Clean Modes: Auto, Spot, Edge
- Cleaning area coverage upto 120Sq. Meters
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery 14.4V Li-ion, 2000mAh
- Power Supply 120-240V (12V Power Adaptor)
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Noise level less than 65db
- Suction Power Brusless Motor 800PA

SKU	Model	Size	Box Qty
8660 WHITE+BLUE	VT-5522	315x315x76mm	4

SMART CLEAN
SMART, SELF-PROGRAMMED CLEANING PATH NAVIGATION

MULTI CLEANER
HARDWOOD, TILE, MARBLE & HARD CARPET FLOORS

V-TAC

Meaningful Innovation.



LED Smart Home and Lights

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting & home efficiency solutions that can be fully controlled via Amazon Alexa or Google Home.

WORKS WITH alexa

works with Ok Google



LED SMART BULB-CANDLE

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212754-RGB+3IN1	VT-5114-N	4.8W	450	E14	36.5x110mm	50



LED SMART BULB-G45

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2755-RGB+3IN1	VT-5124	5W	470	E27	Ø45x81mm	200



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212756 -RGB+3IN1	VT-5154-N	4.8W	450	E14	Ø45x81mm	50



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2998 -RGB+WW+CW	VT-5109	8.5W	806	E27	110x60mm	50



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v.50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212752 -RGB+3IN1	VT-5113-N	11W	1055	E27	Ø60x125mm	100



LED SMART BULB-A65

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2999 -RGB+3IN1	VT-5142	14W	1400	E27	65x134mm	50



LED SMART FILAMENT BULB-E27

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 300°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3001-3IN1	VT-5137	7W	806	E27	60x105mm	50



LED SMART SPOTLIGHT

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 /30,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3000 -RGB+3IN1	VT-2215	4.8W	380	GU10	50x56.5mm	50
2757-RGB+3IN1	VT-5164	5.5W	400	GU10	50x57mm	200



SMART LED DOME LIGHT

Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7694 -RGB+3IN1	VT-5184	24W	2400	310x55mm	5
7695 -RGB+3IN1	VT-5138	36W	3600	350x55mm	5



SMART LED DOME LIGHT

Voltage/Frequency: AC:175-265V,50/60Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1497-3IN1	VT-5141	40w	2800	Ø:467x70mm	5
1498-3IN1	VT-5161	60w	4200	Ø572.5x70mm	5

LED SMART PANEL

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8080-3IN1	VT-5140	40w	4800	595x595mm	5

LED SMART STRIPLIGHT KIT



LED Type: SMD
Watt/M: 7.2W
lm/M: 400
IP Rating: IP68



IP68 RATING

SKU	Model	Box Qty
3005 -RGB	VT-5050 60 EU IP68	10

LED SMART STRIPLIGHT KIT



LED Type: SMD
Watt/M: 13W
Current/M: 1.08A
Beam Angle: 120°
IP Rating: IP65
Width: 10mm

WORKS WITH alexa
works with Ok Google



IP65 RATING

SKU	Model	Box Qty
2699-RGB+3IN1	VT-5050 90 BS	20
2910 -RGB+3IN1	VT-5050 90 EU	20

LED SMART STRIPLIGHT KIT-2IN1



LED Type: SMD
Watt/M: 4w
Current/M: 0.75A
Voltage: DC:12V,50/60Hz
lm/M: 230
lm/LED: NA
Beam Angle: 120°
IP Rating: IP65
Width: 10mm

WORKS WITH alexa
works with Ok Google



IP65 RATING

SKU	Model	Box Qty
2628 -RGB+3IN1	VT-5050 54 EU	20

LED SMART SENSOR FLOODLIGHT



Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa
works with Ok Google

IP65 RATING
PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3027 -3IN1	VT-5191S	10W	725	113x133x60mm	20
3010 -3IN1	VT-5192S	20W	1500	128x157x60mm	20

COB SMART GARDEN SPIKE LIGHT



Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa
works with Ok Google

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3014 -RGB+3IN1	VT-5167	7W	520	232x140mm	20

LED SMART GARDEN SPIKE LIGHT



Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



IP65 RATING

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3015 -RGB+3IN1	VT-5168	7Wx3	520	232x140mm	10

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405851 -RGB+3IN1	VT-5152	2.2W	210	85x102mm	50

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405861 -RGB+3IN1	VT-5155	5W	550	198x200x110mm	20

LED SMART AMBIANCE LAMP




Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405871 -RGB	VT-7208	8W	NA	100x188mm	20

COB MAGNETIC TRACK LIGHT-FLEXIBLE TUBE



Voltage/Frequency: DC:48V
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



DC 48V
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)
10275 -3IN1	VT-42112-S	11W	1270	1000mm
10276 -3IN1	VT-42024-S	23W	2810	2000mm

LED SMART MAGNETIC TRACK LIGHT




Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 90°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



CRI 90
DC 48V
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6882-3IN1	VT-3612	12W	1200	292x22x43mm	50
6883-3IN1	VT-3620	20W	2100	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



CRI 90
DC 48V
03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6884-3IN1	VT-3614	14W	1300	292x22x43mm	50
6885-3IN1	VT-3621	20W	2000	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 27°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6888-3IN1	VT-908D	8W	700	50x150x210mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6886-3IN1	VT-3610	10W	900	162x22x137mm	20
6887-3IN1	VT-3618	18W	1500	300x22x137mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6889-3IN1	VT-908D-P	8W	700	40x1460mm	20



Trimless Track Rail-1000mm

SKU	Box Qty
6890	10



Trimless Track Rail-2000mm

SKU	Box Qty
6891	10



End Cap-Trimless Track Rail

SKU	Box Qty
6892	500



Trimless L Shape Vertical Connector

SKU	Box Qty
6893	100



Trimless L Shape Side Connector

SKU	Box Qty
6894	100



Surface Track Rail-1000mm

SKU	Box Qty
6896	10



Surface Track Rail-2000mm

SKU	Box Qty
6897	10



End Cap-Surface Track Rail

SKU	Box Qty
6898	500



Surface L Shape Vertical Connector

SKU	Box Qty
6899	100



Surface L Shape Side Connector

SKU	Box Qty
6900	100



I Connector for Track Rail

SKU	Box Qty
6901	100



Soft Connector for Track Rail

SKU	Box Qty
6902	100



Driver-200W

SKU	Box Qty
6895	20

Watts: 200
Output Voltage: DC:48V
Input Power: AC:220-240V

IR REMOTE CONTROL



- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Inrared Range: ≤ 8meters

Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

works with alexa · works with Ok Google

SKU	Model	Box Qty
8651	VT-5151	100

REAL-TIME CONTROL · MULTI-BRAND · SET TIMER · CLOUD PANEL · POWER SAVE · SMART SCENE

IR REMOTE CONTROL



- Compatible with V-TAC LED Bulbs
- IR frequency 38KHz with 2.4G WiFi
- DC:5V/1A Input Voltage
- Type C USB and Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

works with alexa · works with Ok Google

SKU	Model	Box Qty
11412	11412	50

SMART WIFI PIR SENSOR



- Wi-Fi enabled simple and intelligent PIR Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

works with alexa · works with Ok Google

SKU	Model	Box Qty
6781	VT-5176	50

SMART WIFI DOOR SENSOR



- Wi-Fi enabled simple and intelligent Door Motion Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer
- Reserved lamp for external expansion: Micro

works with alexa · works with Ok Google

SKU	Model	Box Qty
6782	VT-5177	50

WI-FI EU SOCKET



- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

works with alexa · works with Ok Google

SKU	Model	Box Qty
7696	VT-5172	50

WI-FI EU SOCKET



- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

SKU	Model	Box Qty
7698	VT-5175	50

E27 LAMP HOLDER-WI-FI



Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	20w(LED Bulb)
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	D:67x02mm

SKU	Model	Box Qty
8421	VT-5007	50

WALL SOCKET-WI-FI(EU)



Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm

SKU	Model	Box Qty
8797- BLACK 8798- WHITE	VT-5134	60

TEMPERATURE HUMIDITY SCHEDULER



- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Size: 137x45x28mm

SKU	Model	Box Qty
8467	VT-5145	100

WATERPROOF TEMPERATURE PROBE



- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Size: 70x70x1000mm

SKU	Model	Box Qty
8469	VT-5147	200

TEMPERATURE & HUMIDITY SENSOR



- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Size: 61x26mm(50cm Wire Length)

SKU	Model	Box Qty
8468	VT-5146	200

RF433 GATEWAY



- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110x25mm

SKU	Model	Box Qty
8466	VT-5144	100

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.

AUTO DUST CLEANER COMPATIBLE WITH VT-5557 BLACK



- Auto dust collector compatible with Robot Vacuum
- Strong and sturdy ABS built
- 680W power with 20000pa suction power
- Dustbin capacity 2L
- Dust Collect Time <20 Seconds
- Brush Type: Rolling Brush
- Compatible with V-TAC's VT-5557 Robot Vacuum Cleaner's

SKU	Model	Box Qty
7751	7751	1

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
111	150	445	70	939	123	1406	365	2656	292	2890	36	2950	332	3117	223	3237	297	3368	284
113	150	446	70	940	123	1407	365	2657	293	2891	37	2951	332	3118	223	3238	297	3369	285
114	151	448	64	941	123	1424	315	2658	293	2892	36	2952	332	3119	224	3239	297	3370	285
125	155	449	64	942	123	1426	315	2659	293	2893	36	2953	332	3120	224	3240	297	3371	287
159	152	450	64	950	67	1427	315	2660	293	2894	37	2954	332	3121	224	3243	295	3372	287
162	152	451	65	954	82	1446	379	2661	293	2895	266	2955	332	3122	224	3244	295	3423	197
166	143	452	65	955	82	1451	117	2662	293	2896	275	2956	332	3123	224	3246	295	3469	218
186	156	454	70	970	134	1464	383	2663	293	2897	267	2957	332	3124	224	3247	295	3470	218
254	148	455	70	972	134	1468	384	2664	293	2898	276	2958	361	3125	224	3248	296	3471	218
256	148	456	70	973	134	1471	384	2665	293	2899	290	2959	361	3126	224	3249	297	3472	218
257	148	457	64	976	134	1497	561	2666	293	2900	290	2960	361	3127	224	3250	296	3473	218
259	147	458	64	977	134	1498	561	2668	269	2901	290	2961	361	3128	224	3251	296	3474	218
262	147	459	64	978	134	2034	19	2669	269	2902	291	2962	361	3129	202	3252	296	3479	499
320	139	460	65	979	134	2144	277	2671	297	2903	284	2963	361	3130	202	3253	295	3482	499
321	139	466	64	981	134	2336	265	2672	297	2904	284	2964	361	3134	202	3255	295	3483	499
322	139	468	64	982	135	2512	278	2696	268	2906	267	2965	361	3135	202	3256	295	3484	499
323	139	478	67	983	135	2513	279	2697	268	2907	267	2966	361	3136	203	3257	295	3485	499
325	139	496	73	984	135	2514	279	2698	268	2908	267	2967	361	3137	203	3258	295	3500	280
331	139	498	73	991	134	2515	279	2699	562	2909	284	2968	361	3138	203	3259	295	3501	280
332	139	499	73	994	134	2516	279	2700	175	2910	562	2969	361	3139	203	3261	295	3502	280
333	139	502	71	997	135	2517	280	2703	185	2911	288	2970	386	3140	221	3262	295	3503	280
350	122	503	71	999	135	2538	280	2707	168	2912	288	2971	386	3141	221	3263	295	3504	280
352	122	504	71	1192	301	2540	280	2745	193	2913	288	2975	345	3142	221	3264	297	3505	280
358	122	505	135	1235	300	2544	264	2746	193	2914	288	2976	345	3143	221	3265	296	3507	280
362	122	506	135	1238	300	2545	264	2747	193	2915	288	2977	345	3144	225	3271	296	3508	280
363	122	507	135	1245	195	2554	291	2755	559	2916	288	2978	345	3145	225	3272	297	3512	280
364	122	508	135	1261	327	2556	291	2757	560	2917	288	2979	345	3146	225	3273	295	3522	302
365	122	509	91	1262	327	2557	291	2771	159	2918	289	2980	345	3147	225	3274	295	3523	302
366	122	534	85	1263	327	2567	292	2777	159	2919	289	2981	249	3148	225	3275	295	3524	302
367	122	542	80	1264	327	2568	280	2781	156	2920	289	2982	249	3149	225	3300	290	3525	302
368	123	543	80	1265	327	2569	280	2782	156	2921	289	2983	249	3150	225	3303	290	3526	302
369	123	544	80	1267	327	2570	280	2783	156	2922	289	2984	162	3151	225	3309	290	3527	302
370	123	545	79	1268	327	2573	274	2784	156	2923	289	2985	162	3152	225	3312	290	3528	302
373	123	563	91	1269	327	2580	269	2785	156	2924	289	2986	162	3153	210	3326	291	3529	302
378	114	567	89	1297	299	2582	269	2786	156	2926	159	2987	193	3154	210	3327	290	3559	302
385	115	571	89	1303	299	2587	280	2817	147	2927	193	2988	193	3155	210	3337	291	3560	302
386	115	574	89	1334	299	2588	280	2845	187	2928	160	2989	193	3156	211	3338	291	3565	302
387	115	583	88	1337	299	2589	280	2851	188	2929	159	2996	171	3157	211	3339	291	3566	302
388	115	586	89	1338	299	2590	291	2852	188	2930	193	2998	559	3158	211	3340	291	3575	196
389	115	603	115	1340	299	2603	268	2853	188	2931	266	2999	560	3159	211	3341	291	3576	197
390	115	606	112	1349	327	2604	268	2854	187	2932	266	3000	560	3160	211	3350	284	3581	196
391	115	607	112	1350	327	2605	274	2855	187	2933	266	3001	560	3161	211	3351	285	3582	197
392	115	680	104	1354	377	2606	274	2856	187	2934	330	3005	561	3162	211	3352	284	3584	215
393	115	681	104	1355	377	2614	278	2866	537	2935	330	3010	562	3163	211	3353	285	3585	216
394	115	784	27	1356	377	2616	278	2867	537	2936	330	3014	562	3164	212	3354	285	3586	216
395	116	785	27	1361	116	2621	278	2868	537	2937	330	3015	563	3165	212	3355	285	3587	219
396	116	835	137	1363	117	2628	562	2870	186	2938	330	3018	290	3166	212	3356	285	3588	220
397	116	836	137	1365	117	2630	263	2871	283	2939	330	3027	562	3167	212	3357	286	3589	220
398	116	838	137	1366	117	2631	263	2872	284	2940	330	3029	159	3168	212	3358	286	3590	220
399	116	880	144	1369	377	2636	274	2873	281	2941	330	3035	297	3169	212	3359	286	3591	220
430	70	884	81	1382	117	2641	292	2874	281	2942	331	3070	296	3170	212	3360	286	3592	220
431	70	885	81	1383	117	2642	292	2875	281	2943	331	3101	296	3228	295	3361	286	3593	216
433	64	886	81	1398	365	2643	292	2876	281	2944	331	3111	201	3231	296	3362	286	3594	216
434	64	887	81	1399	365	2644	292	2877	281	2945	331	3112	202	3232	296	3363	287	3595	219
435	64	888	81	1400	365	2645	292	2878	281	2946	331	3113	203	3233	296	3364	285	3596	219
436	65	889	81	1401	365	2650	270	2879	383	2947	331	3114	204	3234	296	3365	285	3597	219
437	65	890	81	1404	365	2651	270	2880	270	2948	331	3115	221	3235	296	3366	285	3598	219
444	66	899	137	1405	365	2655	292	2889	35	2949	331	3116	221	3236	296	3367	284	3599	217

INDEX

V-TAC Meaningful Innovation.

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
3600	217	3677	213	3801	498	3974	457	5124	294	6406	246	6666	37	6749	228	6825	171	6893	566
3605	217	3689	218	3802	498	3975	457	5127	294	6407	246	6667	38	6750	228	6828	351	6894	566
3606	217	3690	219	3805	498	3976	458	5128	294	6409	246	6668	38	6751	228	6829	351	6895	566
3607	217	3691	215	3806	498	3977	458	5129	294	6412	247	6669	38	6752	228	6830	351	6896	566
3608	217	3692	215	3807	498	3978	456	5130	294	6415	247	6670	38	6753	228	6831	351	6897	566
3609	217	3694	221	3808	498	3979	456	5131	294	6418	247	6673	239	6754	228	6832	351	6898	566
3610	217	3695	221	3809	498	3980	457	5133	294	6459	254	6674	238	6755	20	6833	351	6899	566
3611	218	3696	221	3810	498	3981	457	5134	294	6460	254	6675	237	6756	20	6834	351	6900	566
3612	218	3697	221	3821	491	3986	425	5135	294	6461	254	6677	511	6757	20	6835	351	6901	566
3613	219	3698	191	3822	491	3992	422	5136	294	6462	254	6678	511	6758	20	6836	393	6902	566
3614	219	3710	492	3825	491	3993	422	5137	294	6500	22	6682	207	6759	20	6837	393	6903	416
3615	219	3711	492	3829	491	3994	422	5138	294	6606	373	6683	207	6760	20	6838	393	6904	416
3616	219	3714	492	3837	493	3995	423	5140	294	6607	373	6684	201	6761	199	6839	393	6906	431
3617	202	3715	492	3838	493	3996	423	5141	294	6608	374	6685	201	6762	199	6840	355	6908	440
3618	202	3722	498	3851	493	3997	423	5150	20	6609	374	6686	201	6763	199	6841	355	6909	441
3619	202	3723	498	3852	493	4061	196	5151	20	6610	374	6687	201	6764	200	6842	355	6911	440
3620	197	3724	498	3853	493	4124	165	5152	20	6611	374	6688	201	6765	200	6843	355	6912	441
3622	233	3725	498	3859	492	4156	163	5153	20	6612	374	6689	201	6766	200	6844	23	6914	440
3623	233	3727	490	3865	489	4223	196	5155	395	6613	374	6690	204	6767	200	6845	161	6915	441
3624	85	3729	491	3867	489	4278	169	5157	389	6623	241	6691	204	6768	200	6846	160	6917	440
3625	290	3730	489	3874	418	4425	187	5502	18	6627	241	6692	204	6769	200	6847	160	6918	441
3627	213	3732	490	3880	488	4449	161	5503	21	6628	482	6693	204	6770	200	6848	160	6920	445
3628	213	3735	490	3881	489	4466	193	5504	21	6629	481	6694	207	6771	200	6849	23	6921	445
3629	213	3738	490	3882	488	4467	193	5505	21	6630	482	6695	207	6772	200	6850	23	6923	446
3630	212	3742	498	3884	489	4468	193	5506	21	6632	204	6696	207	6773	200	6855	275	6924	446
3631	212	3743	498	3885	489	4483	183	5571	376	6633	204	6697	207	6774	201	6856	275	6926	446
3632	213	3744	498	3892	434	4485	183	5572	376	6634	205	6698	210	6775	199	6857	275	6927	447
3640	214	3745	498	3893	456	4798	246	5608	258	6635	205	6699	210	6776	199	6858	275	6929	447
3641	214	3749	499	3898	434	4863	244	5745	231	6636	204	6700	210	6779	201	6862	269	6931	416
3642	216	3750	499	3899	456	4943	246	5917	231	6637	204	6708	241	6780	201	6863	269	6933	431
3643	216	3751	496	3912	483	4948	246	5984	230	6638	205	6709	255	6781	567	6864	276	6935	432
3644	216	3755	499	3913	483	4967	375	5985	230	6639	205	6711	255	6782	567	6865	276	6937	432
3645	216	3756	494	3914	483	4968	376	5989	230	6640	204	6713	255	6783	301	6866	276	6939	432
3646	216	3757	494	3920	495	4973	327	5991	230	6641	205	6715	255	6784	301	6867	276	6941	433
3647	216	3761	494	3921	495	4982	376	5992	230	6642	205	6717	255	6785	348	6868	273	6943	433
3648	214	3763	494	3922	495	4997	327	6018	240	6643	205	6719	255	6786	348	6869	273	6957	422
3649	214	3764	494	3923	495	4998	327	6052	250	6644	205	6721	228	6787	348	6870	273	6958	422
3650	214	3765	494	3924	495	4999	327	6053	250	6645	205	6722	228	6788	348	6871	273	6959	422
3651	214	3766	495	3925	496	5050	327	6054	250	6646	205	6723	228	6805	25	6872	273	6962	416
3652	214	3771	497	3928	415	5052	327	6055	250	6647	206	6724	228	6806	25	6873	273	6964	14
3653	214	3774	497	3931	414	5077	375	6057	250	6648	206	6725	228	6807	353	6874	273	6965	14
3654	214	3775	497	3932	414	5078	378	6313	251	6649	206	6726	228	6808	353	6875	273	6966	14
3655	302	3777	499	3933	414	5081	378	6322	250	6650	206	6733	228	6809	353	6876	273	6967	14
3656	302	3783	499	3934	415	5082	378	6324	250	6651	206	6734	228	6810	353	6877	292	6968	14
3657	302	3784	499	3936	413	5083	379	6325	250	6652	206	6735	228	6811	353	6878	292	6969	14
3658	302	3785	499	3937	414	5084	378	6346	246	6653	206	6736	228	6812	353	6879	292	6970	14
3659	302	3787	499	3938	414	5085	378	6347	246	6654	206	6737	228	6813	353	6880	292	6971	14
3660	302	3788	499	3939	414	5086	374	6348	246	6655	206	6738	228	6814	353	6882	564	6972	236
3664	213	3789	499	3946	496	5087	374	6352	246	6656	206	6739	228	6815	353	6883	564	6973	14
3665	213	3790	499	3947	496	5088	375	6353	246	6657	207	6740	228	6816	353	6884	564	6974	14
3666	213	3791	499	3948	496	5089	375	6355	245	6658	207	6741	228	6817	353	6885	564	6975	14
3667	214	3792	499	3950	496	5090	372	6356	245	6659	207	6742	228	6818	353	6886	565	6976	14
3668	85	3793	499	3952	497	5091	376	6364	245	6660	42	6743	228	6819	386	6887	565	6982	245
3669	218	3794	499	3953	497	5116	294	6387	254	6661	42	6744	228	6820	341	6888	565	6983	245
3673	191	3797	498	3960	418	5117	294	6388	254	6662	42	6745	228	6821	467	6889	565	6984	245
3674	215	3798	498	3963	419	5119	294	6399	254	6663	547	6746	228	6822	170	6890	566	6985	245
3675	213	3799	498	3967	439	5120	294	6400	254	6664	547	6747	228	6823	171	6891	566	6986	440
3676	213	3800	498	3973	439	5121	294	6401	246	6665	37	6748	228	6824	171	6892	566	6987	441

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
6988	440	7297	167	7564	398	7809	258	7871	243	7947	474	8014	428	8458	509	8597	209	8730	530
6989	441	7300	168	7565	398	7810	258	7872	243	7948	474	8017	430	8459	509	8598	209	8731	530
6990	440	7302	168	7566	398	7811	258	7873	243	7949	474	8018	430	8460	509	8599	209	8732	531
6991	441	7309	162	7567	399	7812	258	7874	243	7950	309	8019	430	8461	509	8608	209	8733	527
6992	440	7317	161	7568	399	7813	258	7875	243	7951	309	8020	429	8462	509	8623	396	8734	527
6993	441	7427	189	7569	388	7817	367	7876	243	7952	309	8021	429	8463	509	8624	396	8735	527
6994	445	7435	190	7570	389	7818	367	7877	243	7953	309	8022	430	8466	569	8625	397	8736	528
6995	445	7438	191	7571	391	7819	367	7878	243	7954	308	8023	430	8467	568	8626	389	8737	528
6996	446	7467	176	7572	391	7820	367	7879	243	7955	308	8024	385	8468	569	8627	389	8738	528
6997	446	7468	176	7573	202	7821	13	7880	243	7956	308	8025	385	8469	569	8628	401	8739	528
6998	447	7490	159	7574	202	7822	13	7881	243	7957	308	8026	385	8504	482	8629	403	8740	528
7000	447	7500	387	7621	321	7823	13	7882	255	7958	306	8027	369	8505	482	8651	567	8741	529
7001	447	7501	386	7624	321	7824	13	7883	255	7959	306	8040	150	8506	482	8659	557	8742	529
7002	448	7502	386	7626	321	7825	13	7884	255	7960	306	8041	150	8517	400	8660	557	8743	531
7003	448	7503	386	7629	321	7826	13	7885	255	7961	306	8042	151	8520	481	8674	17	8744	531
7004	448	7504	387	7630	321	7827	13	7886	261	7962	306	8043	151	8522	480	8681	338	8745	528
7005	449	7505	387	7632	321	7828	13	7887	261	7963	306	8044	151	8541	336	8686	402	8746	531
7006	451	7506	387	7633	322	7829	13	7888	261	7964	307	8045	150	8547	16	8687	404	8747	532
7007	465	7507	387	7643	322	7830	13	7889	261	7965	307	8046	150	8548	17	8688	404	8748	527
7008	465	7508	387	7647	322	7831	550	7890	261	7966	307	8047	150	8549	17	8689	45	8749	527
7009	465	7509	387	7651	466	7832	550	7891	261	7967	307	8048	251	8550	16	8690	207	8751	197
7010	157	7510	387	7652	466	7833	551	7892	259	7968	307	8049	251	8551	343	8691	208	8753	197
7011	101	7511	388	7653	466	7834	551	7893	259	7969	307	8050	251	8552	343	8692	208	8754	514
7012	101	7512	388	7654	466	7835	552	7894	477	7970	309	8054	251	8557	44	8693	208	8755	515
7013	101	7513	401	7655	257	7836	552	7895	473	7971	309	8056	172	8558	45	8694	208	8756	515
7014	101	7515	390	7656	257	7837	19	7896	473	7972	309	8057	172	8559	43	8695	208	8757	515
7015	101	7516	390	7657	257	7839	13	7897	473	7973	309	8064	172	8564	483	8696	208	8758	515
7016	101	7517	390	7659	322	7840	13	7898	473	7974	309	8078	299	8565	483	8697	208	8759	515
7017	101	7518	396	7665	322	7841	13	7899	473	7975	309	8080	561	8566	390	8700	529	8760	515
7018	101	7519	401	7667	322	7842	13	7900	544	7977	309	8119	255	8567	389	8701	529	8761	516
7019	101	7520	401	7673	322	7843	13	7901	545	7978	309	8142	300	8568	389	8702	529	8762	516
7020	101	7521	402	7675	368	7844	13	7902	545	7979	309	8156	241	8569	483	8703	530	8763	516
7021	101	7522	402	7676	547	7845	13	7913	539	7980	203	8158	241	8570	483	8704	512	8764	516
7022	101	7523	28	7677	547	7846	13	7914	538	7981	203	8213	343	8571	483	8705	512	8765	516
7044	390	7525	348	7687	367	7847	13	7915	539	7982	203	8214	343	8573	15	8706	525	8766	516
7045	390	7528	28	7688	368	7848	13	7916	539	7985	475	8218	346	8574	15	8707	525	8767	517
7057	404	7529	403	7689	467	7849	549	7917	538	7986	475	8219	346	8575	15	8708	525	8768	517
7058	403	7530	404	7690	467	7850	549	7918	540	7987	475	8220	346	8576	15	8709	526	8769	517
7059	403	7537	233	7691	467	7851	549	7919	540	7988	470	8234	353	8577	15	8710	526	8770	513
7061	405	7539	388	7694	561	7852	292	7920	540	7989	479	8267	358	8578	15	8711	526	8771	513
7062	405	7540	388	7695	561	7853	348	7921	538	7990	479	8274	369	8579	220	8712	526	8772	513
7063	405	7541	388	7696	567	7854	348	7922	541	7991	479	8276	28	8580	220	8713	526	8773	514
7068	402	7542	388	7698	568	7855	242	7923	541	7992	407	8277	28	8581	220	8714	526	8774	514
7072	403	7543	388	7699	191	7856	242	7924	541	7993	407	8278	28	8582	220	8715	527	8775	514
7073	403	7546	395	7751	569	7857	242	7925	541	7994	407	8279	28	8583	223	8716	531	8776	514
7077	401	7549	395	7794	157	7858	242	7926	544	7995	407	8281	344	8584	222	8717	532	8777	514
7083	345	7552	395	7795	157	7859	242	7929	542	7996	407	8293	334	8585	222	8718	533	8778	521
7120	184	7553	389	7796	249	7860	242	7936	542	7997	407	8303	346	8586	223	8719	533	8779	521
7154	183	7554	389	7797	249	7861	242	7937	473	7998	408	8304	346	8587	223	8720	533	8780	521
7173	168	7555	385	7798	249	7862	242	7938	473	7999	408	8327	337	8588	223	8721	533	8781	520
7178	183	7556	385	7799	249	7863	242	7939	473	8000	408	8338	340	8589	223	8722	533	8782	521
7180	183	7557	385	7801	249	7864	242	7940	470	8001	408	8343	107	8590	223	8723	534	8783	518
7188	183	7558	385	7803	249	7865	242	7941	470	8002	408	8379	509	8591	223	8724	534	8784	518
7195	169	7559	385	7804	43	7866	242	7942	470	8003	408	8399	509	8592	223	8725	534	8785	518
7288	161	7560	385	7805	291	7867	242	7943	470	8010	429	8401	509	8593	397	8726	534	8786	518
7289	161	7561	385	7806	186	7868	242	7944	470	8011	429	8402	509	8594	398	8727	534	8787	518
7290	161	7562	385	7807	186	7869	242	7945	470	8012	428	8421	568	8595	211	8728	534	8788	519
7293	163	7563	398	7808	258	7870	243	7946	476	8013	428	8437	369	8596	211	8729	530	8789	519

INDEX

V-TAC Meaningful Innovation.

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
8790	519	8942	215	9954	302	10080	410	10213	253	10275	564	10355	57	10471	397	10582	311	11825	403
8791	511	8943	215	9955	302	10081	415	10215	253	10276	564	10362	57	10472	397	10583	311	11826	404
8792	512	8944	208	9956	287	10082	415	10217	237	10277	303	10363	57	10473	333	10584	347	11827	404
8793	512	8945	209	9969	241	10083	409	10219	237	10278	303	10365	57	10474	333	10585	347	11828	405
8794	512	8946	209	9989	241	10084	409	10220	253	10279	303	10367	48	10475	393	10586	347	11884	22
8795	512	8947	209	9997	241	10085	409	10221	253	10280	303	10371	300	10476	393	10587	347	11885	22
8796	513	8948	209	9999	241	10086	409	10222	253	10281	300	10372	391	10477	242	10588	347	11886	22
8797	568	8949	209	10010	51	10087	436	10223	253	10282	340	10373	391	10478	242	10589	347	11887	22
8798	568	8955	220	10011	52	10088	435	10224	19	10283	340	10374	390	10479	242	10590	347	11888	22
8799	513	8956	222	10012	52	10089	436	10225	19	10284	339	10375	390	10480	242	10591	347	11889	22
8800	513	8958	397	10013	52	10090	436	10226	19	10285	339	10376	361	10481	242	11077	503	13919	127
8801	519	8959	398	10014	51	10091	411	10227	19	10286	356	10377	362	10482	242	11078	504	13929	127
8802	519	8960	399	10015	51	10137	118	10228	19	10287	356	10378	362	10483	242	11079	502	13939	127
8803	520	8961	398	10016	51	10138	118	10229	19	10288	356	10379	208	10484	242	11088	505	13959	127
8804	519	8962	397	10017	52	10140	119	10230	241	10289	356	10380	208	10485	242	11109	501	13969	127
8805	520	8963	398	10018	52	10141	119	10231	241	10290	357	10384	32	10486	242	11144	309	13979	127
8806	520	8964	399	10019	52	10142	119	10232	308	10291	357	10395	32	10487	242	11145	309	14980	454
8807	517	8965	400	10020	51	10143	119	10233	303	10292	357	10399	30	10488	242	11159	535	14981	454
8808	517	8966	400	10021	51	10170	119	10234	303	10293	357	10402	31	10489	242	11160	535	14982	454
8809	520	8967	399	10022	51	10171	119	10235	303	10294	203	10405	15	10490	242	11161	535	14983	454
8810	522	8968	400	10023	52	10172	119	10236	303	10295	203	10406	15	10491	242	11162	535	14984	450
8811	522	8970	486	10024	52	10173	119	10237	303	10296	210	10407	15	10492	243	11163	535	14985	450
8812	521	8971	485	10025	52	10174	119	10238	303	10297	212	10408	15	10493	243	11164	535	14986	426
8813	522	8972	486	10026	51	10175	119	10239	303	10298	199	10409	15	10494	243	11165	535	14987	426
8814	522	8973	486	10027	53	10176	119	10240	303	10299	199	10410	15	10495	243	11166	535	14988	427
8815	523	8974	485	10028	53	10177	119	10241	303	10301	195	10413	15	10496	243	11167	535	14989	427
8816	522	8975	485	10029	53	10178	119	10242	304	10302	195	10414	15	10497	243	11168	535	14990	449
8817	517	8976	400	10030	53	10179	119	10243	304	10303	195	10415	15	10498	243	11169	535	14991	449
8818	518	8977	400	10031	53	10180	119	10244	304	10304	41	10416	15	10499	243	11170	535	14992	427
8819	522	8978	397	10032	53	10181	119	10245	304	10305	24	10417	402	10500	243	11171	535	14993	427
8820	523	8979	400	10033	53	10182	119	10246	304	10306	24	10420	401	10514	243	11172	535	14994	449
8821	523	8983	399	10034	53	10183	119	10247	304	10307	24	10421	403	10516	243	11173	535	14995	449
8822	523	8984	399	10035	259	10184	119	10248	304	10308	24	10422	401	10554	264	11174	535	14996	427
8830	532	8985	399	10040	259	10185	119	10249	304	10309	34	10423	404	10555	270	11175	535	14997	427
8831	532	8993	222	10041	259	10187	465	10250	304	10310	14	10426	394	10556	265	11176	535	14998	411
8832	532	8994	222	10042	259	10188	465	10251	305	10311	14	10427	350	10557	237	11177	535	14999	411
8833	530	8995	222	10043	424	10189	465	10252	305	10313	14	10428	350	10558	349	11178	535	15000	411
8834	530	8996	222	10044	424	10190	465	10253	305	10314	14	10429	350	10559	349	11179	557	15001	375
8840	197	8997	222	10045	410	10191	465	10254	305	10315	23	10430	350	10560	349	11180	557	15011	375
8841	520	8998	222	10046	410	10192	465	10255	305	10316	23	10431	350	10561	400	11181	557	15021	375
8842	299	8999	222	10047	410	10193	465	10256	305	10320	282	10434	350	10562	350	11182	557	15031	375
8843	300	9104	233	10048	410	10194	465	10257	304	10321	282	10435	350	10563	350	11188	535	15338	411
8844	47	9255	55	10049	435	10195	326	10258	304	10322	282	10436	350	10564	349	11189	535	15339	437
8845	47	9546	233	10050	435	10196	326	10259	304	10324	471	10437	350	10566	479	11190	535	15340	428
8846	47	9747	17	10051	424	10197	326	10260	304	10325	471	10438	350	10567	479	11191	535	15341	437
8847	47	9891	55	10052	424	10198	326	10261	304	10326	471	10439	350	10568	472	11258	20	15342	450
8848	47	9892	55	10053	424	10199	326	10262	304	10327	477	10443	342	10569	472	11341	293	15343	437
8849	47	9893	55	10054	424	10200	326	10263	305	10328	472	10444	342	10570	472	11342	293	15344	438
8877	209	9894	55	10055	435	10202	259	10264	305	10329	472	10445	342	10571	472	11343	293	15345	426
8878	210	9895	55	10056	435	10203	259	10265	305	10330	471	10446	342	10572	479	11361	257	15346	438
8879	210	9896	55	10057	436	10204	259	10266	305	10336	236	10447	333	10573	479	11362	368	15347	450
8880	210	9897	55	10060	435	10205	259	10267	305	10341	478	10448	333	10574	479	11368	368	15348	453
8936	217	9898	51	10074	411	10206	261	10268	305	10342	478	10449	475	10575	479	11412	567	15349	451
8937	217	9899	51	10075	411	10207	261	10269	308	10345	478	10450	475	10576	479	11449	241	15350	451
8938	215	9944	302	10076	411	10208	261	10270	308	10346	478	10467	257	10578	311	11617	507	15351	452
8939	215	9945	302	10077	410	10209	261	10271	308	10348	51	10468	109	10579	311	11618	507	15352	452
8940	215	9952	302	10078	410	10210	261	10272	308	10353	57	10469	109	10580	311	11823	401	15353	452
8941	215	9953	302	10079	410	10211	261	10273	308	10354	57	10470	396	10581	311	11824	402	15354	452

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
15355	452	20276	61	20360	98	21136	153	21224	155	21540	85	21870	142	23037	551	23162	372	23348	111
15356	443	20279	61	20361	98	21137	153	21228	151	21600	113	21871	142	23038	550	23163	373	23349	40
15357	442	20280	62	20362	98	21138	153	21229	151	21601	113	21872	145	23039	550	23164	373	23350	41
15358	442	20281	62	20363	98	21139	153	21230	151	21602	113	21873	145	23040	550	23165	373	23351	25
15359	442	20282	62	20364	98	21141	153	21234	149	21650	98	21874	145	23041	469	23166	173	23352	25
15360	443	20283	62	20365	98	21142	153	21235	149	21651	98	21875	142	23042	469	23167	173	23353	404
20000	121	20284	62	20366	98	21143	153	21237	153	21652	98	21876	142	23043	469	23168	173	23354	471
20001	121	20285	62	20367	98	21147	154	21238	153	21653	98	21877	142	23044	44	23169	173	23355	471
20003	121	20286	62	20403	56	21148	154	21239	153	21654	98	21878	144	23045	44	23170	174	23356	471
20004	121	20287	62	20405	56	21149	154	21240	141	21655	98	21879	144	23046	44	23171	174	23357	477
20006	121	20288	62	20409	56	21150	154	21241	141	21656	98	21880	144	23047	553	23172	174	23358	477
20007	121	20289	62	20419	93	21151	154	21242	141	21657	98	21947	68	23048	553	23173	282	23359	451
20009	121	20290	62	20423	76	21152	154	21246	142	21658	98	21948	69	23049	333	23174	282	23360	451
20010	121	20291	62	20425	76	21153	154	21247	142	21670	99	21956	83	23050	333	23175	282	23361	487
20012	68	20292	63	20426	77	21154	154	21248	142	21671	99	21957	83	23051	393	23176	283	23362	487
20028	145	20293	63	20427	77	21155	154	21269	149	21672	97	21958	83	23052	393	23177	283	23363	417
20037	71	20294	63	20429	77	21165	143	21284	156	21673	97	21959	83	23053	396	23178	283	23364	417
20038	71	20295	63	20430	75	21166	143	21285	156	21674	97	21960	83	23060	402	23179	283	23365	434
20039	71	20296	63	20432	75	21167	143	21321	139	21675	97	21961	83	23061	397	23180	283	23366	487
20054	128	20297	63	20433	75	21168	151	21324	139	21686	97	21962	83	23083	253	23182	135	23367	487
20056	128	20298	63	20435	75	21169	151	21351	122	21687	97	21963	83	23084	253	23183	135	23368	420
20059	128	20299	63	20436	75	21170	151	21353	122	21688	97	23000	118	23085	253	23184	135	23369	420
20060	113	20300	63	20437	75	21171	150	21354	122	21692	102	23001	118	23086	253	23196	48	23370	420
20113	338	20301	63	20450	54	21172	150	21355	122	21693	102	23002	119	23087	253	23197	48	23371	445
20115	338	20302	63	20452	54	21173	150	21356	122	21694	102	23003	199	23088	253	23198	48	23372	419
20116	338	20303	63	20462	112	21174	150	21357	122	21695	102	23004	33	23089	230	23199	48	23373	421
20117	338	20304	59	20464	112	21175	150	21359	122	21696	102	23005	33	23090	476	23200	48	23374	421
20118	338	20305	59	20468	106	21176	150	21360	122	21697	102	23006	33	23091	476	23201	48	23375	436
20169	58	20306	59	20469	106	21177	151	21361	122	21784	27	23007	342	23092	469	23202	48	23376	492
20170	58	20307	59	20470	106	21178	151	21371	123	21785	27	23008	342	23093	469	23203	48	23377	493
20171	58	20308	59	20471	106	21179	151	21372	123	21797	143	23009	34	23094	478	23212	152	23378	412
20172	58	20309	59	20478	141	21187	156	21374	113	21798	97	23010	34	23095	478	23213	152	23379	413
20173	58	20310	59	20479	141	21188	156	21375	113	21799	97	23011	38	23096	426	23214	152	23380	480
20174	58	20311	59	20480	87	21189	143	21376	113	21807	126	23012	30	23097	423	23215	152	23381	412
20175	58	20312	59	20481	87	21190	143	21380	115	21808	126	23013	30	23098	423	23216	48	23382	412
20176	58	20313	59	20482	87	21191	143	21383	114	21809	126	23014	32	23099	418	23217	48	23383-	29
20177	58	20314	59	20483	87	21192	144	21384	114	21832	127	23015	41	23100	433	23218	48	23383	468
20178	58	20315	59	20484	87	21193	144	21404	66	21839	127	23016	31	23101	409	23219	48	23384-	29
20179	58	20316	394	20485	87	21194	144	21407	68	21840	127	23017	31	23102	409	23220	48	23384	468
20180	58	20317	394	20486	122	21195	143	21410	67	21841	127	23018	15	23103	409	23221	48	23385-	29
20181	58	20318	394	20488	42	21196	143	21417	67	21842	127	23019	15	23138	276	23326	245	23385	468
20182	58	20320	90	20489	42	21197	143	21418	69	21843	127	23020	402	23139	276	23327	245	23386	40
20183	58	20322	90	21101	152	21198	144	21419	69	21844	127	23021	394	23140	276	23328	245	23387	103
20185	151	20331	257	21102	152	21199	144	21420	67	21845	127	23022	350	23141	276	23332	555	23388	103
20189	152	20344	99	21103	149	21200	144	21421	67	21846	127	23023	243	23142	276	23333	556	23389	103
20190	152	20345	99	21104	150	21201	144	21422	69	21850	152	23024	264	23143	276	23334	265	23390	103
20256	60	20346	99	21108	143	21202	144	21442	66	21851	152	23025	264	23144	276	23335	265	23391	103
20257	60	20347	99	21110	152	21203	144	21464	70	21852	152	23026	264	23145	263	23337	381	23392	103
20258	60	20348	99	21112	150	21204	144	21473	70	21853	152	23027	349	23146	274	23338	381	23393	236
20259	60	20349	99	21113	150	21205	144	21476	69	21854	152	23028	347	23147	240	23339	382	23394	443
20260	60	20350	99	21114	151	21206	144	21477	69	21855	152	23029	347	23148	240	23340	382	23395	444
20261	60	20351	99	21115	151	21207	143	21511	143	21863	151	23030	347	23155	312	23341	110	23396	444
20262	60	20352	99	21116	151	21208	143	21531	84	21864	151	23031	347	23156	312	23342	110	23397	444
20264	60	20353	99	21125	155	21209	143	21535	85	21865	151	23032	26	23157	312	23343	110	23398	39
20266	60	20354	99	21131	141	21210	153	21536	85	21866	150	23033	26	23158	312	23344	110	23399	39
20269	61	20355	99	21132	141	21212	153	21537	85	21867	150	23034	44	23159	190	23345	111	23400	40
20270	61	20356	99	21133	141	21222	155	21538	85	21868	150	23035	551	23160	327	23346	111	23401	39
20273	61	20359	98	21135	153	21223	155	21539	85	21869	142	23036	551	23161	372	23347	111	23402	523

INDEX

V-TAC Meaningful Innovation.

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
23403	523	23576	170	40101	415	76381	320	87341	524	211210	363	212118	277	212624	265	213987	425	214855	244
23405	329	23577	170	40111	490	76391	320	87351	524	211255	301	212120	272	212625	275	213988	425	214856	244
23406	329	23578	18	40121	490	76401	320	87361	524	211256	301	212122	272	212626	275	213989	425	214857	244
23407	199	23579	18	40131	491	76411	320	87371	525	211257	301	212124	271	212627	275	213990	425	214858	244
23408	199	23580	511	40141	460	76421	320	87391	525	211277	315	212126	272	212649	270	213991	425	214859	244
23409	413	23581	511	40151	460	76431	320	93573	386	211278	315	212128	272	212650	270	214062	196	214860	244
23410	469	23585	317	40161	461	76441	320	93574	386	211279	315	212133	271	212651	270	214084	196	214861	244
23411	469	23586	317	40171	461	76451	320	93575	35	211280	315	212135	271	212652	269	214122	162	214862	244
23412	467	23587	317	40181	461	76461	320	93578	35	211285	301	212137	272	212653	269	214123	165	214864	244
23413	467	23588	317	40191	462	76471	320	94006	15	211286	301	212138	272	212654	269	214124	165	214865	244
23414	474	23589	318	40201	462	76481	320	94008	15	211287	301	212143	272	212667	269	214160	164	214866	244
23415	474	23590	318	40211	461	76491	320	94010	15	211314	364	212145	277	212701	185	214162	164	214867	244
23416	474	23591	318	40221	462	76501	320	94012	15	211315	364	212148	277	212704	174	214164	163	214868	244
23417	474	23592	318	40231	462	76591	320	94026	15	211316	364	212149	277	212705	175	214166	162	214869	244
23418	126	23593	318	40241	463	76601	320	94027	15	211317	364	212150	277	212706	175	214174	165	214870	244
23419	126	23594	318	40251	463	76611	320	97212	230	211319	364	212155	277	212713	169	214207	164	214871	244
23420	129	23595	319	40261	463	76621	320	104771	95	211322	364	212159	272	212714	169	214216	162	214872	244
23421	128	23596	326	40331	459	76631	320	104781	95	211323	364	212161	268	212715	169	214224	196	214873	244
23422	129	23597	326	40381	459	76641	320	104791	95	211326	363	212162	268	212728	190	214225	196	214874	244
23423	379	23598	326	40391	459	76651	320	104801	95	211328	363	212163	268	212733	165	214255	196	214887	244
23425	371	23599	49	40401	459	76661	320	104811	95	211329	363	212164	268	212734	165	214256	196	214889	244
23426	372	23600	49	40411	459	76681	320	104821	95	211330	363	212165	268	212738	163	214257	196	215251	84
23427	371	23601	49	40421	460	76691	321	104831	95	211331	363	212166	268	212739	194	214272	184	215261	84
23428	379	23602	50	40431	458	76701	321	104841	95	211463	383	212430	272	212740	194	214300	187	215271	84
23429	371	23603	50	40441	452	76711	321	104851	95	211464	383	212431	272	212741	194	214301	186	215281	84
23430	371	23604	509	40501	488	76721	321	104861	95	211465	384	212459	272	212752	560	214302	187	215291	84
23431	417	23605	509	40531	488	76741	321	104871	95	211466	384	212460	277	212754	559	214303	184	215301	84
23432	417	23607	265	40541	488	78551	95	104881	95	211467	384	212461	267	212756	559	214304	189	215311	84
23434	421	23608	265	40551	488	78561	95	104891	95	211469	384	212462	267	212790	175	214305	190	215321	84
23435	421	23609	265	40561	487	78571	95	104901	95	211470	384	212463	267	212792	195	214306	188	215947	229
23436	421	23610	290	40571	487	78581	95	104911	95	211472	384	212546	264	212793	195	214308	186	215948	229
23437	421	23613	227	44801	183	78591	95	104921	94	211485	314	212549	263	212794	195	214361	178	215950	229
23438	16	23614	227	55679	127	78601	95	104931	94	211486	314	212552	272	212802	184	214362	178	215951	229
23439	16	23615	227	71811	183	78611	95	104941	94	211487	314	212553	272	212815	184	214367	186	215953	229
23440	49	23616	72	76011	323	78621	95	104951	94	211488	313	212558	264	212818	167	214410	184	215954	229
23441	49	23617	72	76151	319	78631	95	104961	94	211489	313	212559	264	212819	167	214411	184	215956	229
23442	50	23618	78	76161	319	78641	95	104971	94	211685	194	212560	264	212820	167	214412	184	215957	229
23443	50	23619	78	76171	319	78651	95	104981	94	211686	194	212561	264	212834	169	214413	186	215959	229
23444	49	23620	78	76181	319	78661	95	104991	94	211687	194	212562	278	212835	169	214414	186	215960	229
23445	466	23621	78	76191	319	78671	95	105001	94	212002	271	212563	278	212836	169	214421	178	215962	229
23446	466	23622	258	76201	319	78681	95	105141	94	212005	271	212564	278	212843	188	214422	189	215963	229
23447	466	23623	258	76211	319	78691	95	105161	94	212009	271	212574	274	212844	188	214423	189	215965	229
23455	236	23624	93	76221	319	78701	94	121284	362	212011	271	212581	269	212847	187	214424	189	215966	229
23456	236	23625	93	76231	319	78711	94	121402	365	212013	271	212591	272	212848	185	214428	188	215967	229
23457	290	23665	235	76241	319	78721	94	121403	365	212015	271	212592	272	212849	185	214429	187	215968	229
23458	236	23666	235	76251	319	78731	94	128317	337	212016	271	212593	266	212850	185	214430	187	215969	229
23462	227	23677	374	76261	319	78741	94	128318	337	212025	271	212594	266	213894	455	214431	186	216221	238
23463	227	23678	375	76271	319	78751	94	128319	337	212031	277	212595	266	213895	455	214432	186	216257	240
23465	292	23679	372	76281	319	78761	94	128320	337	212032	277	212596	266	213900	455	214444	185	216258	240
23466	292	34235	197	76291	319	78771	94	128321	337	212034	277	212597	266	213959	418	214445	185	216262	249
23568	170	35771	197	76301	319	78781	94	128322	337	212035	277	212598	266	213966	439	214446	185	216263	249
23569	170	35831	197	76311	319	78791	94	128324	337	212036	277	212599	267	213969	439	214454	168	216264	249
23570	170	36205	197	76321	319	78801	94	128325	337	212037	277	212600	267	213970	439	214455	168	216265	249
23571	170	40011	419	76331	320	78811	94	128326	337	212038	277	212601	267	213971	439	214457	168	216272	249
23572	170	40051	438	76341	320	83111	369	128333	337	212041	271	212602	268	213982	455	214458	168	216273	249
23573	170	40061	438	76351	320	87111	525	211207	363	212042	271	212607	274	213984	455	214473	178	216282	254
23574	170	40071	475	76361	320	87121	524	211208	363	212043	277	212622	265	213985	455	214499	182	216283	254
23575	170	40081	475	76371	320	87131	524	211209	363	212044	277	212623	265	213986	425	214854	244	216284	254

SKU	Page
216285	254
216286	254
216287	254
216292	244
216293	244
216294	244
216295	244
216296	244
216297	244
216309	249
216310	249
216318	249
216319	249
216320	249
216321	249
216376	237
216380	93
216381	93
216392	249
216393	249
216394	249
216423	244
216429	244
216431	244
216475	97
216476	97
216478	97
216479	97
216481	97
216482	97
216483	104
216484	104
216485	104
216486	104
216620	238
216621	238
216625	240
216626	240
216671	239
216672	239
216706	237
216707	237
216777	238
216778	238
217078	341
217079	341
217080	341
217081	345
217082	345
217087	341
217088	341
217089	341
217090	345
217091	345
217092	345
217093	354
217100	182
217113	181
217114	181
217115	182
217116	182
217120	184
217142	180
217143	180
217144	181
217145	179
217146	178
217147	179
217155	178
217157	177
217216	178
217217	178
217218	178
217220	177
217229	166
217234	196
217235	196
217236	196
217240	167
217241	167
217242	167
217246	166
217251	185
217260	167
217261	167
217262	167
217263	163
217264	163
217265	163
217269	194
217270	194
217271	194
217328	179
217335	176
217336	177
217349	167
217350	167
217351	167
217352	167
217353	167
217354	167
217357	165
217359	165
217362	164
217363	164
217402	166
217403	166
217407	164
217408	164
217409	164
217410	188
217411	188
217412	189
217413	189
217416	178
217422	166
217423	186
217424	186
217425	186
217436	190
217439	191
217440	191
217453	189
217454	189
217455	189
217456	180
217457	177
217458	184
217459	184
217460	184
217462	176
217465	176
217472	181
217473	180
217474	177
217475	179
217524	348
217527	348
217544	395
217545	395
217547	395
217548	395
217550	395
217551	395
217602	323
217603	323
217604	323
217605	323
217606	323
217607	323
217608	323
217609	323
217934	543
217935	543
218209	342
218210	342
218211	342
218215	343
218217	346
218233	353
218234	353
218235	353
218236	353
218237	353
218238	353
218239	352
218240	352
218241	352
218242	352
218243	352
218244	352
218245	352
218246	352
218247	352
218250	359
218252	359
218253	359
218254	360
218255	360
218256	360
218257	360
218258	360
218259	360
218260	360
218261	360
218262	358
218263	358
218264	358
218265	358
218266	358
218269	358
218270	359
218271	359
218272	359
218273	359
218280	344
218282	344
218283	344
218284	344
218285	344
218286	334
218287	334
218288	334
218289	334
218291	334
218292	334
218295	344
218297	344
218298	344
218299	344
218301	346
218302	346
218305	346
218306	346
218309	354
218334	340
218335	340
218338	340
218341	340
218519	480
218527	341
218528	341
218529	341
218530	341
218531	341
218532	341
218533	355
218534	355
218535	356
218536	356
218537	336
218538	336
218539	336
218540	336
218543	336
218544	336
218553	343
218554	343
218560	335
218561	335
218562	335
218563	335
218609	336
218610	336
218612	336
218613	339
218614	339
218615	339
218616	339
218617	339
218618	339
218619	339
218620	339
218621	383
218622	383
218675	357
218676	357
218681	338
218682	338
218683	335
218684	335
230231	94
405811	454
405821	454
405831	454
405841	454
405851	563
405861	563
405871	563
500081	505
500082	505
638011	239
638021	239
638031	239
2113889	127
2113899	127
2113909	127
2113949	127
2114551	324
2114601	326
2114611	326
2114621	326
2114741	324
2114751	325
2114761	325
2114911	325
2114921	324
2114931	324
2114941	325
2114951	324
2120014	69
2120021	148
2120022	148
2120023	148
2120026	145
2120027	145
2120044	151
2120045	150
2120055	128
2120058	128
2120114	338
2120152	149
2120184	151
2120186	150
2120187	150
2120202	105
2120203	105
2120206	105
2120207	105
2120210	105
2120211	105
2120214	107
2120215	107
2120216	107
2120217	107
2120220	105
2120221	105
2120222	105
2120223	105
2120319	90
2120321	90
2120323	90
2120424	76
2120425	76
2120426	77
2120427	77
2120428	77
2120429	77
2120438	77
2120439	77
2140311	481
2140321	481
2140451	452
2140471	452
2140491	453
2142151	162
2142411	162
2142501	165
2142511	165
2142521	165
2142581	162
2143421	164
2143431	164
2143441	164
2155669	127
2160246	239
2160256	239
2160286	239
2162416	237
2162426	237
2162821	103
2162831	103
2162841	103
2162851	103
2162861	103
2162871	103
2166251	94
2166261	94
21203191	90
21203211	90
21203231	90
23330-TPA	235
2642P	292
6826-TPA	235
6827-TPA	235
76151-24	130
76161-24	130
76171-24	130
76181-24	130
76191-24	130
76201-24	130
76211-24	130
76221-24	130
76231-24	130
76241-24	130
76251-24	130
76261-24	130
76271-24	130
76281-24	130
76291-24	130
76301-24	130
76311-24	130
76321-24	130
76331-24	131
76341-24	131
76351-24	131
76361-24	131
76371-24	131
76381-24	131
76391-24	131
76401-24	131
76411-24	131
76421-24	131
76431-24	131
76441-24	131
76451-24	131
76461-24	131
76471-24	131
76481-24	131
76491-24	131
76501-24	131
76591-24	132
76601-24	132
76611-24	132
76621-24	132
76631-24	132
76641-24	132
76651-24	132
76661-24	132
76681-24	132
76691-24	133
76701-24	133
76711-24	133
76721-24	133
76741-24	133
801-24	125
804-24	125
806-24	125
812-24	125

Moving towards Sustainability.

Download
Solar Energy
Catalog



V-TAC

Meaningful Innovation.

TOWARDS A BRIGHTER FUTURE

V-TAC LED ITALIA

5000+
PRODUCTS

PRESENCE IN
70+
COUNTRIES

Sofia Office

V-TAC Europe Ltd
41, bul. Rozhen
1271 Sofia
Bulgaria
www.v-tac.eu
office@v-tac.eu

UK Office

V-TAC House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk
info@v-tac.co.uk

V-TAC West Europe

Ground Floor, 71 Lower Baggot Street, Dublin 02, Ireland
D02 P593

Hungary Office

Népfürdő utca 13. | H-1138
Budapest, Ungarn

Romania Office

Bulevardul Unirii,
numărul 33
(vis-a-vis de Institutul Bancar Român),
București

Poland Office

V-TAC POLAND sp. z o.o.
Ul. Obornicka 330
60-689 Poznań

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers,
Plot# X3, JLT,P.O. Box 45244, Dubai